



66300914/0117

Sherpa

1201 / 1401

B. Strautmann & Söhne GmbH u. Co. KG

Maschinenfabrik

Bielefelder Str. 53

D - 49196 Bad Laer

Germany

Phone: ++ 49 (0) 5424-802-0

Fax: ++ 49 (0) 5424-802-64

E-Mail: kontakt@strautmann.com

Internet: www.strautmann.com

Contents

frame.....	7
axle fitting front rigid	9
axle fitting front hydr loaded	11
front axle	15
axle beam front axle	17
input shaft front axle	19
differential front axle	21
differential lock front axle	23
brake front axle	25
wheel hub front axle	27
planetary gear front axle.....	29
axle fitting rear rigid	31
axle fitting rear hydr loaded	33
rear axle.....	37
diesel engine add-on parts	41
air supply	47
engine cooler	49
exhaust system.....	51
fuel supply.....	53
cover engine compartment.....	57
cowling wing front left	59
cowling wing front right.....	63
wing rear / vehicle rear	67
cover vehicle rear	69
mixing container	71
counter-cutter	73
mineral feed-feed funnel.....	75
mixing auger up to YOM 2015	79
mixing auger since YOM 2015	83
mixing drive	89
protective hood	93
discharge lateral front right.....	95
discharge lateral rear left.....	99
side discharge conveyor	103
indicator f hydraulic slurry door.....	113
milling cutter	115

Contents

protection device for milling cutter	121
fast-cut cutting plate knife	123
fast-cut cutting plate drive	127
fast-cut conveying drum	131
conveyor duct add-on parts fast-cut	135
conveyor duct add-on parts milling cutter	139
elevator conveyor	145
elevator conveyor-drive fast-cut	149
elevator conveyor-drive milling cutter	153
cabin base frame	157
cabin glazing and wiper	161
cabin door	163
cabin underroof	165
side console	167
steering column	173
cabin roof, pedal + driver seat	177
potential supply batterie	181
side box cabin	183
parts behind the driver seat	185
cable harness engine electrics	187
cable harness cabin bottom	189
cable harness steering column	191
cable harness roof	193
cable harness hydraulic pump	195
cable harness control block	197
cable harness vehicle rear	199
cable harness center left	201
cable harness control block container front right	203
hydraulic pumps main strand milling cutter	205
hydraulic pumps main strand fast-cut up to YOM 2015	211
hydraulic pumps main strand components up to YOM 2015	217
hydraulic pumps main strand fast-cut since YOM 2015	219
hydraulic pumps main strand components since YOM 2015	225
hydraulic pumps auxiliary drive up to YOM 2016	227
hydraulic pumps auxiliary drive since YOM 2016	229
hydraulics main control block	231

Contents

control main block milling cutter	235
control main block fast-cut.....	237
hydraulics control block milling cutter drum.....	239
hydraulics control block conveying drum.....	243
control block conveying drum.....	247
hydraulics control block container front right	249
control block container front right	251
hydraulics control block container rear left	253
control block container rear left	255
hydraulics oil tank and oil cooler	257
hydraulics drive.....	263
hydraulic steering	267
hydraulic brake system differential lock.....	271
hydraulic suspension	277
hydraulics conveyor duct lift / lower.....	281
hydraulics milling cutter	285
hydraulics milling cutter cover	289
hydraulics fast-cut conveying drum + elevator conveyor	291
hydraulics elevator conveyor case milling cutter	297
hydraulics fast-cut cutting shield	299
hydraulics fast-cut cutting shield swivel.....	301
hydraulics mixing drive	305
hydraulics counter-cutter	309
hydraulics discharge hopper	311
hydraulics discharge front right	313
hydraulics discharge rear left.....	315
weighing device PTM	319
weighing device Digi-Star	321
lighting front + rear-view mirror.....	323
lighting side + rear	329
work light.....	331
camera system	333
accessories.....	335



SPARE PARTS

Dear business partner,

You and the Strautmann company are always eager to satisfy our customers.

This also involves the fast supply of high-quality spare parts.

Please only use ORIGINAL STRAUTMANN SPARE PARTS to maintain the quality. All parts ensure an exact fit and highest resistance to wear which make them such good value for money!

Imitated and copied parts, especially wearing parts, do not keep what they promise at first glance. It is difficult to visually assess material qualities – so take utmost care with cheap offers:

Save your customers and yourself a lot of trouble. Be on the safe side and only use ORIGINAL STRAUTMANN SPARE PARTS!

Please take into consideration that we are continuously further developing our machines and spare parts for you and modifications in the spare parts lists or on the spare parts on offer may occur.

We constantly provide up-to-date information and spare parts lists in our ONLINE CATALOGUE. Furthermore, our ONLINE CATALOGUE offers you a lot of useful functions such as filtering according to machine type, year of manufacture and equipment options to obtain a safe and quick selection of the desired parts.

Our ONLINE CATALOGUE is available at www.Strautmann.de under Online Service - Technology-Center - Catalogue

Terms of delivery

Our general terms and conditions shall apply.

The delivery is always made ex works or ex stock plus packaging costs.

Any details given on technical data, dimensions, weights and illustrations shall not be binding.

The return of spare parts generally requires the previous approval by the staff of our spare parts warehouse. We shall charge restocking and handling fees for all returns. Please contact our staff in the spare parts warehouse in advance.

Any returns - also of parts supplied under warranty - shall be made carriage paid.



SPARE PARTS

... directly to our staff ...

... Taking of orders

Mr. Stefan Missun

Phone: ++ 49 (0) 5424-802-30

Fax: ++ 49 (0) 5424-802-64

E-Mail: parts@strautmann.com

Mr. Andreas Oevermann

Phone: ++ 49 (0) 5424-802-30

Fax: ++ 49 (0) 5424-802-64

E-Mail: parts@strautmann.com

Mr. Gerd Eveslage

Phone: ++ 49 (0) 5424-802-30

Fax: ++ 49 (0) 5424-802-64

E-Mail: parts@strautmann.com

...Emergency phone...

... Customer service and spare parts

Phone. mobile: ++ 49 (0) 173 / 2546020

... Customer service and consulting

Mr. Dirk Werries

Phone: ++ 49 (0) 5424-802-29

Fax: ++ 49 (0) 5424-802-452

E-Mail: service@strautmann.com

Mr. Heinz Hermann Schobbe

Phone: ++ 49 (0) 5424-802-29

Fax: ++ 49 (0) 5424-802-452

E-Mail: service@strautmann.com

Mr. Alexander Laumann

Phone: ++ 49 (0) 5424-802-29

Fax: ++ 49 (0) 5424-802-452


E-Mail: service@strautmann.com

Mr. Markus Auf der Landwehr


Phone: ++ 49 (0) 5424-802-29

Fax: ++ 49 (0) 5424-802-452


E-Mail: service@strautmann.com




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
010	66301711	1.0	Rahmen m Verstaerkungen vst			
015	66303710	1.0	cabin support tot			
020	86502129	6.0	hexagon screw ISO 4017 galv		M 20 x 60	
025	86501111	12.0	washer ISO7089-A 21 galv			
030	86500328	6.0	hexagon nut ISO7040 galv	6kt-nut_M20_10_DIN982_vzk	M 20	
035	66340703	2.0	conv duct bearing sho tot			/ Sherpa 1201
040	66340704	1.0	conv duct bearing lg tot			/ Sherpa 1401
045	86502568	12.0	hexagon screw ISO 4014 galv		M 20 x 160	
050	86501111	24.0	washer ISO7089-A 21 galv			
055	86500328	12.0	hexagon nut ISO7040 galv	6kt-nut_M20_10_DIN982_vzk	M 20	
060	86506075	2.0	bushing / hole pattern		60 x 65 x 40	
065	86506116	2.0	bushing / hole pattern		60 x 65 x 60	
070	63240106	2.0	tapered sleeve		Rd 60 x 216	
075	66340000	1.0	tensioning rod galv		Rd 40 x 1100	
080	86500312	1.0	hexagon nut ISO7040 galv	6kt-nut_M24_08_DIN982_vzk	M 24	
085	86501122	#	washer ISO7089-A 25 galv			
090	66380201	1.0	holder breaker a aocket		Bl 6 x 232 x 579	
095	86501116	2.0	washer ISO7089-A 8.4 glav			
100	86500753	2.0	spring washer DIN127 galv		A 8	
105	86502014	2.0	hexagon screw ISO 4017 galv		M 8 x 20	
110	86500975	2.0	washer galv	Scheibe_025.0x072.0x5.0_200HV _ISO7093_vz	A 25	
115	66340257	2.0	spacer ring galv		Bl 8 x 80 x 80	
120	86500209	2.0	hexagon nut galv	6kt-nut_M24_08_DIN934_vzk	M 24	
125	86506405	2.0	lubricating nipple		M 8 x 1 H1 >GERADE<	
130	86502044	2.0	hexagon screw ISO 4017 galv		M 12 x 45	
135	86500205	2.0	hexagon nut galv	6kt-nut_M12_08_DIN934_vzk	M 12	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66308701	1.0	rocker unsprung le tot			
010	66308702	1.0	rocker unsprung ri tot			
015	54117507	2.0	screw steering spring galv		M 30 x 210	
020	86501124	18.0	washer ISO7089-A 31 galv			
025	86500097	10.0	hexagon nut ISO7040 galv	6kt-nut_M30_08_DIN982_vzk	M 30	
030	86508913	4.0	hexagon screw ISO 4014 galv		M 18 x 70	
035	86500923	8.0	washer ISO7089-A 19 HV300 galv			
040	86500327	4.0	hexagon nut ISO10512 galv	6kt-nut_M18_10_DIN985_vzk	M 18	
045	86502126	8.0	hexagon screw ISO 4014 galv		M 30 x 230	
050	66308205	2.0	plate		Bl 20 x 160 x 284	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66310704	1.0	front axle swing arm tot			
010	86501184	2.0	bushing		57 / 30,1x102	
015	66310212	4.0	wearing plate		Bl 4 x 139 x 169	
020	54117507	2.0	screw steering spring galv		M 30 x 210	
025	86501124	2.0	washer ISO7089-A 31 galv			
030	86500097	2.0	hexagon nut ISO7040 galv	6kt-nut_M30_08_DIN982_vzk	M 30	
035	66310701	1.0	clamping le tot			
040	66310702	1.0	clamping ri tot			
045	86502132	8.0	hexagon screw galv	6kt-Schraube_M27x230_08.8_DIN931_vzk	M 27 x 230	
050	86501277	16.0	washer galv	Scheibe_028.0x050.0x4.0_200HV _ISO7090_vz	B 28	
055	86500339	8.0	hexagon nut	6kt-nut_M27_08_DIN982_vzk	M 27	
060	66312501	2.0	hydraulic cylinder	HYZ-DW-110/080-380-80		
065	87001307	2.0	seal kit f hydraulic cylinder	HYDI-Z-DW-110/80-SHW		
070	87000702	2.0	screw-in bolt straight	HYV-GE-12-L-M-22x1.5-ROU-CF		
075	87000492	2.0	screw-in bolt straight	HYV-GE-15-L-M-22x1.5-ROU-CF		
080	87000548	2.0	screw-in bolt straight	HYV-GE-06-LL-M-8x1-KEG-ROU-CF		
085	87000596	2.0	angle screw-in bolt	HYV-WE-06-LL-M-8x1-KEG-RMU-CF		
090	87000609	8.0	cutting ring	HYV-D-06-LL		
095	87000627	8.0	union nut	HYV-M-06-LL-CF		
100	88001761	#	tube PA 12 H LT		6 x 1,5 / Meterware	
105	41804506	4.0	screw-in connection straight			
110	86500560	4.0	hexagon nut		M 10 x 1	
115	86506401	4.0	lubricating nipple		M 6 x 1 H1 >GERADE<	
120	86504597	8.0	circlip DIN471-AS50x3			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
125	87004912	4.0	radial spherical bearing		GE 50 DO(ELGES), GE 50 ES	
130	86504684	4.0	circlip DIN472-l75x2.5			
135	54117102	4.0	cylinder bolt galv		Rd 50 h9 x 150	
140	86501603	8.0	hexagon screw ISO 4014 galv		M 18 x 90	
145	86500923	16.0	washer ISO7089-A 19 HV300 galv			
150	86500327	8.0	hexagon nut ISO10512 galv	6kt-nut_M18_10_DIN985_vzk	M 18	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66310500	1.0	driving braking axle 11t tw1900			
010	88004426	20.0	wheel nut w thrust plate- bonderized		M 22 x 1,5	
015	88004583	20.0	protective cap f wheel nut SW32		Dr 49 x 58	
020	87040396	1.0	shaped male-stud coupling	HYV-GE-08-L-UNF-9/16-OR- ROU-CF		
025	87000525	3.0	adjust 45°-angle nozzle w taper	HYV-EV-08-L-ROU-CF		
030	86501075	4.0	screw-in bolt straight	HYV-GE-08-L-M-10x1-ROU-CF		
035	86501222	4.0	intermediate nozzle w taper straight	HYV-GZ-08-L-CF		
040	87000515	2.0	connector straight	HYV-G-08-L-ROU-CF		
045	87000517	2.0	T-nozzle	HYV-T-08-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	85805000	1.0	knuckle ri			
010	88004353	1.0	bleed valve		M10x1	
015	86503220	5.0	screwed plug M30 x 2		M30x2	
020	86507617	4.0	O-ring		228,19 x 3,53	
025	85805001	4.0	bleed screw		M 10 x 1	
030	85805002	1.0	brake cylinder housing le			
035	86502591	4.0	cheese-head screw ISO 4762	ZINKLAMELLE fl zn nc L-480h	M 12 x 130	
040	85805003	1.0	brake cylinder housing ri			
045	86503221	4.0	screwed plug DIN906 M10x1		M10 x 1	
050	86501170	2.0	O-ring		18,7x1,8	
055	85805004	2.0	bushing		38 x 42 x 38	
060	86505339	2.0	radial shaft seal		38 x 50 x 7	
065	86501674	22.0	hexagon screw ISO4014		M 14 x 140	
070	85805005	6.0	pin			
075	85805006	6.0	threaded pin		M 16 x 1,5	
080	86507612	6.0	O-ring		11,91 x 2,62	
085	85805007	6.0	special screw		M 22 x 1,5	
090	86503213	6.0	screwed plug DIN906-M16x1.5-St			
095	85805008	1.0	knuckle centr			
100	85805009	1.0	knuckle le			
105	85805010	1.0	ventilator extension		M10 x 1 SW17 Lg55	
110	85805011	1.0	flange			
115	86502678	8.0	cheese-head screw ISO 4762		M 12 x 70	
120	85805012	1.0	cylindrical pin		12 x 25	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	85805013	1.0	bevel gear set 11/37			
010	85805014	#	adjusting washer		45,3 x 75 x 2,5	
015	85805015	#	adjusting washer		45,3 x 75 x 2,6	
020	85805016	#	adjusting washer		45,3 x 75 x 2,7	
025	85805017	#	adjusting washer		45,3 x 75 x 2,8	
030	85805018	#	adjusting washer		45,3 x 75 x 2,9	
035	85805019	#	adjusting washer		45,3 x 75 x 3	
040	85805020	#	adjusting washer		45,3 x 75 x 3,1	
045	85805021	#	adjusting washer		45,3 x 75 x 3,2	
050	85805022	#	adjusting washer		45,3 x 75 x 3,3	
055	85805023	#	adjusting washer		45,3 x 75 x 3,4	
060	86505622	1.0	tapered roller bearing	WL_KR_e_45.0x100.0x27.25	31309	
065	86505624	1.0	tapered roller bearing	WL_KR_e_40.0x090.0x25.25	31308	
070	86503340	1.0	radial shaft seal		65 x 92 x 10 / 15	
075	85805024	1.0	washer		51 x 3	
080	86507620	1.0	O-ring		34,60 x 2,62	
085	86504721	1.0	circlip DIN471-A34x1.5			
090	85805025	1.0	bushing			
095	85805026	1.0	clutch hub			
100	86504660	1.0	circlip DIN472-I52x2			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	85805027	1.0	bevel gear set differential			
010	86505752	2.0	tapered roller bearing single-row		32011 X	
015	85805028	2.0	ring nut			
020	86502100	2.0	hexagon screw ISO 4017 galv		M 6 x 10	
025	85805029	2.0	locking plate			
030	86501675	10.0	hexagon screw ISO4014		M 12 x 90	
035	85805030	1.0	differential housing			
040	85805031	2.0	cylindrical pin		12 x 40	
045	85805032	4.0	pressure pin			
050	85805033	1.0	switching ring			
055	85805034	1.0	circlip		130	
060	86507611	4.0	O-ring		11,10 x 1,78	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	86502026	2.0	hexagon screw ISO 4014 galv		M 8 x 80	
010	85805035	1.0	connecting housing			
015	86507622	1.0	O-ring		41 x 1,78	
020	86507619	2.0	O-ring		29,75 x 3,53	
025	85805036	1.0	piston			
030	86504720	2.0	circlip DIN471-A20x1.75			
035	85805037	1.0	selector shaft			
040	85805038	1.0	bushing		35,93 x 32	
045	85805040	2.0	fork			
050	85805040	1.0	fork			
055	86507621	1.0	O-ring		37,77 x 2,62	
060	85805041	1.0	spacer bushing		50 x 30	
065	85805042	1.0	casing			
070	86502016	2.0	hexagon screw ISO 4017 galv		M 8 x 30	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	85805043	2.0	circlip		238 x 3,2	
010	85805044	2.0	spacer ring			
015	85805045	4.0	disc spring		210 x 120	
020	86507616	4.0	O-ring		117,07 x 3,53	
025	85805046	2.0	brake piston negativ			
030	86507613	2.0	O-ring		117,07 x 3,53	
035	86507615	2.0	O-ring		164,69 x 3,53	
040	85805047	2.0	brake piston positiv			
045	85805048	2.0	counterplate			
050	85805049	6.0	brake plate			
055	85805050	6.0	counterplate			
060	85805051	2.0	clutch hub			
065	85805052	2.0	drive shaft			
070	85805053	2.0	self adjusting kit			
075	85805054	6.0	circlip		12 x 1,5	
080	86507604	6.0	O-ring		9,25x1,78 N90	
085	85805055	6.0	pressure pin			
090	86507614	6.0	O-ring		15,54 x 2,62	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	85805056	1.0	wheel hub			
010	85805057	20.0	wheel bolt		D22 x 1,5 - R22 x 2,5	
015	86508283	2.0	radial shaft seal		BA SL 150 x 180 x 15	
020	85805058	4.0	tapered roller bearing		37431 / 37625	
025	86507618	2.0	O-ring		253,59 x 3,53	
030	85805059	2.0	circlip		238,9 x 16 x 3,5	
035	85805060	16.0	collar bushing		32,5 x 30	
040	86501676	16.0	hexagon screw ISO4014		M 14 x 65	
045	85805061	2.0	sprocket			
050	85805062	2.0	sprocket support			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	86503220	2.0	screwed plug M30 x 2		M30x2	
010	86502722	4.0	flat-head screw galv		M 8 x 20	
015	85805063	2.0	plaetary gear housing			
020	86504719	6.0	adjusting washer		PS 40 x 60 x 1,5	
025	85805064	16.0	needle rol bearing roller		(10er Pack)	
030	85805065	6.0	planetary wheel z31			
035	85805066	6.0	adjusting washer		11 x 65 x 6	
040	86501677	6.0	hexagon screw ISO4014		M 10 x 1,25 x 50	
045	85805067	2.0	sectional bush		80 x 55	
050	86504704	2.0	circlip DIN472-l36x1.5			
055	85805068	2.0	drive shaft z13			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66311702	1.0	rear axle swing tot			up to YOM 2016
010	86506116	2.0	bushing / hole pattern		60 x 65 x 60	
015	66311701	1.0	bolt 60x446 tot			
020	86502027	1.0	hexagon screw ISO 4017 galv		M 10 x 20	
025	86500754	1.0	spring washer DIN127 galv		A 10	
030	86501106	1.0	washer ISO7089-A10.5 galv			
035	66311004	1.0	bolt		Rd 55 H7 x 265	up to YOM 2016
040	61601402	1.0	retainer weighing sensor forged			up to YOM 2016
045	86504135	2.0	cylindrical pin		10m6x32	up to YOM 2016
050	86502593	4.0	cheese-head screw ISO 4762	ZINKLAMELLE fl zn nc L-480h	M 12 x 60	
055	86501154	4.0	lock washer Nord-Lock		DNL 12	
060	66310703	1.0	connecting strut tot			
065	86502359	2.0	hexagon screw ISO 4017 galv		M 18 x 60	
070	86500923	6.0	washer ISO7089-A 19 HV300 galv			
075	86500327	4.0	hexagon nut ISO10512 galv	6kt-nut_M18_10_DIN985_vzk	M 18	
080	86502388	2.0	hexagon screw ISO4014 galv		M 18 x 160	
085	86501012	2.0	washer ISO7093 galv		A 19	
090	87000596	2.0	angle screw-in bolt	HYV-WE-06-LL-M-8x1-KEG-RMU-CF		
095	87000609	5.0	cutting ring	HYV-D-06-LL		
100	87000627	5.0	union nut	HYV-M-06-LL-CF		
105	88001761	#	tube PA 12 H LT		6 x 1,5 / Meterware	
110	87000548	1.0	screw-in bolt straight	HYV-GE-06-LL-M-8x1-KEG-ROU-CF		
115	41804506	2.0	screw-in connection straight			
120	86500560	2.0	hexagon nut		M 10 x 1	
125	86506401	2.0	lubricating nipple		M 6 x 1 H1 >GERADE<	
130	66311703	1.0	rear axle swing tot			since YOM 2016
135	66311400	1.0	bolt arm support			since YOM 2016
140	86506133	2.0	slide bearing bush	GL_W_050.0x055.0x50.0_CuSn8_m Bund_2.5		since YOM 2016
145	86506416	1.0	lubricating nipple extension M8x1 32lg			since YOM 2016




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66311702	1.0	rear axle swing tot			up to YOM 2016
010	86506116	2.0	bushing / hole pattern		60 x 65 x 60	
015	66311701	1.0	bolt 60x446 tot			
020	86502027	1.0	hexagon screw ISO 4017 galv		M 10 x 20	
025	86500754	1.0	spring washer DIN127 galv		A 10	
030	86501106	1.0	washer ISO7089-A10.5 galv			
035	66311004	1.0	bolt		Rd 55 H7 x 265	up to YOM 2016
040	61601402	1.0	retainer weighing sensor forged			up to YOM 2016
045	86504135	2.0	cylindrical pin		10m6x32	up to YOM 2016
050	86502593	4.0	cheese-head screw ISO 4762	ZINKLAMELLE fl zn nc L-480h	M 12 x 60	
055	86501154	4.0	lock washer Nord-Lock		DNL 12	
060	66312501	1.0	hydraulic cylinder	HYZ-DW-110/080-380-80		
065	87001307	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-110/80-SHW		
070	87000492	1.0	screw-in bolt straight	HYV-GE-15-L-M-22x1.5-ROU-CF		
075	87000702	1.0	screw-in bolt straight	HYV-GE-12-L-M-22x1.5-ROU-CF		
080	87008908	1.0	intermediate nozzle w taper straight	HYV-GZ-12-L-CF		
085	87000493	1.0	connector straight	HYV-G-12-L-ROU-CF		
090	87040300	1.0	hydraulic valve	HYVE-Oeler Fahrwerk		
095	86504597	4.0	circlip DIN471-AS50x3			
100	86504684	2.0	circlip DIN472-l75x2.5			
105	87004912	2.0	radial spherical bearing		GE 50 DO(ELGES), GE 50 ES	
110	54117102	2.0	cylinder bolt galv		Rd 50 h9 x 150	
115	86501671	2.0	hexagon screw ISO 4014 galv		M 18 x 180	
120	86501012	2.0	washer ISO7093 galv		A 19	
125	86500923	6.0	washer ISO7089-A 19 HV300 galv			
130	86500327	4.0	hexagon nut ISO10512 galv	6kt-nut_M18_10_DIN985_vzk	M 18	
135	86501603	2.0	hexagon screw ISO 4014 galv		M 18 x 90	
140	87000596	4.0	angle screw-in bolt	HYV-WE-06-LL-M-8x1-KEG-RMU-CF		
145	87000609	9.0	cutting ring	HYV-D-06-LL		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
150	87000627	9.0	union nut	HYV-M-06-LL-CF		
155	88001761	#	tube PA 12 H LT		6 x 1,5 / Meterware	
160	87000548	1.0	screw-in bolt straight	HYV-GE-06-LL-M-8x1-KEG-ROU-CF		
165	41804506	4.0	screw-in connection straight			
170	86500560	4.0	hexagon nut		M 10 x 1	
175	86506401	4.0	lubricating nipple		M 6 x 1 H1 >GERADE<	
180	66311703	1.0	rear axle swing tot			since YOM 2016
185	66311400	1.0	bolt arm support			since YOM 2016
190	86506133	2.0	slide bearing bush	GL_W_050.0x055.0x50.0_CuSN8_m Bund_2.5		since YOM 2016
195	86506416	1.0	lubricating nipple extension M8x1 32lg			since YOM 2016




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66311500	1.0	steering axle 6t tw1600 FAD			up to YOM 2016
006	66311501	1.0	steering axle 6t tw1600 FAD			since YOM 2016
010	87002038	2.0	hubcap DR100			
015	87001985	2.0	split-pin ISO1234 galv		6,3 x 80	
020	87002090	2.0	crown nut M45x2			
025	87002262	16.0	wheel nut w spherical galv		M 18 x 1,5	
030	86505631	2.0	tapered roller bearing single-row		32211	
035	85805069	2.0	sealling ring			
040	87002310	2.0	wheel hub			
045	87002243	16.0	grooved bolt M18x1.5x49			
050	85805070	2.0	sealling ring			
055	87002121	2.0	tapered roller bearing		32215	
060	85805071	2.0	sealling ring			
065	85805072	1.0	knuckle ri			
070	85805073	1.0	knuckle le			
075	86506406	4.0	lubricating nipple		M 8 x 1 H2 >45^<	
080	85805074	2.0	bushing		D70 x d60 x L50	
085	85805075	2.0	kingpin			
090	86502625	2.0	axial deep groove ball bearing	WL_AR_e_60.0x095.0x26	51212	
095	86507623	4.0	O-ring		75,87 x 2,62	
100	85805076	4.0	cover			
105	86506405	2.0	lubricating nipple		M 8 x 1 H1 >GERADE<	
110	86503668	16.0	cheese-head screw ISO 4762 galv		M 6 x 16	
115	85805077	2.0	bushing		D55 x d50 x L40	up to YOM 2016
120	85805078	2.0	steering rod w ball		M22 x 1,5	
125	86500330	2.0	hexagon nut ISO10512 galv	6kt-nut_M18x1.5_08_DIN985_v	M 18 x 1,5	
130	66350536	1.0	double-rod hydraulic cylinder	HYZ-GL-060/030-655-240		
135	87010393	1.0	seal kit f hydraulic cylinder	HYDI-Z-GL-60/30-FAD		
140	86502077	4.0	hexagon screw ISO 4014 galv		M 16 x 120	
145	86501110	4.0	washer ISO7089-A 17 galv			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
150	86500302	4.0	hexagon nut ISO7040 galv	6kt-nut_M16_08_DIN982_vzk	M 16	
155	87000504	2.0	screw-in bolt straight	HYV-GE-12-L-R-3/8-ROU-CF		
160	86501190	2.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		
165	86501028	2.0	test port w threaded coupling f cones	HYV-VKA3-12-L-CF		
170	87007867	2.0	Hydroclip D30 D31.8			up to YOM 2016
175	66311502	2.0	Klemmring Lenkanschlag			since YOM 2016




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66320501	1.0	engine 4 cyl Perkins 1104D-E44TA 106kW			
010	66320519	1.0	oil filter			
015	85802011	1.0	oil lever dipstick			
020	85802022	1.0	oil drain valve w/o hose		3/4"-16 UNF / M 26x1,5	
025	66320527	1.0	connecting piece angle-oil hose			
030	85802012	1.0	cover engine oil filler			
035	85802013	1.0	valve cover sealing			
040	66320214	1.0	holder relay		Bl 1,5 x 127, x 166,5	
045	86501106	10.0	washer ISO7089-A10.5 galv			
050	86502234	2.0	hexagon screw ISO 4017 galv		M 10 x 16	
055	86500564	4.0	bli rivet nut w sma counter head	Sechskantschaft offen	M 6 x 16	
060	63220535	1.0	starter relay-glow time 24V			
065	86502008	4.0	hexagon screw ISO 4017 galv		M 6 x 20	
070	88004443	1.0	fuse holder f high current fuse			
075	88004445	1.0	high current fuse BF2 100A yellow			
080	85802002	4.0	glow plug			
085	85802001	1.0	starter			
090	85802003	1.0	generator			
095	85802004	1.0	belt disc f generator			
100	85802005	1.0	V-belt			
105	85802007	1.0	ventilator storage			
110	85802008	1.0	water pump			
115	85802009	1.0	turbocharger			
120	85802010	1.0	seal turbocharger			
125	66320503	1.0	coupling a flange KTR BoWex T70 f Linde			up to YOM 2015 / cutting shield Fast-Cut
130	66320517	1.0	coupling a flange KTR BoWex T70 Linde			since YOM 2015 / cutting shield Fast-Cut
135	85802023	1.0	elastic element			/ cutting shield Fast-Cut
140	86502028	12.0	hexagon screw ISO 4017 galv		M 10 x 25	
145	85802025	8.0	hexagon screw galv		3/8"-24 x 1-3/8	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
150	85802026	8.0	spring washer galv		3/8"	
155	66320703	1.0	engine seat re ri tot			
160	63220505	4.0	tapered roller bearing 5718 226 65NR 511			
165	86502029	8.0	hexagon screw ISO 4017 galv		M 10 x 30	
170	86500304	8.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
175	63220506	4.0	centering disc 3918 005			
180	86502048	4.0	hexagon screw ISO 4014 galv		M 12 x 65	
185	86502498	16.0	cheese-head screw ISO 4762 galv		M 12 x 40	
190	86501108	16.0	washer ISO7089-A 13 galv			
195	66320701	1.0	engine seat fr tot			
200	66320702	1.0	engine seat re le tot			
205	85802021	1.0	cable harness Perkins 4 cyl motor	EL_KKB_SF3_Motor Perkins 4 Zyl		
210	85802019	1.0	pressure sensor	EL_SEN_DRU_Kraftstoffdruck Perkins		
215	85802016	1.0	temperature sensor	EL_SEN_TEM_Lufttemperatur Perkins		
220	85802017	1.0	air pressure sensor	EL_SEN_DRU_Luftdruck Perkins		
225	85802020	1.0	engine speed sensor	EL_SEN_DRZ_Einspritzpumpe Perkins		
230	85802018	1.0	temperature sensor	EL_SEN_TEM_Wassertemp Perkins		
235	85802014	1.0	pressure sensor	EL_SEN_DRU_Oeldruck Perkins		
240	85802015	1.0	engine speed sensor	EL_SEN_DRZ_Kurbelwelle Perkins		
245	66320524	1.0	preheater f cooling water Calix PH 750L			
250	87007524	4.0	hose clip		20-32/9 W1	
255	87030521	#	hose line cooling water	SL-KW-1EPDM-DN20	Meterware- 10m auf Rolle	
260	87004876	2.0	hydraulic special fitting	HYVF-GE-3/4-NPT-Nippel-DN20		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
265	87004875	1.0	hydraulic fitting	HYV-RI-1/4-NPT-3/4-NPT-CF		
270	87004877	1.0	hydraulic fitting	HYV-RI-1/2-NPT-3/4-NPT-CF		
275	66320611	1.0	coupling Centa K-125 23z SAE3 cpl			/ milling cutter
280	85802027	1.0	elastic element			/ milling cutter




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66320509	1.0	air filter kit			
010	66320522	1.0	air filter element			
015	66320523	1.0	air filter safety element			
020	87007529	1.0	hose clip		90-110/12 W2	
025	66320508	1.0	air intake hose 60/102-656			
030	87007518	1.0	hose clip		60-80/12 W2	
035	86502423	2.0	hose clip		GBS M 59-63/20 W1 1-tlg	
040	66320506	1.0	charge air hose hot air			
045	66320502	1.0	combi cooler water air oil			
050	87007543	2.0	hose clip		GBS M 85-91/25 W2	
055	66320507	1.0	charge air hose cool air			
060	66320526	1.0	tube hose			
065	87007506	3.0	hose clip		120-140 W2	
070	66320707	1.0	holder air intake tot			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66320502	1.0	combi cooler water air oil			
010	85802006	1.0	ventilator			
015	66320504	1.0	coolant hose top			
020	87007501	2.0	hose clip		Torro 40-60/12 W2	
025	66320505	1.0	coolant hose bo			
030	87007518	2.0	hose clip		60-80/12 W2	
035	87030504	#	cooler hose	SL-KW-1EPDM-DN16-40M	1 Rolle = 40 Meter	
040	87006828	2.0	hose clip		GBS M 21-23/18 W2	
045	66320701	1.0	engine seat fr tot			
050	88001011	8.0	rubber buffer GB-BZ-030x020-M10x10NR57			
055	86501136	4.0	washer ISO7093 galv		A 10,5	
060	86501276	8.0	washer 10.5x25x4 DIN73549 galv			
065	86502234	8.0	hexagon screw ISO 4017 galv		M 10 x 16	
070	66320200	1.0	strut		Bl 4 x 780,8 x 785	
075	86501116	3.0	washer ISO7089-A 8.4 glav			
080	86502014	3.0	hexagon screw ISO 4017 galv		M 8 x 20	
085	66320512	1.0	expansion tank MCR 36			
090	85802024	1.0	expansion tank cover		100 kPa	
095	87030454	#	cooler hose	SL-KW-1EPDM-DN08-40M		
100	87007500	2.0	hose clip		S15/12 W1 SZ 1-tlg	
105	87007520	4.0	pipe clip		RSGU 1. 15/15 W1	
110	88001618	2.0	hose clip FBS 28/12			
115	87030519	#	cooler hose	SL-KW-1EPDM-DN22-10m		
120	87004873	1.0	hydraulic special fitting	HYVS-RI-1/4-NPT-1/2-R-CF		
125	87030473	1.0	hydraulic sealing ring	HYD-UR-21.5x28.7x2.5-R-1/2		
130	87009199	1.0	oil drain valve w/o hose		R 1/2" / M 26 x 1,5	
135	63220536	1.0	connector straight-oil drain hose		D27x4 1000 lg	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66320706	1.0	sound absorber tot			
010	66320515	1.0	exhaust gas clap			up to YOM 2016
011	66320539	1.0	Abgasklappe m Bohrungen			since YOM 2016
015	86503036	1.0	flat-head screw DIN603 galv		M 10 x 40	
020	86500204	5.0	hexagon nut galv	6kt-nut_M10_08_DIN934_vzk	M 10	
025	86500754	8.0	spring washer DIN127 galv		A 10	
030	86501106	8.0	washer ISO7089-A10.5 galv			
035	86401036	4.0	round bearing cyl type B rubber		40 x 30 M 10 x 25/8	
040	86502234	4.0	hexagon screw ISO 4017 galv		M 10 x 16	
045	88002718	1.0	DIN-clip			
050	66320541	1.0	Verbindungsrohr DR 76,1 ku			
055	86501275	3.0	hexagon nut	6kt-nut_M10_CuZn_DIN934	M 10	
060	66320528	1.0	seal exhaust gas flange			
065	66320000	1.0	exhaust gas nozzle end hose		Rd 100 x 40	
070	86502086	2.0	hexagon screw ISO 4017 galv		M 10 x 40	since YOM 2016
075	66320001	2.0	Gewichtsstueck vzk		Rd 30 x 24	since YOM 2016
080	86500304	2.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	since YOM 2016




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66320514	1.0	Dieseltank 140l			
010	88004599	1.0	tank cap aired key			
015	88005506	1.0	igniti key self prop model/14603			
020	63220520	2.0	rubber strip		3 x 50 x 1310	
025	62720728	2.0	tensioning strap tot			
030	86500205	8.0	hexagon nut galv	6kt-nut_M12_08_DIN934_vzk	M 12	
035	66320704	2.0	tank holder tot			
040	86502313	4.0	hexagon screw ISO 4017 galv		M 8 x 90	
045	86501116	8.0	washer ISO7089-A 8.4 glav			
050	86500303	4.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
055	87011883	1.0	level sensor	EL_SEN_NIV_Dieselfuellstand		
060	88004300	1.0	rubber seal		67x41x5/5 LOCH 6Q/1 EINK	
065	86503651	15.0	cheese-head screw ISO 1207 galv		M 5 x 16	
070	62720032	2.0	flange galv		Rd 80 x 6,5	
075	86507524	2.0	O-ring		67 x 3	
080	87000768	2.0	angular bulkhead coupling	HYV-WSV-15-L-ROU-CF		
085	86505331	2.0	copper ring		22 x 27 x 1,5	
090	66320608	1.0	hydr tube-15x330 galv-E-M-DPR			
095	64350615	1.0	hydraulic tube	HYR-15x1,5x270-vzk-E-M-DPR kpl		
100	87004847	1.0	hydraulic hose		HYS-SI1-12x1360-AF15L- AF15L45	
105	86501179	1.0	cone reducing fitting w taper	HYV-RED-15/12-L-ROU-CF		
110	87004848	1.0	hydraulic hose		HYS-SI1-10x1830-AF12L- AF12L45	
115	87000483	2.0	connector straight	HYV-G-15-L-ROU-CF		
120	87000493	2.0	connector straight	HYV-G-12-L-ROU-CF		
125	66550626	1.0	hydr tube-15x1.5-diesel suction line			
135	66550627	1.0	hydr tube-12x1.5-diesel return line			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
145	87008893	3.0	Stauff clamp double 215/12PP			
150	87001529	3.0	Stauff cover plate GD2DW3			
155	86502017	3.0	hexagon screw ISO 4017 galv		M 8 x 35	
160	87004866	1.0	hydraulic hose	HYS-SI1-12x1900-AF15L-AF15L90		
165	86501068	2.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
170	87000530	2.0	screw-in bolt straight	HYV-GE-15-L-M-16x1.5-ROU-CF		
175	66320525	1.0	preliminary fuel filter cpl			
180	66320521	1.0	preliminary fuel filter			
185	85802000	1.0	water separator			
190	87004867	1.0	hydraulic hose	HYS-SI1-12x650-AF15L-AF15L90		
195	87040550	1.0	cone reducing fitting w taper	HYV-RED-12/15-L-ROU-CF		
200	87004849	1.0	screw-in bolt straight	HYV-GE-12-L-M-12x1.5-OR-CF		
205	66320520	1.0	fuel filter			
210	87006820	1.0	hose clip		GBS M 17-19/16 W2	
215	87004865	1.0	hydraulic hose	HYS-SI1-10x2000-AF12-x		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66322708	1.0	cover engine tot			
010	86502014	20.0	hexagon screw ISO 4017 galv		M 8 x 20	
015	86500753	4.0	spring washer DIN127 galv		A 8	
020	86501116	50.0	washer ISO7089-A 8.4 glav			
025	86500303	28.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
030	66322231	1.0	cover		Bl 2 x 150 x 200	
035	66322500	2.0	strip		15 x 120 x 300	
040	66322711	1.0	flap engine compartment tot			
045	86503004	14.0	flat-head screw DIN603 galv		M 8 x 20	
050	62741504	2.0	hinge		50 x 60 x 60 x 3	
055	26541720	1.0	support tot			
060	86501106	1.0	washer ISO7089-A10.5 galv			
065	86504229	1.0	split-pin ISO1234 galv		3,2 x 22	
070	24001506	1.0	flat spring			
075	87004300	2.0	flap lock KV 500-01			
080	87006353	1.0	bow-type handle			
085	86502007	2.0	hexagon screw ISO 4017 galv		M 6 x 16	
090	86501115	2.0	washer ISO7089-A 6.4 galv			
095	86500310	2.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
100	66322709	1.0	cover engine tot			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66303705	1.0	mounting frame bo le tot			
010	86502071	3.0	hexagon screw ISO 4017 galv		M 16 x 40	
015	86501110	6.0	washer ISO7089-A 17 galv			
020	86500302	3.0	hexagon nut ISO7040 galv	6kt-nut_M16_08_DIN982_vzk	M 16	
025	86503045	2.0	flat-head screw DIN603 galv		M 12 x 40	
030	86501108	14.0	washer ISO7089-A 13 galv			
035	86500301	6.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
040	66303500	1.0	wing Greenflex 450			
045	66303238	2.0	clamping strip galv		Bl 4 x 30 x 274	
050	86502016	6.0	hexagon screw ISO 4017 galv		M 8 x 30	
055	86500753	12.0	spring washer DIN127 galv		A 8	
060	86501116	72.0	washer ISO7089-A 8.4 galv			
065	66322223	1.0	cover cabine le		Bl 1,5 x 553,7 x 1454,6	
070	86503005	2.0	flat-head screw DIN603 galv		M 8 x 25	
075	86500303	12.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
080	66303706	1.0	mounting frame top le tot			
085	86502015	6.0	hexagon screw ISO 4017 galv		M 8 x 25	
090	86502008	2.0	hexagon screw ISO 4017 galv		M 6 x 20	
095	86501115	42.0	washer ISO7089-A 6.4 galv			
100	86500310	40.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
105	66322707	1.0	cover cooler tot			
110	86503051	2.0	flat-head screw DIN603 galv		M 12 x 35	
115	86503004	4.0	flat-head screw DIN603 galv		M 8 x 20	
120	66322228	1.0	perforated plate		Bl 1 x 818,8 x 957,6	
125	86503019	38.0	flat-head screw DIN603 galv		M 6 x 16	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
130	66322216	1.0	cover cabine ri		Bl 1,5 x 528,6 x 1133,5	
135	86502029	2.0	hexagon screw ISO 4017 galv		M 10 x 30	
140	86501106	7.0	washer ISO7089-A10.5 galv			
145	86500304	4.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
150	86502027	4.0	hexagon screw ISO 4017 galv		M 10 x 20	
155	66322203	1.0	door leaf		Bl 2 x 1284,9 x 1343,8	
160	66322204	1.0	perforated plate		Bl 1 x 986,8 x 1747,7	
165	66322205	1.0	sealing plate		Bl 1,5 x 1316,7 x 1457,7	
170	88004026	#	edge protector sealing profile			
175	62741504	2.0	hinge		50 x 60 x 60 x 3	
180	86502014	6.0	hexagon screw ISO 4017 galv		M 8 x 20	
185	86500203	4.0	hexagon nut galv	6kt-nut_M08_08_DIN934_vzk	M 8	
190	87004300	1.0	flap lock KV 500-01			
195	86502042	2.0	hexagon screw ISO 4017 galv		M 12 x 35	up to YOM 2016
196	86502374	2.0	hexagon screw ISO 4017 galv		M 12 x 70	since YOM 2016
200	66320516	1.0	sound absorbator			
205	66322713	1.0	holder cabine lining tot			
210	86500754	3.0	spring washer DIN127 galv		A 10	
215	66303271	1.0	Hitzschutzblech Kabine		Bl 2 x 367,9 x 967,6	since YOM 2016
220	66303270	1.0	spacer		Bl 30 x 40 x 110	since YOM 2016
225	86503409	2.0	eyebolt galv		LBM 12 x 90	since YOM 2016
230	66380100	1.0	threaded rod			since YOM 2016
235	86500205	8.0	hexagon nut galv	6kt-nut_M12_08_DIN934_vzk	M 12	since YOM 2016




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66303707	1.0	mounting frame ri tot			
010	86503051	4.0	flat-head screw DIN603 galv		M 12 x 35	
015	86501108	4.0	washer ISO7089-A 13 galv			
020	86500301	4.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
025	86503038	3.0	flat-head screw DIN603 galv		M 10 x 35	
030	86501106	15.0	washer ISO7089-A10.5 galv			
035	86500304	15.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
040	66322240	1.0	flap hydraulic tank		Bl 1,5 x 597,9 x 782,4	
045	87006353	3.0	bow-type handle			
050	86502008	2.0	hexagon screw ISO 4017 galv		M 6 x 20	
055	86501104	6.0	washer ISO7093 galv		A 6,4	
060	86500310	22.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
065	87004300	1.0	flap lock KV 500-01			
070	86503004	15.0	flat-head screw DIN603 galv		M 8 x 20	
075	86500303	32.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
080	86501116	41.0	washer ISO7089-A 8.4 glav			
085	62741504	2.0	hinge		50 x 60 x 60 x 3	
090	86502014	4.0	hexagon screw ISO 4017 galv		M 8 x 20	
095	66322710	1.0	control block cover tot			
100	86500753	16.0	spring washer DIN127 galv		A 8	
105	66322239	1.0	cover clima condensator		Bl 1,5 x 862 x 1270	
110	87004268	3.0	slotted head hexagon WS13			
115	87004258	3.0	retaining washer			
120	86502007	14.0	hexagon screw ISO 4017 galv		M 6 x 16	
125	66322706	1.0	cover fr tot			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
130	86503041	10.0	flat-head screw DIN603 galv		M 10 x 30	
135	66322705	1.0	wing support tot			
140	86503039	2.0	flat-head screw DIN603 galv		M 10 x 25	
145	66303500	1.0	wing Greenflex 450			
150	66303238	2.0	clamping strip galv		Bl 4 x 30 x 274	
155	86502016	6.0	hexagon screw ISO 4017 galv		M 8 x 30	
160	66322227	1.0	outer panel ri		Bl 1,5 x 1397 x 1628,3	
165	66322213	1.0	cover pump line		Bl 3 x 306 x 516	
170	66322214	1.0	perforated plate		Bl 1 x 266 x 476	
175	86501115	20.0	washer ISO7089-A 6.4 galv			
180	86502013	8.0	hexagon screw ISO 4017 galv		M 8 x 16	
185	87706162	1.0	decoration element	DKO_Sherpa Beifahrerseite		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66301708	1.0	rear segment le tot			
010	66301709	1.0	rear segment ri tot			
015	86502072	24.0	hexagon screw ISO 4017 galv		M 16 x 50	
020	86500758	4.0	spring washer DIN127 galv		A 16	
025	86501110	44.0	washer ISO7089-A 17 galv			
030	66301710	1.0	connecting plate tot			
035	86500302	28.0	hexagon nut ISO7040 galv	6kt-nut_M16_08_DIN982_vzk	M 16	
040	66301283	1.0	platform		Bl 4 x 315,7 x 707	
045	86503041	8.0	flat-head screw DIN603 galv		M 10 x 30	
050	86501106	8.0	washer ISO7089-A10.5 galv			
055	86500304	8.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
060	66301284	1.0	ladder holder bo		Bl 4 x 122 x 711	
065	10006505	1.0	foil lettering	FSZ_Strautmann L532		
070	87012589	1.0	speed sign	GSS_15km/h D	DR200	
075	87005811	1.0	speed sign	GSS_25km/h D	Dr 200mm	
080	66303701	1.0	ladder 2 rungs f dis fr tot galv			
085	86503004	4.0	flat-head screw DIN603 galv		M 8 x 20	
090	86501116	4.0	washer ISO7089-A 8.4 galv			
095	86500303	4.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
100	66303245	3.0	weight plate inside le		Bl 15 x 275 x 522	
105	66303247	3.0	weight plate outer le		Bl 15 x 284 x 522	
110	66303246	3.0	weight plate inside ri		Bl 15 x 275 x 522	
115	66303248	3.0	weight plate outer ri		Bl 15 x 284 x 522	
120	86503095	8.0	round-head screw galv	Flachrundschraube_M16x080_08. 8_DIN603_vz	M 16 x 80	
125	86501103	8.0	washer ISO7093 galv		A 17	
130	89005525	#	safety walk type 1, 3M black, 19mmx18.3m			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66322245	1.0	cover re le		Bl 1,5 x 1478 x 1631	
010	66322246	1.0	cover re ri		Bl 1,5 x 1478 x 1631	
015	87006353	4.0	bow-type handle			
020	86502007	8.0	hexagon screw ISO 4017 galv		M 6 x 16	
025	86501104	8.0	washer ISO7093 galv		A 6,4	
030	86500310	8.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
035	87004268	10.0	slotted head hexagon WS13			
040	87004258	10.0	retaining washer			
045	66322712	1.0	support re tot			
050	86503041	2.0	flat-head screw DIN603 galv		M 10 x 30	
055	86503039	2.0	flat-head screw DIN603 galv		M 10 x 25	
060	86501106	4.0	washer ISO7089-A10.5 galv			
065	86500304	4.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	61207704	1.0	overflow ring H0 VM1450 tot			
010	63207709	1.0	distance tube h0 le tot			
015	63207710	1.0	distance tube h0 ri tot			
020	63230005	2.0	clamping strip		Bl 5 x 25 x 385	
025	63230502	2.0	strip lateral		15 x 90 x 415	
030	63230006	1.0	clamping strip		Bl 5 x 25 x 900	
035	63230501	1.0	strip middle		15 x 90 x 900	
040	87010119	2.0	foil lettering	FSZ_Strautmann L1080		
045	87706158	2.0	foil lettering	FSZ_Sherpa		
050	87706159	2.0	foil lettering	FSZ_1201		/ Sherpa 1201
055	87706160	2.0	foil lettering	FSZ_1401		/ Sherpa 1401
060	61201626	1.0	repair panels V2A VM1250-1450 disch S			
065	63301642	1.0	repair panels BM1250 bottom			
070	61003205	#	spacer washer 1.5		Bl 1,5 x 275 x 275	
075	86503006	12.0	flat-head screw DIN603 galv		M 8 x 30	
080	86501116	12.0	washer ISO7089-A 8.4 glav			
085	86500303	12.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
090	86502063	14.0	hexagon screw ISO 4014 galv		M 12 x 40	
095	86501108	28.0	washer ISO7089-A 13 galv			
100	86500301	14.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	60901214	2.0	counter-cutter sho		Bl 20 x 217 x 514	
010	87006377	2.0	handle model 618 f SW 500			
015	60101102	2.0	locking bolt galv	Bolzen_SB_020.0x063.0	Rd 20 h9 x 199	
020	86504410	2.0	clip connector 3 DIN11024 galv double		DR 3	
025	86502290	2.0	hexagon screw ISO 4014 galv		M 20 x 70	
030	86500309	2.0	hexagon nut ISO7040 galv	6kt-nut_M20_08_DIN982_vzk	M 20	
035	60901711	2.0	counter-cutter sho w cyl lug tot			
040	86502290	6.0	hexagon screw ISO 4014 galv		M 20 x 70	
045	86501111	10.0	washer ISO7089-A 21 galv			
050	60103505	4.0	thrust washer		Dr 40 x 12	
055	86500309	8.0	hexagon nut ISO7040 galv	6kt-nut_M20_08_DIN982_vzk	M 20	
060	60105507	2.0	hydraulic cylinder DA		HYZ-DW-040/025-245-100	
065	87010325	2.0	seal kit f hydraulic cylinder		HYDI-Z-DW-40/25-SHW	
070	87000459	2.0	screw-in bolt straight		HYV-GE-08-L-M-12x1.5-ROU-CF	
075	86502262	2.0	hexagon screw ISO 4014 galv		M 20 x 110	
080	65607200	4.0	cylinder plate		Bl 10 x 140 x 170	
085	86501110	12.0	washer ISO7089-A 17 galv			
090	10001100	8.0	spacer bushing galv		Rd 30 h9 x 20	
095	86502109	4.0	hexagon screw ISO 4014 galv		M 16 x 100	
100	86500302	4.0	hexagon nut ISO7040 galv	6kt-nut_M16_08_DIN982_vzk	M 16	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
010	63230288	1.0	flange ring dosing feeder Faresin 2		Bl 12 x DR 240	
015	66330204	1.0	cover		Bl 8 x DR225	
020	86501116	24.0	washer ISO7089-A 8.4 glav			
025	89005993	13.0	hexagon screw ISO 4017		M 8 x 20	
030	63230749	1.0	discharge hopper 3 tot			
035	87006327	#	edge protection profile black		Bund á 100 Meter	
040	63230294	1.0	discharge hopper grid		Bl 3 x 234,8 x 271,6	
041	86500303	13.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
045	63230295	1.0	discharge hopper cover		Bl 3 x 285 x 433	
050	62741504	2.0	hinge		50 x 60 x 60 x 3	
055	88004026	#	edge protector sealing profile			
060	87006410	1.0	locking element and latch			
061	86502009	2.0	hexagon screw ISO 4017 galv		M 6 x 30	
062	86501115	2.0	washer ISO7089-A 6.4 galv			
063	86500310	2.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
065	63230750	1.0	discharge screw 3 tot			
066	86503305	2.0	threaded pin		M8x1x16	
067	86500203	2.0	hexagon nut galv	6kt-nut_M08_08_DIN934_vzk	M 8	
070	63230296	1.0	discharge hopper motor flange		Bl 6 x 204 x 204	
071	86502015	8.0	hexagon screw ISO 4017 galv		M 8 x 25	
075	87000009	1.0	hydraulic motor	HYM-B-1-ZR-160-OMP-X	OMP 160-25-2Loch	
080	87010315	1.0	seal kit f hydraulic motor	HYDI-M-OMP/OMR-25er_Welle-Danfoss		
085	87000462	2.0	screw-in bolt straight	HYV-GE-08-L-R-1/2-ROU-CF		
090	86501222	1.0	intermediate nozzle w taper straight	HYV-GZ-08-L-CF		
095	87000732	1.0	hydraulic valve	HYVE-Rueckschlagventil 8L		
096	86502063	2.0	hexagon screw ISO 4014 galv		M 12 x 40	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
097	86501108	2.0	washer ISO7089-A 13 galv			
098	86500301	2.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
100	87008680	1.0	Bernstein casing CT-541		82 x 80 x 55	
105	87006805	4.0	bolt sho cpl			
106	86503664	8.0	cheese-head screw ISO 1207 galv		M 4 x 12	
107	86501145	4.0	washer ISO7089-A 4.3 galv			
108	86500331	4.0	hexagon nut ISO10511 galv	6kt-nut_M04_08_DIN985_vzk	M 4	
109	86500211	4.0	hexagon nut galv	6kt-nut_M04_08_DIN934_vzk	M 4	
110	87006843	1.0	toggle switch-6P T-T	3645 NF / 2 x 1052		
115	87006937	1.0	cable gland w integr strain relief			
120	87011531	1.0	counter nut RAL7035		Polyamid M 20	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
010	60203705	1.0	Mixing auger standard	Mischschnecke_R1185/H1125/39 5/15_vst		
020	63303713	1.0	mixing auger heavy duty	Mischschnecke_R1185/H1125/39 5/20_vst		
045	61003200	1.0	mixing auger cover		DR 276	
050	86502017	4.0	hexagon screw ISO 4017 galv		M 8 x 35	
055	86500753	4.0	spring washer DIN127 galv		A 8	
060	86501105	4.0	washer ISO7093 galv		A 8,4	
065	86502535	12.0	cheese-head screw ISO 4762 galv		M 20 x 1,5 x 60	
075	86500761	12.0	spring washer DIN127 galv		A 20	
080	86501111	12.0	washer ISO7089-A 21 galv			
085	61003205	#	spacer washer 1.5		BI 1,5 x 275 x 275	
090	61003206	#	spacer washer 3.0		BI 3 x DR275	
100	60903508	#	knife sho boron steel		BI 8 x 245,9 x 458,5	
105	60903509	#	knife lg baron steel		BI 8 x 200,2 x 544,5	
110	86502758	#	flat-head screw		M 16 x 45	
115	86500302	#	hexagon nut ISO7040 galv	6kt-nut_M16_08_DIN982_vzk	M 16	
120	60903205	#	knife supporting plate		BI 10 x 177,9 x 328,1	
125	60903206	#	knife supporting plate long		BI 10 x 215,9 x 348,4	
130	86502755	#	flat-head screw		M 16 x 55	
135	86502752	#	flat-head screw galv		M 10 x 20	
140	61003702	1.0	bale knife plate tot			
150	61003216	1.0	borehole stencil		BI 1,25 x 282,2 x 391,6	
160	86502765	1.0	flat-head screw galv		M 12 x 45	
165	86500565	1.0	Verbus-Tensilock nut galv	Tensilock-nut_M12_10_W196_v	M 12	
170	86502057	3.0	hexagon screw ISO 4017 galv		M 16 x 45	
175	86502752	1.0	flat-head screw galv		M 10 x 20	
180	61003622	1.0	magnetic system cpl			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
185	61003700	2.0	magnetic system housing tot			
190	61003500	4.0	permanent magnet		25 x 100 x 100	
195	61003900	4.0	formelement		15 x 26 x 103 mm	
200	61003211	1.0	yoke plate top		Bl 15 x 103 x 250	
205	61003210	1.0	shed magnetic system top		Bl 6 x 195,9 x 327,8	
210	61003209	1.0	yoke plate top		Bl 15 x 103 x 306,3	
215	61003207	1.0	shed magnetic system		Bl 6 x 153,3 x 329,2	
220	61003208	1.0	holder		Bl 6 x 172,8 x 260,5	
225	86502022	6.0	hexagon screw ISO 4014 galv		M 8 x 60	
230	86500203	4.0	hexagon nut galv	6kt-nut_M08_08_DIN934_vzk	M 8	
235	86502019	2.0	hexagon screw ISO 4014 galv		M 8 x 45	
240	86502030	3.0	hexagon screw ISO 4017 galv		M 10 x 35	
245	86500754	3.0	spring washer DIN127 galv		A 10	
250	86500204	3.0	hexagon nut galv	6kt-nut_M10_08_DIN934_vzk	M 10	
255	86502368	2.0	hexagon screw ISO 4017 galv		M 12 x 55	
260	86501108	6.0	washer ISO7089-A 13 galv			
265	86500301	3.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
270	86502041	1.0	hexagon screw ISO 4017 galv		M 12 x 30	
275	86502725	1.0	flat-head screw galv		M 8 x 25	
280	60903624	1.0	root crop knife cpl			
285	60903700	1.0	cutting frame tot			
290	60644510	6.0	blade 3in - 4 mm straight		4 x 76 x 80	
295	86502274	12.0	hexagon screw ISO 4017 galv		M 8 x 12	
300	86502720	3.0	flat-head screw galv		M 16 x 30	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
010	65903700	1.0	mixing auger standard edged	Mischschnecke_R1185/H1125/39 5/15_gkt_vst		
020	65903709	1.0	mixing auger Heavy Duty edged	Mischschnecke_R1185/H1125/39 5/20_gkt_vst		
045	61003205	1.0	spacer washer 1.5		BI 1,5 x 275 x 275	
050	61003206	1.0	spacer washer 3.0		BI 3 x DR275	
055	86502535	12.0	cheese-head screw ISO 4762 galv		M 20 x 1,5 x 60	
065	86500761	12.0	spring washer DIN127 galv		A 20	
070	86501111	12.0	washer ISO7089-A 21 galv			
075	61003200	1.0	mixing auger cover		DR 276	
080	86502017	4.0	hexagon screw ISO 4017 galv		M 8 x 35	
085	86500753	4.0	spring washer DIN127 galv		A 8	
090	86501105	4.0	washer ISO7093 galv		A 8,4	
095	60903508	#	knife sho boron steel		BI 8 x 245,9 x 458,5	
100	60903509	#	knife lg baron steel		BI 8 x 200,2 x 544,5	
105	86502758	#	flat-head screw		M 16 x 45	
110	86500302	#	hexagon nut ISO7040 galv	6kt-nut_M16_08_DIN982_vzk	M 16	
115	60903205	#	knife supporting plate		BI 10 x 177,9 x 328,1	
120	60903206	#	knife supporting plate long		BI 10 x 215,9 x 348,4	
125	86502755	3.0	flat-head screw		M 16 x 55	
130	86502752	2.0	flat-head screw galv		M 10 x 20	
140	65803706	1.0	bale knife plate 226-256 tot			
145	86502057	3.0	hexagon screw ISO 4017 galv		M 16 x 45	
150	86502752	1.0	flat-head screw galv		M 10 x 20	
155	60903624	#	root crop knife cpl			
160	60644510	6.0	blade 3in - 4 mm straight		4 x 76 x 80	
165	86502274	12.0	hexagon screw ISO 4017 galv		M 8 x 12	
170	86502720	3.0	flat-head screw galv		M 16 x 30	
180	65903600	1.0	INNODUR R1185/H1125 cpl			
195	86502782	#	flat-head screw stainless steel		M 8 x 40	





Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
200	86500945	#	washer galv	Scheibe_008.4x016.0x1.6_200HV _ISO7090_vz	B 8,4	
205	86500303	#	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
210	65803247	1.0	INNODUR wearing element pusher		Bl 5 x 324,6 x 463,9	
220	89006080	3.0	hexagon screw ISO4017		M 12 x 40	
225	86500989	2.0	washer galv	Scheibe_013.0x024.0x2.5_200HV _ISO7090_vz	B 13	
230	86500982	1.0	washer ISO7093 galv		A 13 x 40 x 1,5	
235	65803248	1.0	spacer plate scraper		Bl 3 x 89,6 x 305	
240	61003622	1.0	magnetic system cpl			
245	61003700	2.0	magnetic system housing tot			
250	86502022	6.0	hexagon screw ISO 4014 galv		M 8 x 60	
255	61003500	4.0	permanent magnet		25 x 100 x 100	
260	61003900	4.0	formelement		15 x 26 x 103 mm	
265	61003211	1.0	yoke plate top		Bl 15 x 103 x 250	
270	61003210	1.0	shed magnetic system top		Bl 6 x 195,9 x 327,8	
275	86500753	8.0	spring washer DIN127 galv		A 8	
280	86500203	4.0	hexagon nut galv	6kt-nut_M08_08_DIN934_vzk	M 8	
285	86502030	3.0	hexagon screw ISO 4017 galv		M 10 x 35	
290	86500754	3.0	spring washer DIN127 galv		A 10	
295	86500204	3.0	hexagon nut galv	6kt-nut_M10_08_DIN934_vzk	M 10	
300	86502019	2.0	hexagon screw ISO 4014 galv		M 8 x 45	
305	61003209	1.0	yoke plate top		Bl 15 x 103 x 306,3	
310	86502303	1.0	hexagon screw ISO 4017 galv		M 12 x 60	
315	86501384	1.0	hexagon screw ISO 4017 galv		M 12 x 65	
320	86500989	3.0	washer galv	Scheibe_013.0x024.0x2.5_200HV _ISO7090_vz	B 13	
325	61003208	1.0	holder		Bl 6 x 172,8 x 260,5	
330	86502045	1.0	hexagon screw ISO 4017 galv		M 12 x 50	





Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
335	61003207	1.0	shed magnetic system		Bl 6 x 153,3 x 329,2	
340	86502725	1.0	flat-head screw galv		M 8 x 25	
345	86500301	3.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	





Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	63230503	1.0	coaxial ang gear PGA1603 w/o engine seat			up to YOM 2016
010	86502286	12.0	hexagon screw ISO 4014 galv		M 16 x 75	
015	86501110	12.0	washer ISO7089-A 17 galv			
020	86500302	12.0	hexagon nut ISO7040 galv	6kt-nut_M16_08_DIN982_vzk	M 16	
025	86502535	12.0	cheese-head screw ISO 4762 galv		M 20 x 1,5 x 60	
030	86500761	12.0	spring washer DIN127 galv		A 20	
035	86501111	12.0	washer ISO7089-A 21 galv			
040	87009199	1.0	oil drain valve w/o hose		R 1/2" / M 26 x 1,5	
045	86508297	1.0	copper sealing ring		CR 21-27-3	
050	66320527	1.0	connecting piece angle-oil hose			
055	60902629	1.0	piping coaxial T gearbox cpl			
060	87000733	2.0	screw-in bolt straight	HYV-GE-12-L-R-1/2-ED-ROU-CF		
065	87040253	1.0	hydraulic hose	HYS-1SN-10x2000-AO12L-AO12L45		
070	60902549	1.0	compensating container gearbox			
075	87007203	1.0	ventilation filter R1/2"			
080	86503008	1.0	flat-head screw DIN603 galv		M 8 x 40	
085	86502018	1.0	hexagon screw ISO 4014 galv		M 8 x 40	
090	86501116	2.0	washer ISO7089-A 8.4 glav			
095	86500303	2.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
100	87000627	3.0	union nut	HYV-M-06-LL-CF		
105	87000609	3.0	cutting ring	HYV-D-06-LL		
110	87000699	1.0	connector straight	HYV-G-06-LL-ROU-CF		
115	88001761	#	tube PA 12 H LT		6 x 1,5 / Meterware	
120	41804506	1.0	screw-in connection straight			
125	86500560	1.0	hexagon nut		M 10 x 1	
130	86506403	1.0	lubricating nipple		M 6 x 1 H2 >45^<	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	63230506	1.0	motor add-on parts Linde HMV 75-02			up to YOM 2016
140	86507580	1.0	O-ring OR 152.07x2.62			up to YOM 2016
145	86502502	8.0	cheese-head screw ISO 4762 galv	M 8 x 30		up to YOM 2016
150	64330502	1.0	coaxial T gearbox w engine seat			since YOM 2016
155	86505413	1.0	radial shaft seal		BA SL 50 x 72 x 8	since YOM 2016
160	86508451	1.0	radial shaft seal		BA SL 55 x 100 x 10	since YOM 2016




gekannte Mischschnecke
canted mixing auger




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
115	65303601	1.0	Schutzglocke D827/H395 kpl			
120	65303701	1.0	bell-shaped cover cpl.			
125	65303207	2.0	Schließblech f 60902533		Bl 1,5 x 198,5 x 397	
130	89006029	8.0	washer DIN9021 stainless steel		A 8,4	
135	89005993	8.0	hexagon screw ISO 4017		M 8 x 20	
140	86501136	6.0	washer ISO7093 galv		A 10,5	
145	86500304	6.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
190	65903607	1.0	Schutzglocke D690/H395 gkt kpl			
195	65903714	1.0	Schutzglocke D830/H395 vst			
200	65903247	2.0	Schliessblech		Bl 1,5 x 248,5 x 497	
205	89006029	8.0	washer DIN9021 stainless steel		A 8,4	
210	89005993	8.0	hexagon screw ISO 4017		M 8 x 20	
215	86501136	6.0	washer ISO7093 galv		A 10,5	
220	86500304	6.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
010	65401703	1.0	side door VM1651 fr ri tot	Schieber_VM_240_920_vo-re/hi-li_vst		
025	86500758	1.0	spring washer DIN127 galv		A 16	
030	86502379	1.0	hexagon screw ISO8676 galv		M 16 x 1,5 x 35 3M micr	
035	61405503	1.0	hydraulic cylinder DA	HYZ-DW-050/035-852-725		
040	87010328	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-50/35-SHW		
045	87000465	2.0	screw-in bolt straight	HYV-GE-12-L-M-16x1.5-ROU-CF		
050	86503203	1.0	screwed plug DIN910-M16x1.5			
055	61401244	2.0	receiver lug galv		Bl 12 x 45 x 97,5	
060	86501108	18.0	washer ISO7089-A 13 galv			
065	86500755	18.0	spring washer DIN127 galv		A 12	
070	86502041	10.0	hexagon screw ISO 4017 galv		M 12 x 30	
075	61129000	1.0	L strap ri		53 x 16 x 8 x 1395	
080	61129001	1.0	L strap le		53 x 16 x 8 x 1395	
085	60905005	3.0	bracket galv		Bl 5 x 30 x 105	
090	86502042	8.0	hexagon screw ISO 4017 galv		M 12 x 35	
095	64701206	1.0	side panel		Bl 4 x 214,1 x 979,9	/ discharge front right
100	61601913	1.0	profile top		Bl 3 x 55,2 x 1156,5	/ discharge front right
105	65301502	1.0	rubber guard lateral		0,5 x 1190 x 2266,4	/ discharge front right
110	65301000	7.0	rod galv		Rd 12 x 700	/ discharge front right
115	89006064	14.0	laminated stopper GL 13		GL 13 x 0,8 - 2,0 schwarz	/ discharge front right
120	61601017	1.0	clamping strip		Bl 5 x 25 x 1052	/ discharge front right
125	61001286	2.0	clamping strip		Bl 5 x 25 x 760	/ discharge front right
130	64001208	1.0	deflector plate		Bl 4 x 315 x 1115,1	/ discharge front right
135	61601910	1.0	adjusting angle		Bl 3 x 286,9 x 422,8	/ discharge front right
140	65401210	1.0	bearing bracket		Bl 4 x 166 x 286	/ discharge front right
160	65401704	1.0	guide plate VM1651 tot			/ discharge front right
180	64701708	1.0	lever tot			/ discharge front right
185	86502031	1.0	hexagon screw ISO 4014 galv		M 10 x 50	/ discharge front right
190	86501106	3.0	washer ISO7089-A10.5 galv			/ discharge front right
195	86501136	1.0	washer ISO7093 galv		A 10,5	/ discharge front right




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
200	86500304	2.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	/ discharge front right
205	65301503	1.0	roller		Rd 25 x 47	/ discharge front right
210	86502421	1.0	cheese-head screw ISO 4762 galv		M 10 x 55	/ discharge front right
215	64701205	1.0	adjusting plate		Bl 4 x 30 x 94,1	/ discharge front right
220	47614502	1.0	extension spring galv		DR 4 x DR 23 x 230	/ discharge front right
225	86503408	1.0	eyebolt galv		LBM 10 x 120	/ discharge front right
230	86500204	2.0	hexagon nut galv	6kt-nut_M10_08_DIN934_vzk	M 10	/ discharge front right
235	86506800	2.0	fork joint w plug-in bolt galv		8 x 16	/ discharge front right
240	86500203	2.0	hexagon nut galv	6kt-nut_M08_08_DIN934_vzk	M 8	/ discharge front right
245	61601100	1.0	rod fr ri galv		Rd 12 h9 x 710	/ discharge front right
250	65301205	2.0	cylinder holder		Bl 4 x 94,5 x 272,5	/ discharge front right
255	41051101	4.0	collar bushing galv		Rd 30 x 20	/ discharge front right
260	62305507	1.0	hydraulic cylinder DA	HYZ-DW-032/020-225-85		/ discharge front right
265	87001481	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-32/20-SHW		/ discharge front right
270	86506838	1.0	fork joint unmounted galv		16 x 64	/ discharge front right
275	87000459	1.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ROU-CF		/ discharge front right
280	87000541	1.0	screw-in bolt w shaft straight	HYV-EVGE-08-L-M-12x1.5-ED-CF		/ discharge front right
285	87000543	2.0	screw-in bolt straight	HYV-GE-08-L-R-1/4-ROU-CF		/ discharge front right
290	87000374	1.0	one-way check valve		DV 06 IR	/ discharge front right
300	62801629	1.0	disch door lining VM2800D fr ri			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
010	65401703	1.0	side door VM1651 fr ri tot	Schieber_VM_240_920_vo-re/hi-li_vst		
025	86500758	1.0	spring washer DIN127 galv		A 16	
030	86502379	1.0	hexagon screw ISO8676 galv		M 16 x 1,5 x 35 3M micr	
035	61405503	1.0	hydraulic cylinder DA	HYZ-DW-050/035-852-725		
040	87010328	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-50/35-SHW		
045	87000465	2.0	screw-in bolt straight	HYV-GE-12-L-M-16x1.5-ROU-CF		
050	86503203	1.0	screwed plug DIN910-M16x1.5			
055	61401244	2.0	receiver lug galv		Bl 12 x 45 x 97,5	
060	86501108	18.0	washer ISO7089-A 13 galv			
065	86500755	18.0	spring washer DIN127 galv		A 12	
070	86502041	10.0	hexagon screw ISO 4017 galv		M 12 x 30	
075	61129000	1.0	L strap ri		53 x 16 x 8 x 1395	
080	61129001	1.0	L strap le		53 x 16 x 8 x 1395	
085	60905005	3.0	bracket galv		Bl 5 x 30 x 105	
090	86502042	8.0	hexagon screw ISO 4017 galv		M 12 x 35	
095	64701206	1.0	side panel		Bl 4 x 214,1 x 979,9	/ discharge rear left
100	61601913	1.0	profile top		Bl 3 x 55,2 x 1156,5	/ discharge rear left
105	65301502	1.0	rubber guard lateral		0,5 x 1190 x 2266,4	/ discharge rear left
110	65301000	7.0	rod galv		Rd 12 x 700	/ discharge rear left
115	89006064	14.0	laminated stopper GL 13		GL 13 x 0,8 - 2,0 schwarz	/ discharge rear left
120	61601017	1.0	clamping strip		Bl 5 x 25 x 1052	/ discharge rear left
125	61001286	2.0	clamping strip		Bl 5 x 25 x 760	/ discharge rear left
130	64001208	1.0	deflector plate		Bl 4 x 315 x 1115,1	/ discharge rear left
135	61601910	1.0	adjusting angle		Bl 3 x 286,9 x 422,8	/ discharge rear left
140	65401210	1.0	bearing bracket		Bl 4 x 166 x 286	/ discharge rear left
160	65401704	1.0	guide plate VM1651 tot			/ discharge rear left
180	64701708	1.0	lever tot			/ discharge rear left
185	86502031	1.0	hexagon screw ISO 4014 galv		M 10 x 50	/ discharge rear left
190	86501106	3.0	washer ISO7089-A10.5 galv			/ discharge rear left
195	86501136	1.0	washer ISO7093 galv		A 10,5	/ discharge rear left




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
200	86500304	2.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	/ discharge rear left
205	65301503	1.0	roller		Rd 25 x 47	/ discharge rear left
210	86502421	1.0	cheese-head screw ISO 4762 galv		M 10 x 55	/ discharge rear left
215	64701205	1.0	adjusting plate		Bl 4 x 30 x 94,1	/ discharge rear left
220	47614502	1.0	extension spring galv		DR 4 x DR 23 x 230	/ discharge rear left
225	86503408	1.0	eyebolt galv		LBM 10 x 120	/ discharge rear left
230	86500204	2.0	hexagon nut galv	6kt-nut_M10_08_DIN934_vzk	M 10	/ discharge rear left
235	86506800	2.0	fork joint w plug-in bolt galv		8 x 16	/ discharge rear left
240	86500203	2.0	hexagon nut galv	6kt-nut_M08_08_DIN934_vzk	M 8	/ discharge rear left
245	61601100	1.0	rod fr ri galv		Rd 12 h9 x 710	/ discharge rear left
250	65301205	2.0	cylinder holder		Bl 4 x 94,5 x 272,5	/ discharge rear left
255	41051101	4.0	collar bushing galv		Rd 30 x 20	/ discharge rear left
260	62305507	1.0	hydraulic cylinder DA	HYZ-DW-032/020-225-85		/ discharge rear left
265	87001481	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-32/20-SHW		/ discharge rear left
270	86506838	1.0	fork joint unmounted galv		16 x 64	/ discharge rear left
275	87000459	1.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ROU-CF		/ discharge rear left
280	87000541	1.0	screw-in bolt w shaft straight	HYV-EVGE-08-L-M-12x1.5-ED-CF		/ discharge rear left
285	87000543	2.0	screw-in bolt straight	HYV-GE-08-L-R-1/4-ROU-CF		/ discharge rear left
290	87000374	1.0	one-way check valve		DV 06 IR	/ discharge rear left
300	62801629	1.0	disch door lining VM2800D fr ri			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	63726509	1.0	conveyor belt PVC /1 wedge/ T-St	FB-PVC-830x1446/700xT30	2,6x830x1446/700xT30	/ discharge front right with conveyor l=700mm,discharge rear left with conveyor l=700mm
010	63726503	1.0	conveyor belt PVC /1 wedge/ T-St	FB-PVC-830x1806/880/xT30	2,6x830x1806/880/xT30	/ discharge front right with conveyor l=880mm,discharge rear left with conveyor l=880mm
015	63726510	1.0	conveyor belt PVC /1 wedge/ T-St	FB-PVC-830x2526/1240xT30	2,6x830x2526/1240xT30	/ discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=1240mm
020	86503926	1.0	wire DR2.5x885		Rd 2,5 x 885	
025	86507327	1.0	conveyor connector kit 3-piece 830 lg			
030	63726611	1.0	conveyor L700 PA cpl			/ discharge front right with conveyor l=700mm,discharge rear left with conveyor l=700mm
035	63726605	1.0	conveyor L880 PA cpl			/ discharge front right with conveyor l=880mm,discharge rear left with conveyor l=880mm
040	63726608	1.0	conveyor 1240 lg PA cpl			/ discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=1240mm
045	63726706	1.0	conveyor frame L700 tot			/ discharge front right with conveyor l=700mm,discharge rear left with conveyor l=700mm
050	63726700	1.0	conveyor frame L880 tot			/ discharge front right with conveyor l=880mm,discharge rear left with conveyor l=880mm
055	63726707	1.0	conveyor frame L1240 tot			/ discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=1240mm
060	60124729	1.0	driving roller w S tot			
065	86504951	1.0	feather key DIN6885-A		8 x 7 x 32	
070	60124218	1.0	threaded washer		Bl 8 x DR 88	
075	87006602	1.0	2-hole flange bearing INA cpl	WL_FL_e_025.0x097.0x33.40		
080	87006386	3.0	cap			
081	87006356	3.0	PTI-Schutzkappe DBI-SPK25			
085	86506415	3.0	lubricating nipple		R 1/8" - H1 >GERADE<	
090	86502020	2.0	hexagon screw ISO 4017 galv		M 8 x 45	
095	86500753	3.0	spring washer DIN127 galv		A 8	
100	21825103	2.0	ring		Rd 15 x 11	
105	60925304	1.0	spacer ring		Ro 35 x 6,3 x 9	
110	86502045	1.0	hexagon screw ISO 4017 galv		M 12 x 50	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
115	86500205	1.0	hexagon nut galv	6kt-nut_M12_08_DIN934_vzk	M 12	
120	60124512	3.0	anti-wrap guard		Dr 89 x 10	
125	86502534	1.0	cheese-head screw ISO 4762 galv		M 8 x 12	
130	86505769	1.0	2-hole flange bearing INA		40x150x46,3	
135	86506440	1.0	lubricating nipple		R 1/8" - H2 >45^<	
140	86506100	4.0	slide bearing G IGLIDUR			
145	60124107	1.0	connecting bushing		Rd 42 h9 x 85	
150	60124710	1.0	engine holder tot			
155	86502052	4.0	hexagon screw ISO 4014 galv		M 12 x 100	
160	86500755	#	spring washer DIN127 galv		A 12	
165	87000009	1.0	hydraulic motor	HYM-B-1-ZR-160-OMP-X	OMP 160-25-2Loch	
170	87000069	1.0	hydraulic motor	HYM-B-1-ZR-125-OMP-X	OMP 125-25-2Loch	
175	87000008	1.0	hydraulic motor	HYM-B-1-ZR-100-OMP-X	OMP 100-25-Loch	
180	87000007	1.0	hydraulic motor	HYM-B-1-ZR-80-OMP-X	OMP 80-25-2Loch	
185	87010315	1.0	seal kit f hydraulic motor	HYDI-M-OMP/OMR-25er_Welle-Danfoss		
190	24303101	2.0	button f loop galv		Rd 30 h9 x 15	
195	86502046	#	hexagon screw ISO 4014 galv		M 12 x 50	
200	86501108	#	washer ISO7089-A 13 galv			
205	86500301	2.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
210	60124728	1.0	pulley w S tot			
215	60124715	1.0	stripper pipe tot			
220	87006603	2.0	tensioning housing INA w protective cap	WL_S_e_025.0x070.0x37.50		
225	21424100	2.0	guide pulley		Rd 40 h11 x 5,5	
230	86502274	2.0	hexagon screw ISO 4017 galv		M 8 x 12	
235	63726502	2.0	threaded rod galv		M 20 x 200	
240	86500226	6.0	hexagon nut ISO4035 galv		M 20	
245	86501111	6.0	washer ISO7089-A 21 galv			
250	63726508	2.0	cover strip sho		12 x 18 x 704	/ discharge front right with conveyor l=700mm, discharge rear left with conveyor l=700mm




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
255	63726500	2.0	cover strip		12 x 18 x 884	/ discharge front right with conveyor l=880mm,discharge rear left with conveyor l=880mm
260	63726511	2.0	cover strip lg		12 x 18 x 1224	/ discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=1240mm
265	86502700	#	flat-head screw galv		M 6 x 30	
270	86501115	#	washer ISO7089-A 6.4 galv			
275	86500310	#	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
280	87000484	1.0	screw-in bolt straight	HYV-GE-15-L-R-1/2-ROU-CF		
285	87000632	1.0	screw-in bolt w shaft straight	HYV-EVGE-15-L-R-1/2-ED-CF		
290	87000302	1.0	hydraulic valve	HYVE-Rueckschlagventil 15L		
295	61026004	2.0	clamping strip 700		Bl 5 x 25 x 517,5	/ discharge front right with conveyor l=700mm,discharge rear left with conveyor l=700mm
300	61026002	2.0	clamping strip 800		Bl 5 x 25 x 692,5	/ discharge front right with conveyor l=880mm,discharge rear left with conveyor l=880mm
305	61026003	2.0	clamp strip 1240		Bl 5 x 25 x 1052,5	/ discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=1240mm
310	61026509	2.0	rubber guard 700		0,5 x 619,3 x 798,5	/ discharge front right with conveyor l=700mm,discharge rear left with conveyor l=700mm
315	61026506	2.0	rubber guard 800		0,5 x 798,5 x 799,1	/ discharge front right with conveyor l=880mm,discharge rear left with conveyor l=880mm
320	61026511	2.0	rubber guard conv 1240 lg		0,5 x 798,5 x 1159,1	/ discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=1240mm
325	63002300	2.0	display tube		Ro 12 x 1,5 x 700	/ discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=1240mm
330	89006064	4.0	laminated stopper GL 13		GL 13 x 0,8 - 2,0 schwarz	/ discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=1240mm
335	61026510	2.0	rubber expander 700		DR 10 x 589,5	/ discharge front right with conveyor l=700mm,discharge rear left with conveyor l=700mm
340	61026507	2.0	rubber expander 800		Dr 10 x 725	/ discharge front right with conveyor l=880mm,discharge rear left with conveyor l=880mm
345	61026505	2.0	rubber expander 1240		Dr 10 x 927,5	/ discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=1240mm




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
350	61026001	2.0	clamping strip		Bl 5 x 25 x 685	
355	63726708	1.0	side panel le tot			
360	86502042	#	hexagon screw ISO 4017 galv		M 12 x 35	
365	63726216	1.0	cross profile		Bl 3 x 133,4 x 986,8	
370	63726209	1.0	sealing plate		Bl 3 x 59,5 x 917,2	
375	63726501	1.0	strip		15 x 90 x 845	
380	86503004	6.0	flat-head screw DIN603 galv		M 8 x 20	
385	86501105	6.0	washer ISO7093 galv		A 8,4	
390	86500303	6.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
405	65426700	1.0	guide plate VM1651 tot			
425	65426701	1.0	console VM1651 tot			
435	65226702	1.0	hose holder tot galv			
440	86502748	2.0	flat-head screw galv		M 12 x 35	
445	61026102	2.0	collar bushing galv		Rd 30 x 15	
450	61026108	2.0	hexagon sleeve galv		6kt 22 x 46	
455	61026712	1.0	pressure lever le 700 tot			/ discharge front right with conveyor l=700mm,discharge rear left with conveyor l=700mm
456	61026709	1.0	pressing lever le tot			/ discharge front right with conveyor l=880mm,discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=880mm,discharge rear left with conveyor l=1240mm
460	61026713	1.0	pressure lever ri 700 tot			/ discharge front right with conveyor l=700mm,discharge rear left with conveyor l=700mm
461	61026710	1.0	pressing lever ri tot			/ discharge front right with conveyor l=880mm,discharge front right with conveyor l=1240mm,discharge rear left with conveyor l=880mm,discharge rear left with conveyor l=1240mm
464	86504945	2.0	washer DIN988 P 18x25x0.2			
465	86504561	2.0	circlip DIN471-AS18x1.5			
470	61026109	2.0	pulley galv		Rd 25 x 15	
475	86504589	4.0	circlip DIN471-A12x1			
480	61026707	1.0	link le tot			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
485	61026708	1.0	link ri tot			
490	22502503	2.0	extension spring f chain tensioner galv		14 Windungen	
495	61005502	2.0	hydraulic cylinder DA	HYZ-DW-032/020-490-325		
500	87010308	2.0	seal kit f hydraulic cylinder	HYDI-Z-DW-32/20-SHW		
505	87000459	4.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ROU-CF		
510	61005001	1.0	connector galv		Bl 25 x 40 x 65	
515	86500048	1.0	hexagon nut ISO8675 galv		M 18 x 1,5	
520	86504551	1.0	circlip DIN471-A25x1.2			
525	86504851	1.0	supporting ring DIN988		SS 25 x 35 x 2	
530	86504249	1.0	split-pin ISO1234 galv		3,2 x 32	
535	86504815	1.0	supporting ring DIN988		SS 20 x 28 x 2	
540	87000374	1.0	one-way check valve		DV 06 IR	
545	87000543	3.0	screw-in bolt straight	HYV-GE-08-L-R-1/4-ROU-CF		
550	87004920	1.0	L-shaped coupling w taper	HYV-EL-08-L-ROU-CF		
555	63250638	1.0	external lowering brake valve cpl			
560	63250577	1.0	load-lowering valve cartridge			
565	63250578	1.0	valve casing			
570	87000462	2.0	screw-in bolt straight	HYV-GE-08-L-R-1/2-ROU-CF		
575	87000474	1.0	T-screwed connection w shaft	HYV-EVT-08-L-ROU-CF		
580	87000312	1.0	stop-cock galv		8L mit Bremergriff	
585	87000480	1.0	screw-in bolt w shaft straight	HYV-EVGE-12-L-M-18x1.5-ED-CF		
590	87000460	1.0	standpipe elbow fitting	HYV-EVW-12-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	63230728	1.0	fitting panel angle sensor tot galv			
010	63230729	1.0	linkage holder tot galv			
015	86504753	1.0	adjusting washer		PS 12 x 18 x 1	
020	86504589	1.0	circlip DIN471-A12x1			
025	63230302	1.0	guide rod galv		Ro 8 x 1 x 512	
030	86502001	1.0	hex plate screw DIN7981 galv		6,3 x 16	
035	63230277	1.0	guide bracket galv		Bl 3 x 25 x 91	
040	87008537	1.0	angle sensor	EL_SEN_WI_elobau m Hebel 1-5V		
045	86502066	1.0	hexagon screw ISO 4017 galv		M 6 x 35	
050	86500562	1.0	Verbus-Tensilock nut galv	Tensilock-nut_M06_08_W196_v	M 6	
055	86500310	1.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
060	86503694	2.0	cheese-head screw ISO 1207 galv		M 4 x 30	
065	86501145	4.0	washer ISO7089-A 4.3 galv			
070	63230303	2.0	spacer tube galv		Ro 8 x 1 x 14	
075	86500331	2.0	hexagon nut ISO10511 galv	6kt-nut_M04_08_DIN985_vzk	M 4	
080	87008636	1.0	connecting cable	EL_KKB_ASK_SS 3pol 10m		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66342613	1.0	PA milling cutter drum Sherpa cpl			
010	60644511	60.0	blade 3" 4mm cranked 45°		4 x 76 x 80	
015	86503003	108.0	flat-head screw DIN603 galv		M 8 x 16	
020	86500557	120.0	Verbus-Tensilock nut galv	Tensilock-nut_M08_08_W196_v	M 8	
025	86503044	12.0	round-head screw galv	M8x16 ohne 4kt mit Schlitz	M 8 x 16	
030	66342229	27.0	knife mount H45 le		Bl 5 x 75 x 247	
035	66342230	27.0	knife mount H45 ri		Bl 5 x 75 x 247	
040	66342252	3.0	knife mount outside le		Bl 5 x 70,2 x 145,7	
045	66342253	3.0	knife mount outside ri		Bl 5 x 70,2 x 145,7	
050	66342200	2.0	outer ring		Bl 6 x DR500	
055	66342264	1.0	washer w landing galv		Bl 20 x DR92	
060	86508915	1.0	hexagon screw ISO 4014 galv		M 20 x 60	
062	86503743	1.0	lock washer Nord-Lock		DNL 20	
065	66342006	1.0	bearing flange planetary gear		Rd 185 x 107	
070	86502029	16.0	hexagon screw ISO 4017 galv		M 10 x 30	
075	66342713	1.0	milling drum support Sherpa tot			
080	86501106	15.0	washer ISO7089-A10.5 galv			
085	86500754	15.0	spring washer DIN127 galv		A 10	
090	86502027	12.0	hexagon screw ISO 4017 galv		M 10 x 20	
095	65540229	1.0	gutter		Bl 1,5 x 138 x 188,2	
100	86503692	2.0	Verbus-Tensilock screw galv		M 8 x 12	
110	64340500	1.0	planetary gear milling cutter	inkl. Motoranbauadapter f Hydraulikmotor		
115	87001723	1.0	bleed screw 3/8"			
120	87001724	3.0	sealing ring PVC f screwed plug 3/8"			
125	86503215	2.0	plug f threaded ports	HYV-VSTI-R-3/8-ED-CF		
130	86505395	1.0	radial shaft seal		BA SL 60 x 85 x 10	
135	86505442	1.0	radial shaft seal		BA SL 70 x 110 x 12	
140	86505038	1.0	feather key DIN6885-A-18x11x90			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
145	66342714	5.0	counter plate tot galv			
150	86501108	14.0	washer ISO7089-A 13 galv			
155	86500301	10.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
160	64350548	1.0	hydraulic motor	HYM-B-1-AK-63-A2FM-X		
175	86502045	4.0	hexagon screw ISO 4017 galv		M 12 x 50	
180	86501078	1.0	screw-in bolt straight	HYV-GE-12-L-M-18x1.5-ED-ROU-CF		
185	87003524	2.0	hydraulic sealing ring	HYD-QUR-24.99x32.05x3.53-NBR		
190	86501209	4.0	SAE flange half	HYVF-FHS-6-3-CFX		
195	86502500	8.0	cheese-head screw ISO 4762 galv		M 10 x 35	
200	66342708	1.0	protector milling cutter motor tot			
205	86502028	0.0	hexagon screw ISO 4017 galv		M 10 x 25	
210	65540608	1.0	conveying durm bearing cpl			
215	65540708	1.0	bearing journal tot galv			
220	86506410	1.0	lubricating nipple		M 10 x 1 H1 >GERADE<	
225	63240726	1.0	bearing housing tot galv			
230	86504653	3.0	circlip DIN472-I80x2.5			
235	87006433	1.0	cap		Dr 80 x 10	
240	86500220	1.0	hexagon nut ISO8675 galv		M 33 x 1,5	
245	86504854	1.0	supporting ring DIN988		SS 35 x 45 x 2,5	
250	86505668	1.0	self-aligning radial roller bearing		22208 CC	
255	86505326	1.0	Nilos ring		6208 AV	
260	65540236	1.0	protector		BI 6 x DR 310	
265	86501105	3.0	washer ISO7093 galv		A 8,4	
270	86500753	3.0	spring washer DIN127 galv		A 8	
275	86502015	3.0	hexagon screw ISO 4017 galv		M 8 x 25	
280	87000580	1.0	screw-in bolt straight	HYV-GE-06-LL-M-10x1-KEG-ROU-CF		
285	66550623	1.0	hydraulic tube	HYR-ZSM Foerdertrommel li kpl		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
290	65540245	1.0	lubrication line protector		Bl 3 x 165,2 x 300	
295	87000699	1.0	connector straight	HYV-G-06-LL-ROU-CF		
300	87000609	1.0	cutting ring	HYV-D-06-LL		
305	87000627	1.0	union nut	HYV-M-06-LL-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66342715	1.0	milling drum protection tot			
010	87010119	1.0	foil lettering	FSZ_Strautmann L1080		
015	63240516	4.0	bump stop rubber GMT		DR 50 x 22.5 - M 10x28	
020	86501106	4.0	washer ISO7089-A10.5 galv			
025	86500304	2.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
030	86500204	2.0	hexagon nut galv	6kt-nut_M10_08_DIN934_vzk	M 10	
035	66342007	2.0	spacer galv		6kt 22 x 40	
040	86500754	2.0	spring washer DIN127 galv		A 10	
045	86502027	2.0	hexagon screw ISO 4017 galv		M 10 x 20	
050	87012584	1.0	Stauff clamp 325PAH			
051	87008793	1.0	Stauff cover plate DP3W3			
055	86501510	2.0	cheese-head screw ISO 4762 galv		M 6 x 55	
060	86501115	2.0	washer ISO7089-A 6.4 galv			
065	86500310	2.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
070	66342262	1.0	holder bearing		Bl 6 x 50 x 197,7	
075	86503043	4.0	flat-head screw DIN603 galv		M 12 x 30	
080	86501108	4.0	washer ISO7089-A 13 galv			
085	86500301	4.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
090	66342263	1.0	holder engine		Bl 6 x 157,5 x 232,3	
095	87000007	1.0	hydraulic motor	HYM-B-1-ZR-80-OMP-X	OMP 80-25-2Loch	
100	87010315	1.0	seal kit f hydraulic motor	HYDI-M-OMP/OMR-25er_Welle-Danfoss		
105	87000462	2.0	screw-in bolt straight	HYV-GE-08-L-R-1/2-ROU-CF		
110	87004629	2.0	throttle aperture 08L-0.5			
115	86504951	1.0	feather key DIN6885-A		8 x 7 x 32	
120	86502044	2.0	hexagon screw ISO 4017 galv		M 12 x 45	
125	86501108	4.0	washer ISO7089-A 13 galv			
130	86500301	2.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	65540716	1.0	cutting shield tot			
010	65540505	2.0	cutting knife 40 pitch		Bl 6 x 117 x 918	
015	86502211	16.0	rais countersu head screw M8x25 w TX T40		M 8 x 25	
020	65540288	8.0	pressing plate		5 x 60 x 110	
025	65540287	8.0	slide plate		Bl 1 x 30 x 120	
030	65540286	8.0	slide plate		Bl 6 x 30 x 120	
035	65540285	2.0	slide plate		Bl 1 x 34,5 x 890	
040	29319505	4.0	rais countersu head screw M8x35 w TX T40		M 8 x 35	
045	65540007	2.0	pusher cover		Fl 6 x 24 x 140	
050	65540503	2.0	sealing element		2,5 x 30,5 x 330,5	up to YOM 2015
055	86502211	4.0	rais countersu head screw M8x25 w TX T40		M 8 x 25	
060	65540006	2.0	pusher		4kt 16 x 124,8	
065	86504135	2.0	cylindrical pin		10m6x32	
070	65540506	2.0	counter knife 40 pitch 7-hole		Bl 5,8 x 90 x 996	
075	86502731	14.0	flat-head screw galv		M 8 x 16	
080	86500557	14.0	Verbus-Tensilock nut galv	Tensilock-nut_M08_08_W196_v	M 8	
085	86502725	2.0	flat-head screw galv		M 8 x 25	
090	65540261	2.0	corner tine		Bl 12 x 63,8 x 271,8	
095	86502211	6.0	rais countersu head screw M8x25 w TX T40		M 8 x 25	
100	65540502	2.0	counter-cutter		Bl 5 x 254,9 x 282,9	
105	86503087	6.0	countersu-head screw ISO7380 galv w TX40		M 8 x 16	
110	86506088	4.0	bushing / hole pattern		30 x 34 x 20	
115	62741712	2.0	bolt 30x60 tot galv			
120	86506405	2.0	lubricating nipple		M 8 x 1 H1 >GERADE<	
125	29552700	2.0	bolt 025.0x057.0 tot			
130	86501116	1.0	washer ISO7089-A 8.4 glav			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	86502013	1.0	hexagon screw ISO 4017 galv		M 8 x 16	
140	65550536	1.0	hydraulic cylinder	HYZ-DW-050/035-730-320		
145	87010328	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-50/35-SHW		
150	87000452	1.0	banjo fitting	HYV-SWVE-12-L-M-16x1.5-ROU-CF		
155	87009806	1.0	hydraulic hose	HYS-2SN-10x550-AO12L-AO12L90		
160	87000373	1.0	one-way check valve galv		DRV L12 / 1,3mm Bohr	
165	87004583	2.0	screw-in bolt w taper straight	HYV-EGE-12-L-R-3/8-ED-CF		
170	87000353	1.0	double check valve			
175	87000511	2.0	screw-in bolt straight	HYV-GE-08-L-R-3/8-ROU-CF		
180	87000465	1.0	screw-in bolt straight	HYV-GE-12-L-M-16x1.5-ROU-CF		
185	66340256	1.0	mount f check valve		Bl 3 x 126 x 139,4	
190	87007518	2.0	hose clip		60-80/12 W2	
195	86502060	2.0	hexagon screw ISO 4014 galv		M 6 x 50	
200	86501115	4.0	washer ISO7089-A 6.4 galv			
205	86500310	2.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	65540266	1.0	cover plate		Bl 3 x 391,7 x 1964	
020	86500557	2.0	Verbus-Tensilock nut galv	Tensilock-nut_M08_08_W196_v	M 8	
025	86503577	31.0	Verbus-Tensilock screw galv		M 8 x 16	
030	65540716	1.0	cutting shield tot			
035	65540700	2.0	slide segment tot			
040	28602202	6.0	slide washer		DR 30 x 3	
045	86503831	6.0	countersunk rivet		5 x 20	
050	28602029	4.0	guide block		45 x 45 +-0,15	
055	65540102	4.0	adjusting screw		6kt22x46	
060	86506401	4.0	lubricating nipple		M 6 x 1 H1 >GERADE<	
065	65550534	2.0	hydraulic cylinder DA	HYZ-DW-050/030-440-80		
070	87010383	2.0	seal kit f hydraulic cylinder	HYDI-Z-DW-50/30-SHW	für 65550502	
075	86504121	4.0	eyebolt galv		16 x 38	
080	86504203	4.0	split-pin ISO1234 galv		4 x 40	
085	87000454	6.0	screw-in bolt straight	HYV-GE-15-L-M-18x1.5-ROU-CF		
090	86501068	7.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
095	87004727	1.0	hydraulic hose	HYS-2SN-12x1515-AO15L-AO15L45		
100	87004728	1.0	hydraulic hose	HYS-2SN-12x510-AO15L-AO15L45		
105	87000541	3.0	screw-in bolt w shaft straight	HYV-EVGE-08-L-M-12x1.5-ED-CF		
110	86501165	4.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		
115	87000109	4.0	hydraulic valve	HYVE-Rueckschlagventil 8L 5bar		
120	87030069	1.0	hydraulic hose	HYS-1SN-06x1900-AO08L-AO08L		
125	87004729	1.0	hydraulic hose	HYS-1SN-06x380-AO08L-AO08L		
130	87009817	1.0	hydraulic hose	HYS-1SN-06x500-AO08L-AO08L		
135	87000830	1.0	hydraulic hose	HYS-1SN-06x600-AO08L-AO08L90		
140	87009789	2.0	cone reducing fitting w taper	HYV-RED-15/08-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
145	87000489	2.0	screw-in bolt w shaft straight	HYV-EVGE-15-L-M-18x1.5-ED-CF		
150	87000752	3.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
155	87000572	2.0	screw-in bolt straight	HYV-GR-18/15-L-ROU-CF		
160	87009784	1.0	hydraulic hose	HYS-2SN-16x910-AO18L-AO18L		
165	86501168	1.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ED-ROU-CF		
170	86501222	1.0	intermediate nozzle w taper straight	HYV-GZ-08-L-CF		
175	87000474	1.0	T-screwed connection w shaft	HYV-EVT-08-L-ROU-CF		
180	87004748	1.0	hydraulic hose	HYS-1SN-06x370-AO08L45-AO08L90/180		
185	86501256	3.0	high-pressure-angle-banjo fitting	HYV-WH-08-L-M-12x1.5-KDS-ROU-CF		
190	65550505	1.0	hydraulic control block / components	HYSB-Umschaltventil		
195	65550647	1.0	hydr pipe			
200	65550648	1.0	hydr pipe			
205	87000566	1.0	screw-in bolt w shaft straight	HYV-EVGE-15-PLG-ED G3/8 A M+D		
210	87000511	1.0	screw-in bolt straight	HYV-GE-08-L-R-3/8-ROU-CF		
215	65550516	1.0	hydraulic control block / components	HYSB-DBV-Ventil-10/250-15I-CF		
220	87000611	2.0	bulkhead coupling straight	HYV-SV-15-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66340606	1.0	conveyor drum w knives cpl			
010	60644510	4.0	blade 3in - 4 mm straight		4 x 76 x 80	
015	60644511	4.0	blade 3" 4mm cranked 45°		4 x 76 x 80	
020	86500203	16.0	hexagon nut galv	6kt-nut_M08_08_DIN934_vzk	M 8	
025	86503044	16.0	round-head screw galv	M8x16 ohne 4kt mit Schlitz	M 8 x 16	
030	86502049	1.0	hexagon screw ISO 4014 galv		M 12 x 70	
035	65540003	1.0	washer w landing galv		Rd 65 x 46	
040	65540713	1.0	grooved bush tot		DR 185 x 82,5	
045	86502029	16.0	hexagon screw ISO 4017 galv		M 10 x 30	
050	66340706	1.0	engine seat Sherpa tot			
055	86502027	13.0	hexagon screw ISO 4017 galv		M 10 x 20	
060	86501106	16.0	washer ISO7089-A10.5 galv			
065	65540229	1.0	gutter		Bl 1,5 x 138 x 188,2	
070	86502068	2.0	hexagon screw ISO 4017 galv		M 8 x 10	
075	86501116	2.0	washer ISO7089-A 8.4 glav			
080	87000101	1.0	hydraulic motor	HYM-B-1-ZR-400-OMT-x		up to YOM 2016
081	87000115	1.0	hydraulic motor	HYM-B-1-ZR-400-HT-x		since YOM 2016
085	87010316	1.0	seal kit f hydraulic motor	HYDI-M-OMT-40er_Welle-Danfoss		up to YOM 2016
086	87010395	1.0	seal kit f hydraulic motor	HYDI-M-HTS-40er_Welle-Brevini		since YOM 2016
090	87000584	2.0	screw-in bolt straight	HYV-GE-22-L-R-3/4-ROU-CF		
095	86501070	3.0	angle nozzle w taper	HYV-EW-22-L-ROU-CF		
100	86504971	1.0	feather key DIN6885-A-12x8x70			
105	86501409	4.0	hexagon screw ISO 4014		M 14 x 50	
110	86500306	4.0	hexagon nut ISO7040 galv	6kt-nut_M14_08_DIN982_vzk	M 14	
115	66340711	1.0	protector tot			
120	86502028	5.0	hexagon screw ISO 4017 galv		M 10 x 25	
125	65540608	1.0	conveying durm bearing cpl			
130	86504653	3.0	circlip DIN472-I80x2.5			
135	87006433	1.0	cap		Dr 80 x 10	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
140	86500220	1.0	hexagon nut ISO8675 galv		M 33 x 1,5	
145	86504854	1.0	supporting ring DIN988		SS 35 x 45 x 2,5	
150	65540708	1.0	bearing journal tot galv			
155	86505668	1.0	self-aligning radial roller bearing		22208 CC	
160	86505326	1.0	Nilos ring		6208 AV	
165	63240726	1.0	bearing housing tot galv			
170	65540236	1.0	protector		Bl 6 x DR 310	
175	86501105	3.0	washer ISO7093 galv		A 8,4	
180	86502014	3.0	hexagon screw ISO 4017 galv		M 8 x 20	
185	86506410	1.0	lubricating nipple		M 10 x 1 H1 >GERADE<	
190	87000580	1.0	screw-in bolt straight	HYV-GE-06-LL-M-10x1-KEG- ROU-CF		
195	66550623	1.0	hydraulic tube	HYR-ZSM Foerdertrommel li kpl		
200	65540245	1.0	lubrication line protector		Bl 3 x 165,2 x 300	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66340700	1.0	conv duct Sherpa tot			
010	65540262	2.0	side panel high-alloyed steel		Bl 5 x 559,7 x 723,1	
015	65540279	1.0	jacket sheathing VA		Bl 5 x 1172 x 2012	
020	87010127	2.0	foil lettering	FSZ_Strautmann L720		
025	87706521	2.0	decoration element	DKO_Fraesarm SF		
030	87006343	14.0	laminated stopper GPN 320 GL 35			
035	87006355	8.0	square plug GPN 270 6060 4			
040	66340237	1.0	deck plate canal		Bl 1,5 x 613 x 2000	
045	86503004	6.0	flat-head screw DIN603 galv		M 8 x 20	
050	86501116	34.0	washer ISO7089-A 8.4 glav			
055	86500303	22.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
060	86502013	15.0	hexagon screw ISO 4017 galv		M 8 x 16	
065	86500753	15.0	spring washer DIN127 galv		A 8	
070	86501105	3.0	washer ISO7093 galv		A 8,4	
075	63240901	1.0	scraper bar		Bl 12 x 100 x 1980	
080	65540237	1.0	base plate		Bl 3 x 170 x 1998	
085	86503045	2.0	flat-head screw DIN603 galv		M 12 x 40	
090	86503052	6.0	flat-head screw DIN603 galv		M 12 x 50	
095	86501108	8.0	washer ISO7089-A 13 galv			
100	86500301	8.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
105	63240631	1.0	roller cpl			
110	86506088	2.0	bushing / hole pattern		30 x 34 x 20	
115	63240110	1.0	washer DR12.5x42x8 galv		Rd 42 h9 x 8	
120	86502090	1.0	hexagon screw ISO 4017 galv		M 12 x 25	
125	63240728	1.0	roller pin tot galv			
130	64340700	1.0	supporting element tot galv			
135	86500321	1.0	hexagon nut ISO10512 galv	6kt-nut_M24x1.5_08_DIN985_v	M 24 x 1,5	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
140	86506405	1.0	lubricating nipple		M 8 x 1 H1 >GERADE<	
145	86502276	1.0	hexagon screw ISO 4017 galv		M 12 x 120	
150	86500205	3.0	hexagon nut galv	6kt-nut_M12_08_DIN934_vzk	M 12	
155	66350539	1.0	hydraulic cylinder	HYZ-DW-090/060-1590-1280		
160	87010390	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-90/60-SHW		
165	86501057	1.0	high-pressure-angle-banjo fitting	HYV-WH-15-L-M-18x1.5-ROU-CF		
170	87004918	2.0	radial spherical bearing		GE 45 DO	
175	86504681	2.0	circlip DIN472-I68x2.5			
180	63250703	1.0	bolt 45x83 tot galv			
185	86502030	1.0	hexagon screw ISO 4017 galv		M 10 x 35	
190	86501106	5.0	washer ISO7089-A10.5 galv			
195	86500754	2.0	spring washer DIN127 galv		A 10	
200	86500204	1.0	hexagon nut galv	6kt-nut_M10_08_DIN934_vzk	M 10	
205	63240714	1.0	cylinder support tot galv			
210	86504592	1.0	circlip DIN471-A16x1			
215	86506098	2.0	slide bearing Q IGLIDUR		1618 - 20 QSM	
220	46606511	1.0	securing element f chock galv			
225	62701701	1.0	bolt 45x105 tot galv			
230	86502028	1.0	hexagon screw ISO 4017 galv		M 10 x 25	
235	66340235	1.0	seal plate		Bl 4 x 211,5 x 912	
240	86503003	4.0	flat-head screw DIN603 galv		M 8 x 16	
245	63240514	2.0	folding tarpaulin lar		0,5 x 670 x 737,2	
250	63240915	4.0	clamping strip		Bl 3 x 39,9 x 550	
255	63240739	1.0	flap sheet metal lg tot			
260	63240122	1.0	hinge rod galv		Rd 12 x 595	
265	86500304	1.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
270	62305507	1.0	hydraulic cylinder DA	HYZ-DW-032/020-225-85		
275	87001481	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-32/20-SHW		
280	87000459	2.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ROU-CF		
285	86500216	1.0	hexagon nut ISO4035 galv		M 16	
290	86506838	1.0	fork joint unmounted galv		16 x 64	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
010	66342705	1.0	conv duct Sherpa milling cutter VA tot			
020	87010127	2.0	foil lettering	FSZ_Strautmann L720		
025	87706521	2.0	decoration element	DKO_Fraesarm SF		
030	87006343	14.0	laminated stopper GPN 320 GL 35			
035	87006355	8.0	square plug GPN 270 6060 4			
040	66340237	1.0	deck plate canal		Bl 1,5 x 613 x 2000	
045	86502014	6.0	hexagon screw ISO 4017 galv		M 8 x 20	
050	86501116	28.0	washer ISO7089-A 8.4 glav			
055	86500303	22.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
060	86502013	15.0	hexagon screw ISO 4017 galv		M 8 x 16	
065	86500753	15.0	spring washer DIN127 galv		A 8	
070	86501105	15.0	washer ISO7093 galv		A 8,4	
075	63240901	1.0	scraper bar		Bl 12 x 100 x 1980	
080	65540237	1.0	base plate		Bl 3 x 170 x 1998	
085	86503045	2.0	flat-head screw DIN603 galv		M 12 x 40	
090	86503052	6.0	flat-head screw DIN603 galv		M 12 x 50	
095	86501108	8.0	washer ISO7089-A 13 galv			
100	86500301	8.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
105	63240206	1.0	roller galv		Bl 85 x DR160	
110	86506088	2.0	bushing / hole pattern		30 x 34 x 20	
115	63240110	1.0	washer DR12.5x42x8 galv		Rd 42 h9 x 8	
120	86502090	1.0	hexagon screw ISO 4017 galv		M 12 x 25	
125	63240728	1.0	roller pin tot galv			
130	64340700	1.0	supporting element tot galv			
135	86500321	1.0	hexagon nut ISO10512 galv	6kt-nut_M24x1.5_08_DIN985_v	M 24 x 1,5	
140	86506405	1.0	lubricating nipple		M 8 x 1 H1 >GERADE<	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
145	86502276	1.0	hexagon screw ISO 4017 galv		M 12 x 120	
150	86500205	3.0	hexagon nut galv	6kt-nut_M12_08_DIN934_vzk	M 12	
155	66350539	1.0	hydraulic cylinder	HYZ-DW-090/060-1590-1280		
160	87010390	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-90/60-SHW		
165	86501057	1.0	high-pressure-angle-banjo fitting	HYV-WH-15-L-M-18x1.5-ROU-CF		
170	87004918	2.0	radial spherical bearing		GE 45 DO	
175	86504681	2.0	circlip DIN472-I68x2.5			
180	63250703	1.0	bolt 45x83 tot galv			
185	86502030	1.0	hexagon screw ISO 4017 galv		M 10 x 35	
190	86501106	5.0	washer ISO7089-A10.5 galv			
195	86500754	2.0	spring washer DIN127 galv		A 10	
200	86500204	1.0	hexagon nut galv	6kt-nut_M10_08_DIN934_vzk	M 10	
205	65540722	1.0	cylinder support reinfo tot galv			
210	86504592	1.0	circlip DIN471-A16x1			
215	86506098	2.0	slide bearing Q IGLIDUR		1618 - 20 QSM	
220	46606511	1.0	securing element f chock galv			
225	62701701	1.0	bolt 45x105 tot galv			
230	86502028	1.0	hexagon screw ISO 4017 galv		M 10 x 25	
235	66340235	1.0	seal plate		Bl 4 x 211,5 x 912	
240	86503003	4.0	flat-head screw DIN603 galv		M 8 x 16	
245	63240514	2.0	folding tarpaulin lar		0,5 x 670 x 737,2	
250	63240915	4.0	clamping strip		Bl 3 x 39,9 x 550	
255	63240739	1.0	flap sheet metal lg tot			
260	63240122	1.0	hinge rod galv		Rd 12 x 595	
265	86500304	1.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
270	62305507	1.0	hydraulic cylinder DA	HYZ-DW-032/020-225-85		
275	87001481	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-32/20-SHW		
280	87000459	2.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ROU-CF		
285	86500216	1.0	hexagon nut ISO4035 galv		M 16	
290	86506838	1.0	fork joint unmounted galv		16 x 64	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
295	66342254	2.0	side element VA		Bl 6 x 527 x 719,2	
300	66342255	1.0	jacket sheet funnel VA le		Bl 5 x 711 x 952,3	
305	66342256	1.0	jacket sheet funnel VA ri		Bl 5 x 711 x 952,3	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
010	66340505	1.0	rubber conveyor belt Sherpa		6,5x564x6860	
015	63240529	1.0	wire NSS 3.0 560lg		Rd 3,0 x 560	
020	63240637	#	repair kit conveyor belt lug			
025	86500310	7.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
030	86501104	7.0	washer ISO7093 galv		A 6,4	
035	86508339	7.0	plate screw DIN15237 galv		M 6 x 30	
040	66340503	4.0	cover strip		12 x 33 x 1613	
045	86503587	2.0	Verbus-Tensilock screw		M 8 x 40	
050	86501116	26.0	washer ISO7089-A 8.4 glav			
055	86500303	26.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
060	86503568	24.0	Verbus-Tensilock screw galv		M 8 x 20	
065	86503577	4.0	Verbus-Tensilock screw galv		M 8 x 16	
070	66340504	7.0	carrying roller			
075	86500558	14.0	Verbus-Tensilock nut galv	Tensilock-nut_M10_08_W196_v	M 10	
080	66340713	1.0	tensioning drum tot			
085	66340400	2.0	anti wrap guard galv		BI 28 x DR156	
090	66340255	2.0	tensioning plate fr galv		BI 10 x 180 x 204	
095	33502400	2.0	bearing housing f spreading drum drive			
100	86505796	2.0	radial insert ball bearing INA metric		GAY 40 NPPB	
105	86506401	2.0	lubricating nipple		M 6 x 1 H1 >GERADE<	
110	86502086	8.0	hexagon screw ISO 4017 galv		M 10 x 40	
115	86500754	16.0	spring washer DIN127 galv		A 10	
120	86501106	20.0	washer ISO7089-A10.5 galv			
125	86502028	8.0	hexagon screw ISO 4017 galv		M 10 x 25	
130	86502332	2.0	hexagon screw ISO 4017 galv		M 10 x 50	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	86500204	4.0	hexagon nut galv	6kt-nut_M10_08_DIN934_vzk	M 10	
140	66340244	1.0	stripper lower part		Bl 6 x 420 x 684	up to YOM 2016
141	66340717	1.0	Grundblech Abstreifer vst			since YOM 2016
145	66340245	1.0	stipper upper part		Bl 6 x 381 x 587,2	up to YOM 2016
150	86503041	3.0	flat-head screw DIN603 galv		M 10 x 30	up to YOM 2016
155	86501136	3.0	washer ISO7093 galv		A 10,5	up to YOM 2016
160	86500304	5.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	up to YOM 2016
165	66340501	1.0	plastic strip lg		8 x 50 x 440	
170	66340502	1.0	plastic strip sho		8 x 50 x 320	
175	86503007	6.0	flat-head screw DIN603 galv		M 8 x 35	
180	86501116	6.0	washer ISO7089-A 8.4 glav			
185	86500303	6.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
190	86502288	2.0	hexagon screw ISO 4017 galv		M 10 x 60	up to YOM 2016
195	86501106	4.0	washer ISO7089-A10.5 galv			up to YOM 2016
200	86503052	2.0	flat-head screw DIN603 galv		M 12 x 50	up to YOM 2016
205	24303101	2.0	button f loop galv		Rd 30 h9 x 15	
210	86500301	2.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
215	66340265	1.0	Klemmblech lg		Bl 1,25 x 124,7 x 326,2	since YOM 2016
220	66340264	1.0	Klemmblech lg		Bl 1,25 x 124,7 x 430,8	since YOM 2016
225	86502045	2.0	hexagon screw ISO 4017 galv		M 12 x 50	since YOM 2016
230	86501108	2.0	washer ISO7089-A 13 galv			since YOM 2016




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66340712	1.0	drive drum tot			
010	33502400	1.0	bearing housing f spreading drum drive			
015	86505796	1.0	radial insert ball bearing INA metric		GAY 40 NPPB	
020	86506401	1.0	lubricating nipple		M 6 x 1 H1 >GERADE<	
025	86502029	4.0	hexagon screw ISO 4017 galv		M 10 x 30	
030	86500754	12.0	spring washer DIN127 galv		A 10	
035	86501106	12.0	washer ISO7089-A10.5 galv			
040	66340714	1.0	tensioning plate bearing tot			
045	66340715	1.0	tensioning plate engine tot			
050	86502028	8.0	hexagon screw ISO 4017 galv		M 10 x 25	
055	66340002	2.0	threaded rod		M 20 x 230	
060	86504005	2.0	tensioning pin galv		5 x 45	
065	86500207	8.0	hexagon nut galv	6kt-nut_M20_08_DIN934_vzk	M 20	
070	86502016	4.0	hexagon screw ISO 4017 galv		M 8 x 30	
075	86500753	16.0	spring washer DIN127 galv		A 8	
080	86501116	4.0	washer ISO7089-A 8.4 glav			
085	66340716	1.0	cross profile tot			
090	66340246	2.0	anti wrap guard ring galv		Bl 12 x DR100	
095	86503673	4.0	cheese-head screw ISO 4762 galv		M 8 x 16	
100	66340247	1.0	brake drum stripper galv		Bl 4 x 76,6 x 584,7	
105	86503005	4.0	flat-head screw DIN603 galv		M 8 x 25	
110	86501105	16.0	washer ISO7093 galv		A 8,4	
115	86500303	4.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
120	87000120	1.0	hydr motor-B-1ZR-250-OMT-X			
125	87010316	1.0	seal kit f hydraulic motor	HYDI-M-OMT-40er_Welle-Danfoss		
130	86501097	2.0	screw-in bolt straight	HYV-GE-22-L-R-3/4-ED-ROU-CF		
135	86501090	1.0	screw-in bolt straight	HYV-GE-12-L-R-1/4-ED-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
150	86504971	1.0	feather key DIN6885-A-12x8x70			
155	86502044	4.0	hexagon screw ISO 4017 galv		M 12 x 45	
160	86500755	4.0	spring washer DIN127 galv		A 12	
165	86501108	4.0	washer ISO7089-A 13 galv			
170	66340707	1.0	lining engine fr tot			
175	86502013	12.0	hexagon screw ISO 4017 galv		M 8 x 16	
180	66340708	1.0	lining engine re tot			
185	66340709	1.0	lining engine fr le tot			
190	66340710	1.0	lining engine re le tot			
195	87000596	1.0	angle screw-in bolt	HYV-WE-06-LL-M-8x1-KEG-RMU-CF		
200	87000609	2.0	cutting ring	HYV-D-06-LL		
205	87000627	2.0	union nut	HYV-M-06-LL-CF		
210	88001761	#	tube PA 12 H LT		6 x 1,5 / Meterware	
215	41804506	1.0	screw-in connection straight			
220	86500560	1.0	hexagon nut		M 10 x 1	
225	88004547	6.0	blind rivet nut M8 6kt		M 8 Sw11 lg16,5	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66342709	1.0	drive drum tot			
010	66342710	1.0	connecting flange tot			
015	86501652	6.0	hexagon screw ISO 4017 galv		M 10 x 25	
020	86503765	6.0	lock washer Nord-Lock	NL-Sicherungsscheibe_DNL10_DIN2 5201_vzk	DNL 10	
025	66340246	2.0	anti wrap guard ring galv		BI 12 x DR100	
030	33502400	2.0	bearing housing f spreading drum drive			
035	86505796	2.0	radial insert ball bearing INA metric		GAY 40 NPPB	
040	86502029	4.0	hexagon screw ISO 4017 galv		M 10 x 30	
045	86500754	16.0	spring washer DIN127 galv		A 10	
050	86501106	16.0	washer ISO7089-A10.5 galv			
055	87000596	2.0	angle screw-in bolt	HYV-WE-06-LL-M-8x1-KEG-RMU-CF		
060	87000609	4.0	cutting ring	HYV-D-06-LL		
065	87000627	4.0	union nut	HYV-M-06-LL-CF		
070	88001761	0.0	tube PA 12 H LT		6 x 1,5 / Meterware	
075	41804506	2.0	screw-in connection straight			
080	86500560	2.0	hexagon nut		M 10 x 1	
085	86506405	1.0	lubricating nipple		M 8 x 1 H1 >GERADE<	
090	66340714	2.0	tensioning plate bearing tot			
095	86502028	8.0	hexagon screw ISO 4017 galv		M 10 x 25	
100	86504005	2.0	tensioning pin galv		5 x 45	
105	66340002	2.0	threaded rod		M 20 x 230	
110	86500207	8.0	hexagon nut galv	6kt-nut_M20_08_DIN934_vzk	M 20	
115	66342711	1.0	engine holder tot			
120	86502338	4.0	hexagon screw ISO 4017 galv		M 10 x 70	
125	87000002	1.0	hydraulic motor	HYM-B-1-ZR-100-OMR-X	OMR 100-25-2Loch	
130	87010315	1.0	seal kit f hydraulic motor	HYDI-M-OMP/OMR-25er_Welle-Danfoss		
135	86504951	1.0	feather key DIN6885-A		8 x 7 x 32	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
140	86501092	2.0	screw-in bolt straight	HYV-GE-15-L-R-1/2-ED-ROU-CF		
145	86502046	2.0	hexagon screw ISO 4014 galv		M 12 x 50	
150	24303101	2.0	button f loop galv		Rd 30 h9 x 15	
155	86500301	2.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
160	66340716	1.0	cross profile tot			
165	86502016	4.0	hexagon screw ISO 4017 galv		M 8 x 30	
170	86500753	17.0	spring washer DIN127 galv		A 8	
175	86501116	4.0	washer ISO7089-A 8.4 glav			
180	86502404	4.0	cheese-head screw ISO 4762 galv		M 8 x 20	
185	66340247	1.0	brake drum stripper galv		Bl 4 x 76,6 x 584,7	
190	86503005	4.0	flat-head screw DIN603 galv		M 8 x 25	
195	86501105	17.0	washer ISO7093 galv		A 8,4	
200	86500303	4.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
205	66340707	1.0	lining engine fr tot			
210	66340708	1.0	lining engine re tot			
215	66340709	1.0	lining engine fr le tot			
220	66340710	1.0	lining engine re le tot			
225	86502013	13.0	hexagon screw ISO 4017 galv		M 8 x 16	
230	88004547	5.0	blind rivet nut M8 6kt		M 8 Sw11 lg16,5	
235	88001719	4.0	extension f central lubrication			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	88004824	1.0	roof			
010	88004830	4.0	rubber washer		Dr 36 x 10 x 3	
015	86501136	4.0	washer ISO7093 galv		A 10,5	
020	86503607	4.0	hex head screw galv		M 10 x 20	
025	88004804	1.0	foam rubber -roof inside			
030	88004817	#	seal TSG900356			
035	63270511	1.0	radio aerial w rubber sheathing		Calearo	
040	66370700	1.0	filter cover tot			
045	86501116	2.0	washer ISO7089-A 8.4 galv			
050	86502258	1.0	hexagon screw ISO 4014 galv		M 8 x 85	
055	86502015	1.0	hexagon screw ISO 4017 galv		M 8 x 25	
060	63270591	1.0	outside air filter cabin SM3		580x180x60	
065	88004000	1.0	rubber sealing strip adhesive	10m auf Rolle / schwarz	10 x 3	
070	63270545	1.0	emergency hammer			
075	63270534	1.0	kit doorstop f cabin			
080	63270568	4.0	cabin bearing w washer			
085	86502050	4.0	hexagon screw ISO 4014 galv		M 12 x 80	
090	86501109	4.0	washer ISO7093 galv		A 13	
095	86500301	4.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
100	86501545	8.0	hexagon screw ISO 4014 galv		M 10 x 25	
105	86501106	8.0	washer ISO7089-A10.5 galv			
110	86500304	8.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
115	62770501	1.0	rubber seal		8 x 176 x 356 /m 1 Gewebe	
120	87006406	#	strip			
125	62770222	2.0	clamping strip galv		Bl 3 x 25 x 176	
130	64370505	1.0	tread top			
135	63270569	1.0	Spal blower 3-level			
140	87007501	5.0	hose clip		Torro 40-60/12 W2	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
145	88004812	#	air hose-heating		di 50mm	
150	88004815	2.0	air nozzle heating Type 2			
155	88004814	2.0	connecting element air nozzle 45°			
160	63270566	1.0	lining control box Rx			
165	63270541	1.0	kit lock pin			
170	88004523	1.0	door E-housing			
175	88004222	2.0	cylinder lock			
180	88004800	1.0	handle "Pocket Pull"			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	88004513	1.0	side window RX SM1			
010	88004525	1.0	window rubber profile cpl		Länge 4,2m	
015	88004521	1.0	side window Lx SM1		5x435x 792 Eckradien R90	
020	63270507	1.0	wiper blade f side window wiper			up to YOM 2016
021	64370508	1.0	Scheibenwischerarm li verkr. f Seitew			since YOM 2016
025	63270508	1.0	windscreen wiper f side window wiper			up to YOM 2016
026	64370507	1.0	Scheibenwischerarm li verkr. f Seitew			since YOM 2016
030	63270542	1.0	kit fastening device			
035	63270575	1.0	wiper motor side window vertical			
040	66342502	1.0	operating instructions label	BDS_Joystick Sherpa Fraese		/ milling cutter
042	65570500	1.0	operating instructions label	BDS_Joystick Grundfunktion		/ cutting shield Fast-Cut
045	63270533	1.0	sunshade cpl			
050	63270595	1.0	windscreen washer motor 75° SM3			
055	63270598	1.0	windscreen wiper arm 564mm SM3			
060	63270555	2.0	wiper blade			
062	86502105	4.0	hexagon screw ISO 4017 galv		M 5 x 12	
065	88004169	2.0	windscreen laminated glass bent		6,26x766x891	
070	63270599	1.0	windscreen wiper arm 686mm SM3			
075	63270596	1.0	windscreen washer motor 60° SM3			
080	63270597	1.0	protector f windscreen wiper motor SM1			
085	88004587	1.0	cover f protection			
090	63270530	1.0	water reservoir 2l w pump			
095	63270531	2.0	electrical pump 24V			
100	88004202	3.0	check valve			
105	88004616	#	water hose	SL-WW-PVC transparent-4x6- 15m		
110	88004617	1.0	Y-hose connection			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
001	88004810	1.0	door frame			
002	88004817	#	seal TSG900356			
004	88004520	1.0	door glass top SM1		6x693x830	
005	88004601	1.0	door glass top			
010	63270560	1.0	handle door glass			
011	64370501	1.0	handle door glass			
014	63270561	1.0	doorstop w bolt			
018	88004818	1.0	door panel interior cpl			
032	86502730	2.0	flat-head screw galv		M 6 x 20	
038	88004522	1.0	door glass bo		5x488x 568.5 Eckradien R9	
039	88004525	1.0	window rubber profile cpl		Länge 4,2m	
040	63270529	1.0	kit pneumatic spring door			
041	63270562	1.0	grip handle door interior cpl			
042	63270563	7.0	kit fastening device interior lining			
043	63270528	1.0	kit hinge door glass			
044	85806001	1.0	door handle DLP			
045	85806000	1.0	door lock DLP			
046	88005506	1.0	igniti key self prop model/14603			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	88004827	1.0	retaining frame air circulation filter			
010	63270594	1.0	air circulation filter 2 cabin SM3		250x150x60	
015	63270544	1.0	kit quarter-turn rotary lock			
020	88004021	1.0	loudspeaker-Blaupunkt IC 112		1 Satz	
025	88004815	4.0	air nozzle heating Type 2			
030	88004816	1.0	reading lamp Hella			
035	87006536	1.0	lighting	EL_BEL_GLP_24V 21W HD		
040	88004809	1.0	rotary knob f heating valve			
045	88004808	1.0	oval panel f heating			
050	63270510	2.0	rotary knob f air-condi thermostat			
055	63270550	1.0	sticker heating			
060	88004814	3.0	connecting element air nozzle 45°			
065	87007501	9.0	hose clip		Torro 40-60/12 W2	
070	63270509	1.0	thermostat f air-conditioning			
075	63270549	1.0	switch f blower			up to YOM 2016
076	63270623	1.0	Nachruestsatz stufenlose Geblaesesteuerg			
080	63270572	1.0	heating valve cabin Lochmann			
085	88004588	4.0	hose clip FBS 23/12			
090	87030479	#	hose line	SL-HY-ND-316-25M		
095	88004812	#	air hose-heating		di 50mm	
100	88004537	#	corrugated board air hose 1m		di 45mm	
105	88004813	1.0	connecting element air nozzle 90°			
110	63270525	1.0	blower 5 outlets strong			
115	63270612	1.0	Spal blower 008-B45-02 cpl			
120	88004807	1.0	expansion valve air conditioner			






Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66370204	1.0	side rail console Sherpa		Bl 2 x 386 x 1296,8	
010	65570202	1.0	cover plate		Bl 2 x 164 x 197,9	
015	88004051	2.0	blind rivet nut M5 knurled open			
020	86503733	2.0	hex flange head screw galv		M 5 x 20	
025	87011959	1.0	self-propelled model steering	EL_STG_SF_Grafikterminal OPUS A3		
030	88004614	1.0	holder Wachendorf OPUS A3 2016			
031	66370207	1.0	spacer plate OPUS 3		Bl 1,25 x 73 x 73	
035	65580500	1.0	joystick	EL_SEL_JYK_Grundfunktion kpl		
040	63280500	1.0	manual throttle modul			
045	63280509	1.0	protective cap red		13 x 5 x 30	
050	63270206	1.0	manual throttle console		Bl 2 x 86,5 x 108	
055	63270208	1.0	manual throttle panel		Bl 3 x 45 x 79	
060	63270586	1.0	armrest			
065	63270000	2.0	spacer sleeve armrest		Rd 20 x 45	
070	63270002	2.0	threaded armrest			
075	86501106	2.0	washer ISO7089-A10.5 galv			
080	86500304	2.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
085	88004101	1.0	socket light metal w ground connection			
090	88001538	1.0	switch/accessories	EL_EKM_S_Anzeigenleuchte Schalterreihe		
095	88004115	#	switch/accessories	EL_EKM_S_Leuchte inkl Fassung		
100	88004107	#	receptacle f lamp socket			
105	88001537	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Oeltemperatur		
110	63270574	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Schwenken		
115	88004421	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Parkbremse		
120	88004419	1.0	switch/accessories	EL_EKM_S_Schaltersymbol o Symbol schwarz		






Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
125	88004479	2.0	multi-function switch w lock mechanism			
130	88004551	#	switch/accessories	EL_EKM_S_Schaltersymbol Spiegelalarm		
135	88001570	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Differentialsper		
140	88004449	1.0	multi-function switch			
145	88004450	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Scheibenwischer		
150	87011928	1.0	switch/accessories	EL_EKM_S_2 Schaltkreise		
155	87011754	1.0	warning light switch			
160	87011755	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Warnblinker		
165	87011757	2.0	retaining frame			
170	88001531	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Messer ein		
175	88004103	#	toggle switch			
180	88001532	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Geschwindigkeit		
185	88004117	#	cap			
190	88004489	3.0	multi-function switch 3 positions			
195	88004116	3.0	switch/accessories	EL_EKM_S_Schaltersymbol Arbeitsscheinw.		
200	87011812	#	multi-function switch 2x key button			
205	88004506	#	switch/accessories	EL_EKM_S_Schaltersymbol Doppelpfeil		
210	88004550	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Gegenschneide		
215	88001529	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Mischer		
220	88001567	2.0	switch/accessories	EL_EKM_S_Schaltersymbol Band rein/raus		
225	88001568	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Band EIN li		
230	88001569	1.0	switch/accessories	EL_EKM_S_Schaltersymbol Band EIN re		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
235	87011974	4.0	switch/accessories	EL_EKM_S_Halterahmen Zwischenstueck		
240	87011973	4.0	switch/accessories	EL_EKM_S_Halterahmen Endstueck		
245	88004489	1.0	multi-function switch 3 positions			up to YOM 2015
250	87011972	1.0	switch/accessories	EL_EKM_S_Kombischalter 3x Ein		since YOM 2015
255	87006973	1.0	proportional amplifier			/ milling cutter
260	87008617	1.0	potentiometer pointer tip			/ milling cutter
265	66380504	1.0	operating instructions label	BDS_Sherpa Fraese		/ milling cutter




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	88004540	1.0	cap f steering wheel			
010	88004539	1.0	steering wheel 3 spokes		Nabe DR 24.52-1-20	
015	86500048	1.0	hexagon nut ISO8675 galv		M 18 x 1,5	
020	86501139	1.0	washer ISO7089-A 19 galv			
025	64370500	1.0	steering column CL870 narrow STRA.001			
030	88004505	1.0	steering column switch double			
035	88004592	1.0	steering column w stand			
040	87011594	1.0	casing le			
045	87011595	1.0	casing ri			
050	62770507	1.0	ignition starter			
055	88005506	1.0	igniti key self prop model/14603			
060	88004132	1.0	light switch			
065	88004481	1.0	pneu spring BLOC-O-LIFT 3935 FM 0400N			
070	88004593	1.0	hexagon screw M8x1x30			
075	88004594	2.0	hexagon nut M8x1			
080	88004595	1.0	hexagon screw bo			
085	88004502	1.0	Bowden cable f steering column adjustm			
090	87011592	1.0	steering column stand grey			
095	86500304	4.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
100	63270236	1.0	accessory steering column top		Bl 3 x 116 x 241	
105	63270239	1.0	accessory steering column cen top		Bl 5 x 116 x 204	
110	63270238	3.0	accessory steering column central		Bl 12 x 116 x 204	
115	86500204	4.0	hexagon nut galv	6kt-nut_M10_08_DIN934_vzk	M 10	
120	86502087	4.0	hexagon screw ISO 4017 galv		M 10 x 45	
125	63270244	1.0	L-shaped element		Bl 1,5 x 20 x 61,1	
130	63270237	2.0	accessory steering column bo		Bl 12 x 96 x 194	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	86508919	4.0	hexagon screw ISO 4017 galv		M 10 x 100	
140	66350501	1.0	hydraulic control block / components	HYSB-Lenkeinheit		
145	86501088	1.0	screw-in bolt straight	HYV-GE-08-L-R-1/4-ED-ROU-CF		
150	87000733	2.0	screw-in bolt straight	HYV-GE-12-L-R-1/2-ED-ROU-CF		
155	86501092	2.0	screw-in bolt straight	HYV-GE-15-L-R-1/2-ED-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	62780609	1.0	pedal unit cpl			
010	63270205	1.0	pedal bracket		Bl 5 x 100 x 332,1	
015	86502014	3.0	hexagon screw ISO 4017 galv		M 8 x 20	
020	86500753	3.0	spring washer DIN127 galv		A 8	
025	86501116	3.0	washer ISO7089-A 8.4 glav			
030	63270564	1.0	aluminium strip at entry		425x52x4	
035	86502770	2.0	flat-head screw galv		M 6 x 35	
040	63270305	2.0	spacer tube f entry lug		Ro 12 x 1,5 x 26	
045	88004530	1.0	floor rubber fr			
050	63270565	1.0	L strap - floor rubber		650x57x3	
055	86502730	3.0	flat-head screw galv		M 6 x 20	
060	63270559	1.0	foam rubber floor mat footwell		680x530x20	
065	63270204	1.0	bottom plate cabin		Bl 6 x 502 x 631	
070	63270506	1.0	driver seat air-suspended w compressor			
075	62770518	1.0	pn spring horiz suspension f COBO-seat			
080	62770519	1.0	pn spring vertic suspension f COBO-seat			
085	63270576	1.0	switch f seat compressor			
090	63270592	1.0	air bellow driver seat			
095	63270593	1.0	compressor f seat 24V			
100	63280534	1.0	proximity sensor	EL_SEN_OBJ_Sitzkontakschalter		
105	62770509	4.0	seat shim		Dr 25 x 8	
110	66350503	1.0	hydr valve-tank tot			
115	63270705	1.0	brake pedal actuator 2 le tot galv			
120	63270706	1.0	additional braking pedal ri tot galv			
125	86502027	1.0	hexagon screw ISO 4017 galv		M 10 x 20	
130	86502034	1.0	hexagon screw ISO 4014 galv		M 10 x 65	
135	86500304	2.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
140	63210552	1.0	pedal rubber			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
145	86502016	1.0	hexagon screw ISO 4017 galv		M 8 x 30	
150	86500203	1.0	hexagon nut galv	6kt-nut_M08_08_DIN934_vzk	M 8	
155	63270306	1.0	spacer tube		Ro 15 x 1,5 x 33,5	
160	63270212	1.0	thrust bearing double pedal galv		BI 20 x 32 x 45	
165	86506098	1.0	slide bearing Q IGLIDUR		1618 - 20 QSM	
170	86504860	1.0	supporting ring DIN988 galv		SS 16 x 22 x 1,5	
175	86504599	1.0	circlip DIN471-A16x1 galv			
180	86502013	2.0	hexagon screw ISO 4017 galv		M 8 x 16	
185	86505301	2.0	copper ring		10 x 14 x 1,5	
190	66380546	1.0	pressure sensor	EL_SEN_DRU_schließer 10bar mit SS		
195	87000760	1.0	screw-in bolt straight	HYV-GE-15-L-M-18x1.5-ED-ROU-CF		
200	86501078	1.0	screw-in bolt straight	HYV-GE-12-L-M-18x1.5-ED-ROU-CF		
205	87000727	1.0	L-shaped coupling w taper	HYV-EL-18-L-ROU-CF		
210	87000730	1.0	cone reducing fitting w taper	HYV-RED-18/08-L-ROU-CF		
215	86501092	2.0	screw-in bolt straight	HYV-GE-15-L-R-1/2-ED-ROU-CF		
220	86501075	1.0	screw-in bolt straight	HYV-GE-08-L-M-10x1-ROU-CF		
225	87000670	1.0	screw-in bolt straight	HYV-GE-08-L-M-14x1.5-ROU-CF		
230	87004920	1.0	L-shaped coupling w taper	HYV-EL-08-L-ROU-CF		
235	86501129	1.0	test port w threaded coupling f cones	HYV-VKA3-08-L-CF		
240	86501000	1.0	screw-in bolt w taper straight	HYV-EGE-15-L-R-1/2-ED-CF		
245	86501068	1.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
250	87012802	1.0	straight female nozzle	HYV-GAI-15-L-R-1/2-CF		
255	63250563	1.0	series filter		1/2" Gas	
260	66380502	1.0	pressure sensor	EL_SEN_DRU_oeffnerr 40bar mit SS		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	62780510	2.0	starter battery 12V 110Ah 760A	gefuellt u geladen	514 x 175 x 210	
010	66380204	1.0	batterie bow		Bl 4 x 73 x 450	
030	66380100	2.0	threaded rod			
035	86501108	6.0	washer ISO7089-A 13 galv			
040	86500205	6.0	hexagon nut galv	6kt-nut_M12_08_DIN934_vzk	M 12	
045	66380611	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Batteriekabelsatz		
055	63280526	2.0	battery magnet clip +RE 50qmm			
060	63280527	2.0	battery magnet clip -LI 50qmm			
065	86502027	1.0	hexagon screw ISO 4017 galv		M 10 x 20	
070	86500754	3.0	spring washer DIN127 galv		A 10	
075	86501106	3.0	washer ISO7089-A10.5 galv			
080	88004062	1.0	battery disconnector			
085	86500001	2.0	hexagon nut	6kt-nut_M10_08_DIN934	M 10	
090	86500310	2.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
095	86501115	2.0	washer ISO7089-A 6.4 galv			
100	86502008	2.0	hexagon screw ISO 4017 galv		M 6 x 20	
105	86706501	1.0	anti-slip mat B250		5000 x 125 x 8 mm	
110	86706500	1.0	anti slip mat B250		5000 x 250 x 8 mm	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	63280214	1.0	fitting panel electric		Bl 3 x 450 x 1075,8	
010	66380600	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Zentralelektrik		up to YOM 2016
011	66380624	1.0	centr electric harness Sherpa 06/16			since YOM 2016
015	87011814	#	clamp/accessoories	EL_EKM_KLM_Federleiste w. 1pol		
020	87011977	#	clamp/accessoories	EL_EKM_KLM_Federleiste w 3pol		
025	87011800	#	clamp/accessoories	EL_EKM_KLM_Federleiste w. 4pol		
030	63280539	1.0	potential transformer	EL_SEL_WDL_24V-12V 4A	40 x 98 x 200	
035	87011806	1.0	relay/accessories	EL_EKM_K_Wisch-Wasch Relais	6pol. 24V/15A	
040	88004137	7.0	NO contact relay			
045	88004153	1.0	changeover relay			
050	88004113	1.0	flasher unit 24V - 4-pin			
055	87011802	4.0	power relay 24V 60A			
060	66380501	1.0	operating instructions label	BDS_Relaisplan Sherpa		
065	87011843	6.0	small material diverse	EL_EKM_DIV_Befestigungsfuss		
070	87011841	38.0	clamp/accessoories	EL_EKM_KLM_Blockverriegelung		
075	87011842	6.0	small material diverse	EL_EKM_DIV_Relaismodul		
080	87011844	5.0	contact/accessories	EL_EKM_KKT_Littelfuse Typ 3		
085	87011845	57.0	contact/accessories	EL_EKM_KKT_Littelfuse Typ 6		
090	87011846	65.0	clamp/accessoories	EL_EKM_KLM_Sicherung Typ 1	LittleFuse 03540524Z	
095	87011965	1.0	potential transformer	EL_SEL_WDL_5V Spannungswandler		
100	87008837	1.0	repair kit	EL_EKM_REP_SS 4pol kpl		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	65580200	1.0	fitting panel electric sma		Bl 3 x 365 x 380	
010	86501104	8.0	washer ISO7093 galv		A 6,4	
015	86500310	4.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
020	88004061	1.0	high current fuse 50A			
025	88004446	1.0	fuse holder flat plug-in fuse MAXI			
030	88004448	1.0	plug contact 6-10qmm			
035	88004447	1.0	line sealing 6-10qmm			
040	86501101	2.0	washer ISO708-A galv		5,3	
045	86500751	2.0	spring washer DIN127 galv		A 5	
050	86503658	2.0	cheese-head screw ISO 1207 galv		M 5 x 35	
055	87011961	1.0	self-propelled model steering	EL_STG_SF_CAN Knoten Modul ICN-V		
060	86501115	4.0	washer ISO7089-A 6.4 galv			
065	86500752	4.0	spring washer DIN127 galv		A 6	
070	86502088	4.0	hexagon screw ISO 4017 galv		M 6 x 12	
075	63270544	2.0	kit quarter-turn rotary lock			
080	88004800	1.0	handle "Pocket Pull"			
105	66380500	1.0	operating instructions label	BDS_Sicherungsplan Sherpa		
110	87011795	1.0	securing element/accessories	EL_EKM_F_Mini 2A		
112	87012712	1.0	securing element/accessories	EL_EKM_F_Mini 5A		
115	87011796	14.0	securing element/accessories	EL_EKM_F_Mini 7,5A		
120	87011797	18.0	securing element/accessories	EL_EKM_F_Mini 10A		
125	87011798	4.0	securing element/accessories	EL_EKM_F_Mini 15A		
130	87011799	3.0	securing element/accessories	EL_EKM_F_Mini 20A		
135	88004553	6.0	fuse holder 8-fold			
140	87011667	0.0	contact/accessories	EL_EKM_KKT_JPT 1.5-2.5		
145	87011764	0.0	contact/accessories	EL_EKM_KKT_JPT 0.5-1.0	AMP 929930-1	
150	87011841	11.0	clamp/accessories	EL_EKM_KLM Blockverriegelung		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66380604	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Perkins TIER 3a		up to YOM 2016
006	66380625	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Perkins TIER 3a 05/16		since YOM 2016
010	87011840	1.0	cable lug accessories	EL_EKM_KBS_d5 1.5qmm		
015	89005983	1.0	crimp cable lug 1.5-2.5			
020	87011761	2.0	receptacle 1-pin			
025	87011697	2.0	blade terminal sleeve w notch			
030	87011833	2.0	clamp/accessoories	EL_EKM_KLM_Federleiste w. 9pol		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	63280640	1.0	cable harness self-propelled model	EL_KKB_SF_Kabine unten		
010	87011804	2.0	clamp/accessoires	EL_EKM_KLM_Federleiste w. 11pol		
015	62780610	1.0	Deutsch-plug cpl			
020	87011861	1.0	rack / accessories	EL_EKM_BGH_Hella 4pol		
025	87011697	4.0	blade terminal sleeve w notch			
030	87008835	3.0	repair kit	EL_EKM_REP_SS 2pol kpl		
035	87008896	1.0	repair kit	EL_EKM_REP_JPT 2pol		
040	87011999	1.0	adapter cable	EL_KKB_ADP_JPT Loeschdiode		
045	63280678	1.0	connecting cable	EL_KKB_ASK_Scheinwerfer vo li		
050	63280679	1.0	connecting cable	EL_KKB_ASK_Seitenwischer		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	63280624	1.0	cable harness steering column	EL_KKB_SF_Lenksaeule		
010	87011803	2.0	clamp/accessories	EL_EKM_KLM_Federleiste w. 10pol		
015	87011761	3.0	receptacle 1-pin			
020	87011697	6.0	blade terminal sleeve w notch			
025	88004099	1.0	central plug f ignition starter		4pol. / 4x9.5mm	
030	88004571	2.0	contact/accessories	EL_EKM_KKT_Flachsteckhuelse 9.5		
035	88004100	1.0	central plug f ignition starter			
040	87011935	1.0	repair kit	EL_EKM_REP_MATE-N-LOK 15pol		
045	87011936	1.0	casing / accessories	EL_EKM_GEH_MATE-N-LOK 9pol		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	63280629	1.0	cable harness self-propelled model	EL_KKB_SF_Kabinendach Lochmann		up to YOM 2016
006	63280767	1.0	cable harness self-propelled model	EL_KKB_SF_Kabinendach stufenlos		since YOM 2016
010	87011867	2.0	clamp/accessoires	EL_EKM_KLM_Federleiste w. 5pol		
015	87011777	1.0	crimp cable lug circular M6 1.5-2.5qmm		M6 1,5-2,5qmm	
020	87011861	2.0	rack / accessories	EL_EKM_BGH_Hella 4pol		
025	87011697	8.0	blade terminal sleeve w notch			
030	89005986	8.0	blade term sle size 1.5-2.5 fully insul			
031	89005986	4.0	blade term sle size 1.5-2.5 fully insul			up to YOM 2016
035	89005975	2.0	blade terminal sleeve size 0.5-1			
040	87011826	2.0	blade terminal sleeve size 0.5-1			
045	89005973	1.0	contact/accessories	EL_EKM_KKT_Rundsteckverbinder Gr.0,5-1		
050	87011950	3.0	repair kit	EL_EKM_REP_Deutsch DT 2pol		
055	87011875	1.0	rack / accessories	EL_EKM_BGH_Hella 6pol		
060	88004024	1.0	adapter set radio potential supply			
065	88004025	1.0	adapter set radio loudspeaker			
070	87011921	7.0	contact/accessories	EL_EKM_KKT_JPT Buchse 0.5-1qmm		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66380605	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_HY-Pumpen		up to YOM 2016
006	66380617	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Hydraulikpump 05/16		since YOM 2016
010	87011814	17.0	clamp/accessoires	EL_EKM_KLM_Federleiste w. 1pol		up to YOM 2016
011	87011814	18.0	clamp/accessoires	EL_EKM_KLM_Federleiste w. 1pol		since YOM 2016
015	87008898	1.0	repair kit	EL_EKM REP_JPT 4pol		
020	87008661	1.0	transient diode			
025	87008896	9.0	repair kit	EL_EKM REP_JPT 2pol		
030	87011999	1.0	adapter cable	EL_KKB_ADG_JPT Loeschdiode		
035	87008835	2.0	repair kit	EL_EKM REP_SS 2pol kpl		
040	89006501	2.0	pin housing / accessories	EL_EKM_SGH_Blindstecker SS 2pol		
045	87011950	2.0	repair kit	EL_EKM REP_Deutsch DT 2pol		
050	88004575	4.0	contact/accessories	EL_EKM_KKT_Blindstopfen DT		
055	62780610	1.0	Deutsch-plug cpl			
060	89006500	2.0	dummy plug 2-pin JPT			
065	87008667	1.0	repair kit	EL_EKM REP_JPT 2pol BGH Coding 2		
070	88001563	1.0	adapter cable	EL_KKB_ADG_JPT Code2 m Loeschdiode		
075	89006146	1.0	crimp cable lug circular		M10 4-6qmm	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66380606	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Arbeitshydraulik		
006	66380618	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Arbeitshydr 05/16		
010	87008896	15.0	repair kit	EL_EKM REP JPT 2pol		
015	87008835	1.0	repair kit	EL_EKM REP SS 2pol kpl		
020	87011950	2.0	repair kit	EL_EKM REP Deutsch DT 2pol		
025	88004575	2.0	contact/accessories	EL_EKM_KKT_Blindstopfen DT		
030	89006500	5.0	dummy plug 2-pin JPT			
035	89005981	1.0	crimp cable lug circular		M6 4-6qmm	
040	87011814	16.0	clamp/accessoires	EL_EKM_KLM_Federleiste w. 1pol		
041	87011814	18.0	clamp/accessoires	EL_EKM_KLM_Federleiste w. 1pol		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66380612	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Fahrzeugheck		up to YOM 2016
006	66380620	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Fahrzeugheck 05/16		since YOM 2016
010	87011803	2.0	clamp/accessoires	EL_EKM_KLM_Federleiste w. 10pol		
015	87011814	1.0	clamp/accessoires	EL_EKM_KLM_Federleiste w. 1pol		
020	89006146	1.0	crimp cable lug circular		M10 4-6qmm	
025	87008835	7.0	repair kit	EL_EKM_REP_SS 2pol kpl		
030	88001574	2.0	repair kit	EL_EKM_REP_SS 6pol kpl		
035	87011950	2.0	repair kit	EL_EKM_REP_Deutsch DT 2pol		
040	88004575	4.0	contact/accessories	EL_EKM_KKT_Blindstopfen DT		
045	87008896	6.0	repair kit	EL_EKM_REP_JPT 2pol		
050	89006500	6.0	dummy plug 2-pin JPT			
055	87008836	1.0	repair kit	EL_EKM_REP_SS 3pol kpl		
060	89006502	1.0	casing / accessories	EL_EKM_GEH_SS Blindstecker 3 pol		
065	87011697	2.0	blade terminal sleeve w notch			
070	87011761	2.0	receptacle 1-pin			
075	89006501	1.0	pin housing / accessories	EL_EKM_SGH_Blindstecker SS 2pol		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66380615	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_mi li		
010	87011801	2.0	clamp/accessories	EL_EKM_KLM_Federleiste w. 6pol		
015	87008836	1.0	repair kit	EL_EKM_REP_SS 3pol kpl		
020	87008896	1.0	repair kit	EL_EKM_REP_JPT 2pol		
025	87011999	1.0	adapter cable	EL_KKB_ADP_JPT Loeschdiode		
030	87011950	4.0	repair kit	EL_EKM_REP_Deutsch DT 2pol		
035	88004575	4.0	contact/accessories	EL_EKM_KKT_Blindstopfen DT		
040	87008674	1.0	connecting cable	EL_KKB_ASK_Deutsch 2pol 5m Verlaengerung		
045	87008835	2.0	repair kit	EL_EKM_REP_SS 2pol kpl		
050	89006501	1.0	pin housing / accessories	EL_EKM_SGH_Blindstecker SS 2pol		
055	87011697	4.0	blade terminal sleeve w notch			
060	88004150	2.0	receptacle 2-pin			
065	89005986	2.0	blade term sle size 1.5-2.5 fully insul			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66380613	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Zusatzsteuerblock vo re		up to YOM 2016
006	66380619	1.0	cable harness self-propelled model Sherp	EL_KKB_SF3_Zus STB vo re 05/16		since YOM 2016
010	87011800	2.0	clamp/accessoires	EL_EKM_KLM_Federleiste w. 4pol		up to YOM 2016
011	87011801	2.0	clamp/accessoires	EL_EKM_KLM_Federleiste w. 6pol		since YOM 2016
015	87008896	6.0	repair kit	EL_EKM_REP_JPT 2pol		
016	87008896	2.0	repair kit	EL_EKM_REP_JPT 2pol		since YOM 2016
020	89006500	6.0	dummy plug 2-pin JPT			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66650511	1.0	hydraulic pump	A4VTG90EP4/32R+A10VG63EP4 /10R+A10VO85DRS		
010	86500878	4.0	washer galv	Scheibe_014.0x024.0x8.0_100HV _DIN7989_vz	A 14	
015	86502042	4.0	hexagon screw ISO 4017 galv		M 12 x 35	
020	87009308	1.0	hydraulic sealing ring	HYD-QUR-69.45x76.51x3.53- NBR		
025	87004358	2.0	SAE flange half	HYVF-FHS-3-10-CF		
030	86502548	4.0	cheese-head screw ISO 4762 galv		M 12 x 35	
035	87004384	1.0	hydraulic hose	HYS-R4-51x1220-AO42L- SF2.1/2L45		
040	86501126	2.0	screw-in bolt straight	HYV-GE-42-L-R-1.1/2-ED-ROU- CF		
045	87004347	1.0	hydraulic hose	HYS-R4-38x1550-AO42L- AO42L45		
050	87004529	1.0	adjust 45°-angle nozzle w taper	HYV-EV-42-ROU-CF		
055	87000782	2.0	L-shaped coupling w taper	HYV-EL-42-L-ROU-CF		
060	87004474	1.0	cone reducing fitting w taper	HYV-RED-42/22-L-ROU-CF		
065	87000502	1.0	lock f screwed connection cones	HYV-BUZ-22-L-CF		
070	86501036	1.0	union nut	HYV-M-22-L-CF		
075	87040512	2.0	screw-in bolt straight	HYV-GE-42-L-R-1.1/4-ED-ROU- CF		
080	66650507	1.0	hydr filter-suction filter LS75			
085	66650517	1.0	hydraulic filter element	HYF-Filterelement Saugfilter 50µm		
090	86507624	1.0	O-ring		115 x 4,5	
095	66650508	1.0	hydr filter-soiling indicator			
100	66307202	1.0	holder suction filters		Bl 6 x 115 x 280	
105	86502013	4.0	hexagon screw ISO 4017 galv		M 8 x 16	
110	86501116	6.0	washer ISO7089-A 8.4 glav			
115	86503005	2.0	flat-head screw DIN603 galv		M 8 x 25	
120	86500203	2.0	hexagon nut galv	6kt-nut_M08_08_DIN934_vzk	M 8	
125	86501050	1.0	cone reducing fitting w taper	HYV-RED-42/28-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
130	87004490	1.0	hydraulic hose	HYS-R4-25X450-AO28L-AO28L90		
135	87000666	1.0	adjust 45°-angle nozzle w taper	HYV-EV-28-L-ROU-CF		
140	87004469	1.0	screw-in bolt straight	HYV-GE-28-L-M-33x2-ED-ROU-CF		
145	86501031	1.0	cone reducing fitting w taper	HYV-RED-42/35-L-RMU-CF		
150	87004488	1.0	hydraulic hose	HYS-R4-31x450-AO35L-AO35L90		
155	87004475	1.0	screw-in bolt straight	HYV-GE-35-L-M-42x2-ED-ROU-CF		
160	87008856	3.0	test port w threaded coupling	HYV-EMA3-M-12x1.5-CF		
165	87000759	1.0	screw-in bolt straight	HYV-GE-22-L-M-26x1.5-ED-ROU-CF		
170	87000728	3.0	L-shaped coupling w taper	HYV-EL-22-L-ROU-CF		
175	86501030	1.0	test port w threaded coupling f cones	HYV-VKA3-22-L-CF		
180	87004486	1.0	hydraulic hose	HYS-1SN-19x800-AO22L-AO22L90		
185	87000753	1.0	screw-in bolt straight	HYV-GE-22-L-M-22x1.5-ED-ROU-CF		
190	87004489	1.0	hydraulic hose	HYS-1SN-19x680-AO22L-AO22L90		
195	86501070	1.0	angle nozzle w taper	HYV-EW-22-L-ROU-CF		
200	86501097	1.0	screw-in bolt straight	HYV-GE-22-L-R-3/4-ED-ROU-CF		
205	86501078	1.0	screw-in bolt straight	HYV-GE-12-L-M-18x1.5-ED-ROU-CF		
210	86501190	3.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		
215	86501028	1.0	test port w threaded coupling f cones	HYV-VKA3-12-L-CF		
220	87004359	1.0	screw-in bolt straight	HYV-GE-22-L-UN-1.1/16-OR-ROU-CF		
225	86501161	1.0	cone reducing fitting w taper	HYV-RED-22/12-L-ROU-CF		
230	87004493	1.0	hydraulic hose	HYS-1SN-19x1220-AO22L-AO22L90		
235	87004833	1.0	banjo fitting	HYV-SWVE-22-L-R-3/4-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
240	86501077	1.0	screw-in bolt straight	HYV-GE-12-L-M-14x1.5-ED-ROU-CF		
245	87000780	1.0	T-nozzle w taper	HYV-ET-12-L-ROU-CF		
250	87000781	2.0	cone reducing fitting w taper	HYV-RED-12/08-L-ROU-CF		
255	87004920	1.0	L-shaped coupling w taper	HYV-EL-08-L-ROU-CF		
260	86501129	1.0	test port w threaded coupling f cones	HYV-VKA3-08-L-CF		
265	86501225	1.0	angle nozzle w taper	HYV-EW-12-L-ROU-CF		
270	86501172	1.0	screw-in bolt straight	HYV-GE-08-L-UNF-7/16-OR-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66350500	1.0	hydraulic pump	HYP-R-4-AV-105/0-24V-AV-55/0-24V-ZP56/38		
010	87003527	1.0	hydraulic sealing ring	HYD-QUR-37.70x44.76x3.53-NBR		
015	86501206	2.0	SAE flange half	HYVF-FHS-3-4-CFX		
020	86502500	12.0	cheese-head screw ISO 4762 galv		M 10 x 35	
025	87040359	1.0	hydraulic hose	HYS-R4-31x920-AO35L-SF1L45		
030	87008901	2.0	screw-in bolt straight	HYV-GE-35-L-R-1.1/2-ED-ROU-CF		
035	87003528	1.0	hydraulic sealing ring	HYD-QUR-47.22x54.28x3.53-NBR		
040	86501212	2.0	SAE flange half	HYVF-FHS-3-6-CFX		
045	87040360	1.0	hydraulic hose	HYS-R4-38x850-AO42L-SF1.1/2L		
050	86501126	1.0	screw-in bolt straight	HYV-GE-42-L-R-1.1/2-ED-ROU-CF		
055	86501081	2.0	screw-in bolt straight	HYV-GE-18-L-M-22x1.5-ED-ROU-CF		
060	86501266	1.0	high-pressure-angle-banjo fitting	HYV-WH-06-L-M-10x1-KDS-ROU-CF		
065	86501027	1.0	test port w threaded coupling f cones	HYV-VKA3-06-L-CF		
070	86502073	2.0	hexagon screw ISO 4017 galv		M 16 x 55	
075	86501021	2.0	washer galv		A 18	
080	86501197	2.0	screw-in bolt straight	HYV-GE-28-L-M-22x1.5-ROU-CF		
085	86501192	2.0	T-nozzle w taper	HYV-ET-28-L-ROU-CF		
090	87040306	1.0	hydraulic hose	HYS-1SN-25x850-AO28L-AO28L45		
095	87040303	1.0	hydraulic hose	HYS-1SN-25x1100-AO28L-AO28L45		
100	86501194	2.0	angle nozzle w taper	HYV-EW-28-L-ROU-CF		
105	86501199	2.0	screw-in bolt straight	HYV-GE-28-L-R-3/4-ED-ROU-CF		
110	86501183	2.0	cone reducing fitting w taper	HYV-RED-28/15-L-ROU-CF		
115	66350682	1.0	hydr tube-15x1.5-drive pump cpl			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
120	66350681	1.0	hydr tube-15x1.5-mixing pump cpl			
125	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
130	86501175	1.0	test port w threaded coupling f cones	HYV-VKA3-15-L-CF		
135	86501068	2.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
140	86501196	2.0	screw-in bolt straight	HYV-GE-15-L-M-22x1.5-ED-ROU-CF		
145	87003524	1.0	hydraulic sealing ring	HYD-QUR-24.99x32.05x3.53-NBR		
150	87004526	2.0	SAE flange half	HYVF-FHS-3-3/4-CF		
155	87040309	1.0	hydraulic hose	HYS-2SN-19x510-SF3/4L-AO22L90		
160	87000728	1.0	L-shaped coupling w taper	HYV-EL-22-L-ROU-CF		
165	86501045	1.0	cone reducing fitting w taper	HYV-RED-22/15-L-ROU-CF		
170	87000565	1.0	lock f screwed connection cones	HYV-BUZ-15-L-CF		
175	87000642	1.0	union nut	HYV-M-15-L-CF		
180	86501097	1.0	screw-in bolt straight	HYV-GE-22-L-R-3/4-ED-ROU-CF		
185	87004571	1.0	hydr filter-infeed filter MFM-95			
190	87004868	1.0	filter element	HYF-Filtereinsatz-Speisefilter-MFM-95	DR54 x 208	
195	86507588	1.0	O-ring		67,95 x 2,62	
200	86501171	1.0	screw-in bolt straight	HYV-GE-35-L-R-3/4-ROU-CF		
205	87004519	1.0	intermediate nozzle w taper straight	HYV-GZ-35-L-CF		
210	63250704	1.0	mainfold tot galv			
215	87000536	2.0	screw-in bolt straight	HYV-GE-15-L-R-3/4-ROU-CF		
220	87009536	4.0	screw-in bolt straight	HYV-GE-12-L-R-3/4-ED-ROU-CF		
225	87008908	1.0	intermediate nozzle w taper straight	HYV-GZ-12-L-CF		
230	87000373	1.0	one-way check valve galv		DRV L12 / 1,3mm Bohr	
235	87000781	2.0	cone reducing fitting w taper	HYV-RED-12/08-L-ROU-CF		
240	86501190	1.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		
245	86501028	1.0	test port w threaded coupling f cones	HYV-VKA3-12-L-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
250	86501041	1.0	plug f threaded ports	HYV-VSTI-R-1 1/2-ED-CF		
255	87040362	1.0	hydraulic hose	HYS-1SN-12x1000-AO15L-AO15L90		
260	87040304	1.0	hydraulic hose	HYS-1SN-12x1000-AO15L-AO15L		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66350532	1.0	hydraulic pump	HYP-R-1-AV-105/0-24V		
010	87010392	1.0	seal kit f hydraulic pump	HYDI-P-HPV105-Linde		
015	87000542	1.0	radial shaft seal	HYD-RW-45x62x7-EP80SH WN		
020	87009284	1.0	circlip			
025	64350540	2.0	manet prop 24V AMP junior			
030	63250594	1.0	O-ring		84x2-V80	
035	63250574	1.0	O-ring		132x3-V80	
040	86502487	4.0	cheese-head screw ISO 4762 galv		M 12 x 110	
045	87009285	1.0	hydr pump-clutch hub 16/32 z21 SAE C			
050	66350533	1.0	hydraulic pump	HYP-R-1-AV-55/0-24V		
055	87010373	1.0	seal kit f hydraulic pump	HYDI-P-HPV55-Linde		
060	86502542	2.0	cheese-head screw ISO 4762 galv		M 16 x 55	
065	86501021	2.0	washer galv		A 18	
070	87008373	1.0	radial shaft seal BAB SL 40x55x6		40x55x6	
075	86504717	1.0	circlip DIN984-I 58x2			
080	64350541	2.0	magnet 24V AMP junior			
085	63250594	1.0	O-ring		84x2-V80	
090	86507609	1.0	O-ring		106x2-FKM80	
095	65550530	1.0	hydr pump coupling box			
100	66350507	1.0	hydraulic pump	HYP-R-2-ZP-56-ZP-39		
105	86502428	2.0	cheese-head screw ISO 4762 galv		M 12 x 45	
110	86501108	2.0	washer ISO7089-A 13 galv			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66350531	1.0	pump line	HYP-R-4-AV-75/0-24V-AV-55/0-H-ZP-56/38		
010	87003527	1.0	hydraulic sealing ring	HYD-QUR-37.70x44.76x3.53-NBR		
015	86501206	2.0	SAE flange half	HYVF-FHS-3-4-CFX		
020	86502500	12.0	cheese-head screw ISO 4762 galv		M 10 x 35	
025	87040359	1.0	hydraulic hose	HYS-R4-31x920-AO35L-SF1L45		up to YOM 2016
026	87004357	1.0	hydraulic hose	HYS-R4-31x920-AO42L-SF1L45		since YOM 2016
030	87008901	1.0	screw-in bolt straight	HYV-GE-35-L-R-1.1/2-ED-ROU-CF		
031	87008901	1.0	screw-in bolt straight	HYV-GE-35-L-R-1.1/2-ED-ROU-CF		up to YOM 2016
032	86501126	1.0	screw-in bolt straight	HYV-GE-42-L-R-1.1/2-ED-ROU-CF		since YOM 2016
035	87003528	1.0	hydraulic sealing ring	HYD-QUR-47.22x54.28x3.53-NBR		
040	86501212	2.0	SAE flange half	HYVF-FHS-3-6-CFX		
045	87040360	1.0	hydraulic hose	HYS-R4-38x850-AO42L-SF1.1/2L		
050	86501126	1.0	screw-in bolt straight	HYV-GE-42-L-R-1.1/2-ED-ROU-CF		
055	86501081	2.0	screw-in bolt straight	HYV-GE-18-L-M-22x1.5-ED-ROU-CF		
060	86501266	1.0	high-pressure-angle-banjo fitting	HYV-WH-06-L-M-10x1-KDS-ROU-CF		
065	86501027	1.0	test port w threaded coupling f cones	HYV-VKA3-06-L-CF		
070	86502073	2.0	hexagon screw ISO 4017 galv		M 16 x 55	
075	86501021	2.0	washer galv		A 18	
080	86501197	2.0	screw-in bolt straight	HYV-GE-28-L-M-22x1.5-ROU-CF		
085	86501192	2.0	T-nozzle w taper	HYV-ET-28-L-ROU-CF		
090	87040306	1.0	hydraulic hose	HYS-1SN-25x850-AO28L-AO28L45		
095	87040303	1.0	hydraulic hose	HYS-1SN-25x1100-AO28L-AO28L45		
100	86501194	2.0	angle nozzle w taper	HYV-EW-28-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
105	86501199	2.0	screw-in bolt straight	HYV-GE-28-L-R-3/4-ED-ROU-CF		
110	86501183	2.0	cone reducing fitting w taper	HYV-RED-28/15-L-ROU-CF		
115	66350682	1.0	hydr tube-15x1.5-drive pump cpl			
120	66350681	1.0	hydr tube-15x1.5-mixing pump cpl			
125	87000752	2.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
130	86501175	1.0	test port w threaded coupling f cones	HYV-VKA3-15-L-CF		
135	86501068	3.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
140	86501196	2.0	screw-in bolt straight	HYV-GE-15-L-M-22x1.5-ED-ROU-CF		
145	87003524	1.0	hydraulic sealing ring	HYD-QUR-24.99x32.05x3.53-NBR		
150	87004526	2.0	SAE flange half	HYVF-FHS-3-3/4-CF		
155	87040309	1.0	hydraulic hose	HYS-2SN-19x510-SF3/4L-AO22L90		
160	87000728	1.0	L-shaped coupling w taper	HYV-EL-22-L-ROU-CF		
165	86501045	1.0	cone reducing fitting w taper	HYV-RED-22/15-L-ROU-CF		
170	87000565	1.0	lock f screwed connection cones	HYV-BUZ-15-L-CF		
175	87000642	1.0	union nut	HYV-M-15-L-CF		
180	86501097	1.0	screw-in bolt straight	HYV-GE-22-L-R-3/4-ED-ROU-CF		
185	87004571	1.0	hydr filter-infeed filter MFM-95			
190	87004868	1.0	filter element	HYF-Filtereinsatz-Speisefilter-MFM-95	DR54 x 208	
195	86507588	1.0	O-ring		67,95 x 2,62	
200	86501171	1.0	screw-in bolt straight	HYV-GE-35-L-R-3/4-ROU-CF		
205	87004519	1.0	intermediate nozzle w taper straight	HYV-GZ-35-L-CF		
210	63250704	1.0	mainfold tot galv			
215	87000536	2.0	screw-in bolt straight	HYV-GE-15-L-R-3/4-ROU-CF		
220	87009536	4.0	screw-in bolt straight	HYV-GE-12-L-R-3/4-ED-ROU-CF		
225	87004825	2.0	banjo fitting	HYV-SWVE-10-L-M-14x1.5-ROU-CF		
230	87004824	2.0	cone reducing fitting w taper	HYV-RED-10/08-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
235	87000781	3.0	cone reducing fitting w taper	HYV-RED-12/08-L-ROU-CF		
240	86501190	2.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		
245	86501028	1.0	test port w threaded coupling f cones	HYV-VKA3-12-L-CF		
250	86501041	1.0	plug f threaded ports	HYV-VSTI-R-1 1/2-ED-CF		
255	87040362	1.0	hydraulic hose	HYS-1SN-12x1000-AO15L-AO15L90		
260	87040362	1.0	hydraulic hose	HYS-1SN-12x1000-AO15L-AO15L90		
265	87000847	1.0	hydraulic hose	HYS-1SN-06x500-AO08L-AO08L90		
270	87000830	1.0	hydraulic hose	HYS-1SN-06x600-AO08L-AO08L90		
275	87004920	1.0	L-shaped coupling w taper	HYV-EL-08-L-ROU-CF		
280	86501075	4.0	screw-in bolt straight	HYV-GE-08-L-M-10x1-ROU-CF		
285	63251503	1.0	stop valve 2-fold dead closed			
290	87004869	2.0	solenoid	HYSB-Magnetspule	D36 24DC 27W	
295	86501165	2.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		
300	87004449	1.0	hydraulic hose	HYS-1SN-06x500-AO8L-AO8L45		
305	87004456	1.0	T-nozzle w taper	HYV-ET-08-L-ROU-CF		
310	87000525	1.0	adjust 45°-angle nozzle w taper	HYV-EV-08-L-ROU-CF		
315	87004390	1.0	Drosselplaettchen		DR 08 x DR 1.5 x 1	
320	86501225	1.0	angle nozzle w taper	HYV-EW-12-L-ROU-CF		
325	87004450	1.0	hydraulic hose	HYS-1SN-06x1220-AO8L-AO8L90		
330	87030421	1.0	hydraulic hose	HYS-1SN-06x2150-AO08L-AO08L90		
335	87009789	1.0	cone reducing fitting w taper	HYV-RED-15/08-L-ROU-CF		
340	87000524	2.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
345	87000522	1.0	adjust 45°-angle nozzle w taper	HYV-EV-12-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66350534	1.0	hydraulic pump	HYP-R-1-AV-75/0-24V		
010	87010371	1.0	seal kit f hydraulic pump	HYDI-P-HPV75-Linde		
015	64350523	1.0	hydraulic sealing ring	HYD-RW-40x55x6-V80	Rd 40x55x6	
020	86504717	1.0	circlip DIN984-I 58x2			
025	64350540	2.0	manet prop 24V AMP junior			
030	63250594	1.0	O-ring		84x2-V80	
035	63250574	1.0	O-ring		132x3-V80	
040	86502596	4.0	cheese-head screw ISO 4762		M 12 x 120	
045	85804003	1.0	clutch hub	HYP-Kupplungsnabe 16/32 Z21 SAE C		
050	66350535	1.0	hydraulic pump	HYP-R-1-AV-55/0-H		
055	87010373	1.0	seal kit f hydraulic pump	HYDI-P-HPV55-Linde		
060	86502542	2.0	cheese-head screw ISO 4762 galv		M 16 x 55	
065	86501021	2.0	washer galv		A 18	
070	87008373	1.0	radial shaft seal BAB SL 40x55x6		40x55x6	
075	86504717	1.0	circlip DIN984-I 58x2			
080	63250594	1.0	O-ring		84x2-V80	
085	65550530	1.0	hydr pump coupling box			
090	86507609	1.0	O-ring		106x2-FKM80	
095	66350507	1.0	hydraulic pump	HYP-R-2-ZP-56-ZP-39		
100	86502428	2.0	cheese-head screw ISO 4762 galv		M 12 x 45	
105	86501108	2.0	washer ISO7089-A 13 galv			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66350527	1.0	hydraulic pump	HYP-R-2-ZA-22-ZA-11		
010	63220578	1.0	seal air compressor			
015	86502415	2.0	cheese-head screw ISO 4762 galv		M 10 x 25	
020	86501200	2.0	gear pump flange 90°angle	HYVF-BFW-18-L-LK40-OMDCF		
025	86507610	2.0	O-ring		26x2,5	
030	86500683	16.0	spring washer A6 DIN7980 galv			
035	86502492	12.0	cheese-head screw ISO 4762 galv		M 6 x 22	
040	86501203	1.0	gear pump flange 90°angle	HYVF-BFW-12-L-LK35-OMDCF		
045	86505342	2.0	O-ring		20x2,5	
050	86502503	4.0	cheese-head screw ISO 4762 galv		M 6 x 35	
055	86501204	1.0	gear pump flange 90°angle	HYVF-BFW-15-L-LK35-OMDCF		
060	87000524	1.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
065	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
070	66350680	1.0	hydraulic tube	HYR-18x1.5-Pumpenverbinder kpl		
075	86501261	1.0	cone reducing fitting w taper	HYV-RED-18/28-L-ROU-CF		
080	86501046	1.0	cone reducing fitting w taper	HYV-RED-28/18-L-ROU-CF		
085	86501063	1.0	L-shaped coupling w taper	HYV-EL-28-L-ROU-CF		
090	87040361	1.0	hydraulic hose	HYS-R4-25x1600-AO35L-AO28L90		
095	87008901	1.0	screw-in bolt straight	HYV-GE-35-L-R-1.1/2-ED-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66350527	1.0	hydraulic pump	HYP-R-2-ZA-22-ZA-11		/ cutting shield Fast-Cut
006	66650502	1.0	hydraulic pump	HYP-R-2-ZA-22-ZA-22		/ milling cutter
010	63220578	1.0	seal air compressor			
015	86502415	2.0	cheese-head screw ISO 4762 galv		M 10 x 25	
020	86501204	2.0	gear pump flange 90°angle	HYVF-BFW-15-L-LK35-OMDCF		
025	86505342	1.0	O-ring		20x2,5	
030	86500683	4.0	spring washer A6 DIN7980 galv			
035	86502492	2.0	cheese-head screw ISO 4762 galv		M 6 x 22	
040	86502503	2.0	cheese-head screw ISO 4762 galv		M 6 x 35	
045	87000524	1.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
050	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
055	87000649	2.0	gear pump flange 90°angle	HYVF-BFW-28-L-LK40-OMDCF		
060	86507610	1.0	O-ring		26x2,5	
065	86500752	4.0	spring washer DIN127 galv		A 6	
070	86502492	2.0	cheese-head screw ISO 4762 galv		M 6 x 22	
075	86502510	2.0	cheese-head screw ISO 4762 galv		M 6 x 50	
080	87004355	1.0	hydraulic hose	HYS-R4-25x1700-AO35L-AO28L45		
085	87004356	1.0	hydraulic hose	HYS-R4-25x1550-AO35L-AO28L		
090	86501031	2.0	cone reducing fitting w taper	HYV-RED-42/35-L-RMU-CF		
095	87000738	1.0	angle nozzle w taper	HYV-EW-42-L-ROU-CF		
100	87000782	1.0	L-shaped coupling w taper	HYV-EL-42-L-ROU-CF		
105	86501126	1.0	screw-in bolt straight	HYV-GE-42-L-R-1.1/2-ED-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66350508	1.0	hydraulic control block / components	HYSB-Arbeitshydraulik		/ cutting shield Fast-Cut
006	66350537	1.0	hydraulic control block / components	HYSB-Arbeitssteuerblock m LS-entlastung		/ milling cutter
010	86502017	4.0	hexagon screw ISO 4017 galv		M 8 x 35	
015	86501116	4.0	washer ISO7089-A 8.4 glav			
020	46958500	4.0	Nylon spacer		Dr 25 x 16	
025	86501081	1.0	screw-in bolt straight	HYV-GE-18-L-M-22x1.5-ED-ROU-CF		
030	87000727	2.0	L-shaped coupling w taper	HYV-EL-18-L-ROU-CF		
035	86501029	1.0	test port w threaded coupling f cones	HYV-VKA3-18-L-CF		
040	86501242	1.0	screw-in bolt w taper straight	HYV-EGE-18-L-R-3/4-ED-CF		
045	63250589	1.0	hydraulic filter	HYF-Hochdruck-Sicherheitsfilter		
050	63250593	1.0	hydraulic filter element	HYFE-Hochdruck-Sicherheitsfilter		
055	86501241	1.0	screw-in bolt straight	HYV-GE-18-L-R-3/4-ED-ROU-CF		
060	87040525	1.0	hydraulic hose	HYS-2SN-16x2500-AO18L-AO18L45		
065	87001523	2.0	Stauff clamp 322PP			
070	87008793	2.0	Stauff cover plate DP3W3			
075	87004586	1.0	adjust 45°-angle nozzle w taper	HYV-EV-18-L-ROU-CF		
080	87000729	1.0	cone reducing fitting w taper	HYV-RED-18/15-L-ROU-CF		
085	86501069	1.0	angle nozzle w taper	HYV-EW-18-L-ROU-CF		
090	86501094	1.0	screw-in bolt straight	HYV-GE-18-L-R-1/2-ED-ROU-CF		
095	87000753	1.0	screw-in bolt straight	HYV-GE-22-L-M-22x1.5-ED-ROU-CF		/ cutting shield Fast-Cut
100	86501070	1.0	angle nozzle w taper	HYV-EW-22-L-ROU-CF		/ cutting shield Fast-Cut
105	87040526	1.0	hydraulic hose	HYS-2SN-19x1900-AO22L-AO22L45		/ cutting shield Fast-Cut
110	87004833	1.0	banjo fitting	HYV-SWVE-22-L-R-3/4-ROU-CF		/ cutting shield Fast-Cut
115	87000477	2.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		
120	87000760	6.0	screw-in bolt straight	HYV-GE-15-L-M-18x1.5-ED-ROU-CF		
125	86501068	1.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
130	87000524	2.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
135	87004889	2.0	spacer adapter	HYV-DA-15-L-CF		
140	87004920	2.0	L-shaped coupling w taper	HYV-EL-08-L-ROU-CF		
145	86501165	1.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		
150	86501069	1.0	angle nozzle w taper	HYV-EW-18-L-ROU-CF		
155	86501197	1.0	screw-in bolt straight	HYV-GE-28-L-M-22x1.5-ROU-CF		/ milling cutter
160	86501194	1.0	angle nozzle w taper	HYV-EW-28-L-ROU-CF		/ milling cutter
165	87004360	1.0	hydraulic hose	HYS-1SN-25x2950-AO28L-AO28L45		/ milling cutter
170	86501050	1.0	cone reducing fitting w taper	HYV-RED-42/28-L-ROU-CF		/ milling cutter
175	87000782	1.0	L-shaped coupling w taper	HYV-EL-42-L-ROU-CF		
180	87009771	1.0	lock f screwed connection cones	HYV-BUZ-42-L-CF mit G1/4 Gewinde		
185	87009792	1.0	union nut	HYV-M-42-L-CF		
190	87011983	1.0	temperature sensor	EL_SEN_TEM_Schalter 90°C NO G1/4 SS 3pol		
195	87000741	1.0	screw-in bolt straight	HYV-GE-42-L-R-1.1/2-ROU-CF		
200	88004457	1.0	Stauff clamp 538PAH			
205	87008805	1.0	Stauff cover plate DP5W3			
210	86502398	2.0	hexagon screw ISO 4014 galv		M 6 x 60	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
010	66350508	1.0	hydraulic control block / components	HYSB-Arbeitshydraulik		
015	87009286	1.0	hydraulic control block / components	HYSB-Eingangsplatte		
020	87009287	1.0	pressure limiting valve	HYSB-DBV		
025	87009243	1.0	hydraulic control block / components	HYSB-Wegeventil Prop. Magnet		
030	64350522	2.0	hydraulic magnet	HYMA-Propmagnet L.8S 24 V DC kpl		
035	86508324	6.0	O-ring 24x2 NBR 80			
040	86508325	15.0	O-ring 12x2 NBR 90			
045	86508326	15.0	O-ring 16.56x1.78 NBR 80			
050	86508327	4.0	O-ring 11x1.5 HNBR 90			
055	64350524	1.0	pressure reducing valve-regulator			
060	87009241	1.0	hydraulic control block / components	HYSB-Wegeventilpartrone		
065	87009242	1.0	solenoid	HYMA-Magnetspule		
070	63250587	1.0	hydraulic valve	HYVE-Druckbegrenzungsventil		
075	86508328	4.0	O-ring 5x1.5 NBR 90			
080	87009288	1.0	hydraulic control block / components	HYSB-Wegeventil Prop. Magnet		
085	86508329	1.0	O-ring 23x2 NBR 90			
090	87009246	2.0	easy lifting magnet	HYMA-Einfachhubmagnet		
095	86501170	2.0	O-ring		18.7x1.8	
100	86508331	2.0	O-ring 11x1.5 NBR 90			
105	86508332	2.0	o-ring 10x1.5 NBR 90			
110	62750578	1.0	hydraulic control block / components	HYSB-Druckwaage		
115	87009258	2.0	hydraulic control block / components	HYSB-Scheibe-DW		
120	64350521	4.0	hydraulic magnet	HYMA-Schaltmagnet L.8S 24 V DC k		
125	62750575	1.0	hydraulic control block / components	HYSB-Abschlussplatte		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
010	66350537	1.0	hydraulic control block / components	HYSB-Arbeitssteuerblock m LS-entlastung		
015	87009286	1.0	hydraulic control block / components	HYSB-Eingangsplatte		
020	87009287	1.0	pressure limiting valve	HYSB-DBV		
025	87009243	1.0	hydraulic control block / components	HYSB-Wegeventil Prop. Magnet		
030	64350522	2.0	hydraulic magnet	HYMA-Propmagnet L.8S 24 V DC kpl		
035	86508324	6.0	O-ring 24x2 NBR 80			
040	86508325	15.0	O-ring 12x2 NBR 90			
045	86508326	15.0	O-ring 16.56x1.78 NBR 80			
050	86508327	4.0	O-ring 11x1.5 HNBR 90			
075	86508328	4.0	O-ring 5x1.5 NBR 90			
080	87009288	1.0	hydraulic control block / components	HYSB-Wegeventil Prop. Magnet		
085	86508329	1.0	O-ring 23x2 NBR 90			
090	87009246	2.0	easy lifting magnet	HYMA-Einfachhubmagnet		
095	86501170	2.0	O-ring		18.7x1.8	
100	86508331	2.0	O-ring 11x1.5 NBR 90			
105	86508332	2.0	o-ring 10x1.5 NBR 90			
110	62750578	2.0	hydraulic control block / components	HYSB-Druckwaage		
115	87009258	2.0	hydraulic control block / components	HYSB-Scheibe-DW		
120	64350521	4.0	hydraulic magnet	HYMA-Schaltmagnet L.8S 24 V DC k		
125	62750575	1.0	hydraulic control block / components	HYSB-Abschlussplatte		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66350538	1.0	hydraulic control block / components	HYSB-Sherpa Fraese		
010	86502027	4.0	hexagon screw ISO 4017 galv		M 10 x 20	
015	86501106	4.0	washer ISO7089-A10.5 galv			
020	87000477	1.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		
025	87000525	1.0	adjust 45°-angle nozzle w taper	HYV-EV-08-L-ROU-CF		
030	86501129	1.0	test port w threaded coupling f cones	HYV-VKA3-08-L-CF		
035	87000777	1.0	banjo fitting	HYV-SWVE-08-L-R-1/4-ROU-CF		
040	87004492	1.0	hydraulic hose	HYS-1SN-06x870-AO08L-AO08L90		
045	86501172	1.0	screw-in bolt straight	HYV-GE-08-L-UNF-7/16-OR-ROU-CF		
050	86501199	2.0	screw-in bolt straight	HYV-GE-28-L-R-3/4-ED-ROU-CF		
055	86501194	2.0	angle nozzle w taper	HYV-EW-28-L-ROU-CF		
060	86501192	1.0	T-nozzle w taper	HYV-ET-28-L-ROU-CF		
065	87004472	1.0	cone reducing fitting w taper	HYV-RED-28/12-L-ROU-CF		
070	87000780	1.0	T-nozzle w taper	HYV-ET-12-L-ROU-CF		
075	87000522	1.0	adjust 45°-angle nozzle w taper	HYV-EV-12-L-ROU-CF		
080	86501028	1.0	test port w threaded coupling f cones	HYV-VKA3-12-L-CF		
085	87000588	1.0	progressive stop ring	HYV-PSR-12-L/S-CF		
090	87000561	1.0	union nut	HYV-M-12-L-CF		
095	41270100	1.0	adapter galv		6kt 22 x 38	
100	86505330	1.0	copper ring		12 x 17 x 1,5	
105	87006500	1.0	pressure switch 170bar Super-Seal	EL_SEN_DRU_170bar		
110	86501100	1.0	screw-in bolt straight	HYV-GE-35-L-R-1-ED-ROU-CF		
115	86501166	2.0	angle nozzle w taper	HYV-EW-35-L-ROU-CF		
120	87004345	1.0	hydraulic hose	HYS-1SN-31x1190-AO35L-AO35L45		
125	87000553	1.0	screw-in bolt straight	HYV-GE-35-L-R-3/4-ROU-CF		
130	87004470	1.0	screw-in bolt straight	HYV-GE-28-L-R-1-ED-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	86501166	1.0	angle nozzle w taper	HYV-EW-35-L-ROU-CF		
140	87000666	1.0	adjust 45°-angle nozzle w taper	HYV-EV-28-L-ROU-CF		
145	87004383	1.0	hydraulic hose	HYS-HD200S-25x675-AO28L-SF1.1/4S90		
150	86501219	2.0	SAE flange half	HYVF-FHS-6-5-CFX		
155	86502605	4.0	cheese-head screw galv	Zyl-Schraube_M14x045_08.8_ISO47 62_vzk	M 14 x 45	
160	87003527	1.0	hydraulic sealing ring	HYD-QUR-37.70x44.76x3.53-NBR		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	65550535	1.0	hydraulic control block / components	HYSB-Foerderschnecke		
010	86502013	2.0	hexagon screw ISO 4017 galv		M 8 x 16	
015	86501116	2.0	washer ISO7089-A 8.4 glav			
020	86501097	3.0	screw-in bolt straight	HYV-GE-22-L-R-3/4-ED-ROU-CF		
025	86501164	1.0	T-nozzle w taper	HYV-ET-22-L-ROU-CF		
030	86501225	1.0	angle nozzle w taper	HYV-EW-12-L-ROU-CF		
035	86501028	1.0	test port w threaded coupling f cones	HYV-VKA3-12-L-CF		
040	86501161	1.0	cone reducing fitting w taper	HYV-RED-22/12-L-ROU-CF		
045	87000588	1.0	progressive stop ring	HYV-PSR-12-L/S-CF		
050	87000561	1.0	union nut	HYV-M-12-L-CF		
055	41270100	1.0	adapter galv		6kt 22 x 38	
060	86505330	1.0	copper ring		12 x 17 x 1,5	
065	87006500	1.0	pressure switch 170bar Super-Seal	EL_SEN_DRU_170bar		
070	86501070	2.0	angle nozzle w taper	HYV-EW-22-L-ROU-CF		
075	87040381	1.0	hydraulic hose	HYS-HD200S-25x870-AO22L-SF1.1/4L45		
080	87003527	1.0	hydraulic sealing ring	HYD-QUR-37.70x44.76x3.53-NBR		
085	86502500	4.0	cheese-head screw ISO 4762 galv		M 10 x 35	
090	87000579	2.0	SAE flange half	HYVF-FHS-3-1.1/4-CF		
095	87004482	1.0	screw-in bolt w shaft straight	HYV-EVGE-28-R-3/4-ED-CF		
100	87000666	1.0	adjust 45°-angle nozzle w taper	HYV-EV-28-L-ROU-CF		
105	87004481	1.0	reducing coupling straight	HYV-GR-42/28-L-ROU-CF		
110	87040356	1.0	hydraulic hose	HYS-R4-38x3160-AO42L-A042L		
115	87000782	1.0	L-shaped coupling w taper	HYV-EL-42-L-ROU-CF		
120	87009771	1.0	lock f screwed connection cones	HYV-BUZ-42-L-CF mit G1/4 Gewinde		
125	87009792	1.0	union nut	HYV-M-42-L-CF		
130	87011983	1.0	temperature sensor	EL_SEN_TEM_Schalter 90°C NO G1/4 SS 3pol		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	87000741	2.0	screw-in bolt straight	HYV-GE-42-L-R-1.1/2-ROU-CF		
140	86501190	1.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		
145	87004529	1.0	adjust 45°-angle nozzle w taper	HYV-EV-42-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	65550535	1.0	hydraulic control block / components	HYSB-Foerderschnecke		
010	87009289	1.0	hydraulic control block / components	HYSB-Eingangsplatte		
015	87009145	1.0	pressure limiting valve	HYSB-DBV		
020	86505341	6.0	O-ring		18 x 2,5	
025	86507503	2.0	O-ring		5 x 2	
030	87009290	1.0	hydraulic control block / components	HYSB-Steuerscheibe DW		
035	86505320	2.0	O-ring		20 x 2	
040	65550537	2.0	hydraulic magnet	HYM-35 Quadrat-AMP-Loeschd.-24V		
045	86507528	2.0	O-ring		15 x 2	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	87040510	1.0	hydraulic control block / components	HYSB-3-Fach-JPT-24V		
010	86502013	3.0	hexagon screw ISO 4017 galv		M 8 x 16	
015	86501116	3.0	washer ISO7089-A 8.4 glav			
020	87000477	6.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		
025	87000564	4.0	lock f screwed connection cones	HYV-BUZ-08-L-CF		
030	87000655	4.0	union nut	HYV-M-08-L-CF		
035	87000760	3.0	screw-in bolt straight	HYV-GE-15-L-M-18x1.5-ED-ROU-CF		
040	87000524	2.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
045	87040742	1.0	hydraulic hose	HYS-1SN-12x1550-AO15L-AO15L90		
050	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
055	86501068	1.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
060	87000536	1.0	screw-in bolt straight	HYV-GE-15-L-R-3/4-ROU-CF		
065	87009811	1.0	hydraulic hose	HYS-2SN-12x2500-AO15L-AO15L90		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	87009291	3.0	hydraulic control block / components	HYSB-Steuerscheibe DW		
010	86507503	8.0	O-ring		5 x 2	
015	86507518	8.0	O-ring		12 x 2	
020	65550537	6.0	hydraulic magnet	HYM-35 Quadrat-AMP-Loeschd.- 24V		
025	86507528	6.0	O-ring		15 x 2	
030	87008820	6.0	pressure spring			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	87040510	1.0	hydraulic control block / components	HYSB-3-Fach-JPT-24V		
010	86501116	3.0	washer ISO7089-A 8.4 galv			
015	86502013	3.0	hexagon screw ISO 4017 galv		M 8 x 16	
020	87000477	6.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		
025	87000564	4.0	lock f screwed connection cones	HYV-BUZ-08-L-CF		
030	87000655	4.0	union nut	HYV-M-08-L-CF		
035	87000760	3.0	screw-in bolt straight	HYV-GE-15-L-M-18x1.5-ED-ROU-CF		
040	87009305	2.0	hydraulic hose	HYS-2SN-12x1400-H15L-AO15L90		
045	87012581	1.0	Stauff clamp double 322/22PAH			
050	87001530	1.0	Stauff cover plate GD3DW3			
055	86502019	1.0	hexagon screw ISO 4014 galv		M 8 x 45	
060	87000524	6.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
065	87000483	4.0	connector straight	HYV-G-15-L-ROU-CF		
070	66550605	1.0	hydr tube-15x1.5-line add block			
080	66550614	1.0	hydr tube-15x1.5-line add block P			
090	87001522	3.0	Stauff clamp double 215/15PP			
095	87001529	3.0	Stauff cover plate GD2DW3			
100	86502017	3.0	hexagon screw ISO 4017 galv		M 8 x 35	
105	87009306	1.0	hydraulic hose	HYS-2SN-12x1150-H15L-AO15L45		
110	86501068	1.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
115	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
120	87000536	3.0	screw-in bolt straight	HYV-GE-15-L-R-3/4-ROU-CF		
125	87009307	1.0	hydraulic hose	HYS-2SN-12x2150-H15L-AO15L45		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	87009291	3.0	hydraulic control block / components	HYSB-Steuerscheibe DW		
010	86507503	8.0	O-ring		5 x 2	
015	86507518	8.0	O-ring		12 x 2	
020	65550537	6.0	hydraulic magnet	HYM-35 Quadrat-AMP-Loeschd.- 24V		
025	86507528	6.0	O-ring		15 x 2	
030	87008820	6.0	pressure spring			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66351701	1.0	hydraulic tank tot			
010	87030474	1.0	hydraulic sealing ring	HYD-UR-26.7x35.0x2.0-R-3/4		
015	87012807	1.0	reduc/extension nozzle w female thread	HYV-RI-3/4x1/2-CF		
020	87030473	1.0	hydraulic sealing ring	HYD-UR-21.5x28.7x2.5-R-1/2		
025	87009199	1.0	oil drain valve w/o hose		R 1/2" / M 26 x 1,5	
030	66320527	1.0	connecting piece angle-oil hose			
035	86501126	3.0	screw-in bolt straight	HYV-GE-42-L-R-1.1/2-ED-ROU-CF		
040	87008901	2.0	screw-in bolt straight	HYV-GE-35-L-R-1.1/2-ED-ROU-CF		
045	62750507	1.0	level indicator hydr tank			
050	66351223	1.0	tank cap		Bl 6 x 240 x 660	
055	87006457	1.0	adhesive flat w sealing tape		10 x 3mm	
060	86502014	12.0	hexagon screw ISO 4017 galv		M 8 x 20	
065	86501116	12.0	washer ISO7089-A 8.4 glav			
070	62750506	1.0	filler ventilation filter			
075	86503651	16.0	cheese-head screw ISO 1207 galv		M 5 x 16	
080	62720032	2.0	flange galv		Rd 80 x 6,5	
085	86507524	2.0	O-ring		67 x 3	
090	87000768	2.0	angular bulkhead coupling	HYV-WSV-15-L-ROU-CF		
095	86505331	2.0	copper ring		22 x 27 x 1,5	
100	64350615	2.0	hydraulic tube	HYR-15x1,5x270-vzk-E-M-DPR kpl		
105	86501040	1.0	plug f threaded ports	HYV-VSTI-M-18x1.5-OR-CF		
110	86501033	1.0	counter nut f bulkhead coupling	HYV-GM-12-L-CF		
115	66351224	1.0	spacer plate		Bl 12 x 160 x 160	
120	66550500	1.0	hydr filter-reverse-flow filter E453-256			
125	66550503	2.0	hydraulic filter element	HYF-Filterelement Ruecklauffilter 10EX2		
130	86508399	1.0	O-ring	HYD-OR-125x6	125 x 6	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	86508341	1.0	O-ring	HYD-OR-151,76x5,33	151,76 x 5,33	
140	86507600	1.0	O-ring 136,5x5,34			
145	86502332	4.0	hexagon screw ISO 4017 galv		M 10 x 50	
150	86501106	4.0	washer ISO7089-A10.5 galv			
151	86500304	1.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
155	86501076	1.0	screw-in bolt straight	HYV-GE-12-L-M-12x1.5-ROU-CF		
160	87000588	1.0	progressive stop ring	HYV-PSR-12-L/S-CF		
165	87000561	1.0	union nut	HYV-M-12-L-CF		
170	41270100	1.0	adapter galv		6kt 22 x 38	
175	66550501	1.0	hydr filter-soiling indicator			
176	86505330	1.0	copper ring		12 x 17 x 1,5	
180	87004833	1.0	banjo fitting	HYV-SWVE-22-L-R-3/4-ROU-CF		
185	87000741	3.0	screw-in bolt straight	HYV-GE-42-L-R-1.1/2-ROU-CF		
190	87040749	1.0	hydraulic hose	HYS-R4-51x2400-AO42L-AO42L		
195	63250704	1.0	mainfold tot galv			
200	86501199	2.0	screw-in bolt straight	HYV-GE-28-L-R-3/4-ED-ROU-CF		
205	86501194	1.0	angle nozzle w taper	HYV-EW-28-L-ROU-CF		
210	87000536	1.0	screw-in bolt straight	HYV-GE-15-L-R-3/4-ROU-CF		
215	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
220	86501068	1.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
225	87000524	2.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
230	87000666	1.0	adjust 45°-angle nozzle w taper	HYV-EV-28-L-ROU-CF		
235	86501241	1.0	screw-in bolt straight	HYV-GE-18-L-R-3/4-ED-ROU-CF		
240	86501029	1.0	test port w threaded coupling f cones	HYV-VKA3-18-L-CF		
245	86501097	2.0	screw-in bolt straight	HYV-GE-22-L-R-3/4-ED-ROU-CF		
250	87000526	2.0	adjust 45°-angle nozzle w taper	HYV-EV-22-L-ROU-CF		
255	87040358	1.0	hydraulic hose	HYS-R4-38x1700-AO42L-AO42L45		
260	66320502	1.0	combi cooler water air oil			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
265	87000782	1.0	L-shaped coupling w taper	HYV-EL-42-L-ROU-CF		
270	87009771	1.0	lock f screwed connection cones	HYV-BUZ-42-L-CF mit G1/4 Gewinde		
275	87009792	1.0	union nut	HYV-M-42-L-CF		
280	87011983	1.0	temperature sensor	EL_SEN_TEM_Schalter 90°C NO G1/4 SS 3pol		
285	63250548	1.0	tank heating f hydr oil 230V 1000W			
290	66380205	1.0	counter plate immersion heaters		Bl 4 x 40 x 202	
295	87011662	1.0	cable gland			Polyamid M 12
300	87011792	1.0	reducing coupling M20/M12			
305	87011531	1.0	counter nut RAL7035			Polyamid M 20
310	87011536	2.0	twisting sleeve M20			Polyamid M 20
315	88080503	1.0	cable case	EL_EKM_GEH_Vorwaermung		
320	88080504	1.0	clamping insert 4mm	EL_EKM_GEH_Vorwaermung		
325	87008653	6.0	PVC control cable	EL_EKAB_STL_Oel110_3x1,5qm m		
330	87011788	1.0	Bals CEE panel connector		3pol/16A	
335	87008518	1.0	adapter cable	EL_KKB_ADP_Schuko auf CEE 3pol		
340	66307205	1.0	Adapterplatte Sammelrohr		Bl 6 x 65 x 165	
345	87004529	1.0	adjust 45°-angle nozzle w taper	HYV-EV-42-ROU-CF		/ cutting shield Fast-Cut
350	86501050	1.0	cone reducing fitting w taper	HYV-RED-42/28-L-ROU-CF		/ milling cutter




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	63250524	1.0	hydraulic motor	HYM-AV-105/0-24V-S		
010	87010375	1.0	seal kit f hydraulic motor	HYDI-M-HMV-105-Linde		
015	87000542	1.0	radial shaft seal	HYD-RW-45x62x7-EP80SH WN		
020	63250569	1.0	magnet proportional 24V AMP			
025	63250542	1.0	rpm sensor Linde plugged			
030	86502401	1.0	cheese-head screw ISO 4762		M 6 x 16	
035	86502072	2.0	hexagon screw ISO 4017 galv		M 16 x 50	
040	86501021	2.0	washer galv		A 18	
045	87000753	1.0	screw-in bolt straight	HYV-GE-22-L-M-22x1.5-ED-ROU-CF		
050	87040732	1.0	hydraulic hose	HYS-1SN-19x1350-AO22L-AO22L45		
055	87000526	2.0	adjust 45°-angle nozzle w taper	HYV-EV-22-L-ROU-CF		
060	86501097	1.0	screw-in bolt straight	HYV-GE-22-L-R-3/4-ED-ROU-CF		
065	86501077	1.0	screw-in bolt straight	HYV-GE-12-L-M-14x1.5-ED-ROU-CF		
070	86501225	1.0	angle nozzle w taper	HYV-EW-12-L-ROU-CF		
075	87001097	1.0	hydraulic hose	HYS-2SN-10x1000-AO12L-AO12L90		/ cutting shield Fast-Cut
080	87009536	1.0	screw-in bolt straight	HYV-GE-12-L-R-3/4-ED-ROU-CF		
085	87003526	4.0	hydraulic sealing ring	HYD-QUR-32.92x39.98x3.53-NBR		
090	86501210	8.0	SAE flange half	HYVF-FHS-6-4-CFX		
095	86502428	16.0	cheese-head screw ISO 4762 galv		M 12 x 45	
100	87040380	1.0	hydraulic hose	HYS-R15-25x1610-AO30S-SF1S45		
105	87040313	1.0	hydraulic hose	HYS-R15-25x1650-AO30S-SF1S45		
110	87000722	2.0	angle nozzle w taper	HYV-EW-30-S-ROU-CF		
115	87040395	1.0	screwed connection 45°	HYV-EV-30-S-ROU-CF		
120	87040394	2.0	male thread flange	HYVF-GFS-6-4-CF		
125	87004378	1.0	hydraulic hose	HYS-1SN-10x1530-AO12L-AO12L90		/ milling cutter
130	86501190	1.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		/ milling cutter




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	86501225	1.0	angle nozzle w taper	HYV-EW-12-L-ROU-CF		/ milling cutter
140	87000781	1.0	cone reducing fitting w taper	HYV-RED-12/08-L-ROU-CF		/ milling cutter
145	87000780	1.0	T-nozzle w taper	HYV-ET-12-L-ROU-CF		/ milling cutter
150	86501077	1.0	screw-in bolt straight	HYV-GE-12-L-M-14x1.5-ED-ROU-CF		/ milling cutter
155	87000781	1.0	cone reducing fitting w taper	HYV-RED-12/08-L-ROU-CF		/ milling cutter
160	87004920	1.0	L-shaped coupling w taper	HYV-EL-08-L-ROU-CF		/ milling cutter
165	86501129	1.0	test port w threaded coupling f cones	HYV-VKA3-08-L-CF		/ milling cutter




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66350536	1.0	double-rod hydraulic cylinder	HYZ-GL-060/030-655-240		
010	87010393	1.0	seal kit f hydraulic cylinder	HYDI-Z-GL-60/30-FAD		
015	87000504	2.0	screw-in bolt straight	HYV-GE-12-L-R-3/8-ROU-CF		
020	86501190	2.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		
025	86501028	2.0	test port w threaded coupling f cones	HYV-VKA3-12-L-CF		
030	87009302	2.0	hydraulic hose	HYS-2SN-10x1300-H12L-AO12L90		
035	87000522	4.0	adjust 45°-angle nozzle w taper	HYV-EV-12-L-ROU-CF		
040	87000493	4.0	connector straight	HYV-G-12-L-ROU-CF		
045	66550608	1.0	hydr tube-12x1.5-line steering			
055	66550615	1.0	hydr tube-12x1.5-line steering le			
065	87001521	#	Stauff clamp double 112/12PP			
070	87001720	#	Stauff cover plate GD1DW3			
075	86502066	#	hexagon screw ISO 4017 galv	M 6 x 35		
080	87009300	1.0	hydraulic hose	HYS-2SN-10x3800-H12L-AO12L90		
085	87009301	1.0	hydraulic hose	HYS-2SN-10x3900-H12L-AO12L90		
090	87000733	2.0	screw-in bolt straight	HYV-GE-12-L-R-1/2-ED-ROU-CF		
095	66350501	1.0	hydraulic control block / components	HYSB-Lenkeinheit		
100	86501092	4.0	screw-in bolt straight	HYV-GE-15-L-R-1/2-ED-ROU-CF		
110	87004889	2.0	spacer adapter	HYV-DA-15-L-CF		
115	87040573	1.0	hydraulic hose	HYS-2SN-12x5350-AO15L-AO15L		
120	86501068	2.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
125	87009902	1.0	hydraulic hose	HYS-2SN-12x1200-AO15L-AO15L90		
130	66350502	1.0	hydraulic valve	HYVE-Prioritaetsventil		
135	86501088	1.0	screw-in bolt straight	HYV-GE-08-L-R-1/4-ED-ROU-CF		
140	87040743	1.0	hydraulic hose	HYS-1SN-06x1330-AO08L-AO08L90		
145	86501165	1.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
150	86501094	1.0	screw-in bolt straight	HYV-GE-18-L-R-1/2-ED-ROU-CF		
155	86501069	1.0	angle nozzle w taper	HYV-EW-18-L-ROU-CF		
160	87000727	1.0	L-shaped coupling w taper	HYV-EL-18-L-ROU-CF		
165	87004586	1.0	adjust 45°-angle nozzle w taper	HYV-EV-18-L-ROU-CF		
170	87000729	1.0	cone reducing fitting w taper	HYV-RED-18/15-L-ROU-CF		
175	87001040	1.0	hydraulic hose	HYS-2SN-12x1800-AO15L-AO15L90		
180	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
185	87000524	2.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
190	86501204	1.0	gear pump flange 90°angle	HYVF-BFW-15-L-LK35-OMDCF		
195	86502492	2.0	cheese-head screw ISO 4762 galv		M 6 x 22	
200	86502503	2.0	cheese-head screw ISO 4762 galv		M 6 x 35	
205	86500683	4.0	spring washer A6 DIN7980 galv			
210	86505342	1.0	O-ring		20x2,5	





Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	86501075	14.0	screw-in bolt straight	HYV-GE-08-L-M-10x1-ROU-CF		
010	86501222	6.0	intermediate nozzle w taper straight	HYV-GZ-08-L-CF		
015	87000515	2.0	connector straight	HYV-G-08-L-ROU-CF		
020	87040576	1.0	hydraulic hose	HYS-2SN-06x550-AO08L-AO08L90		
025	87040564	1.0	hydraulic hose	HYS-2SN-06x410-AO08L-AO08L90		
030	87000517	2.0	T-nozzle	HYV-T-08-L-ROU-CF		
035	87000525	3.0	adjust 45°-angle nozzle w taper	HYV-EV-08-L-ROU-CF		
040	87040517	1.0	hydraulic hose	HYS-2SN-06x2400-AO08L-AO08L		
045	87004920	0.0	L-shaped coupling w taper	HYV-EL-08-L-ROU-CF		
050	86501129	1.0	test port w threaded coupling f cones	HYV-VKA3-08-L-CF		
055	87000670	1.0	screw-in bolt straight	HYV-GE-08-L-M-14x1.5-ROU-CF		
060	66350503	1.0	hydr valve-tank tot			
065	86505301	2.0	copper ring		10 x 14 x 1,5	
070	66380546	1.0	pressure sensor	EL_SEN_DRU_schließer 10bar mit SS		
075	66380502	1.0	pressure sensor	EL_SEN_DRU_oeffnerr 40bar mit SS		
080	86501078	1.0	screw-in bolt straight	HYV-GE-12-L-M-18x1.5-ED-ROU-CF		
085	87000984	1.0	hydraulic hose	HYS-1SN-10x450-AO12L-AO12L90		
090	87000702	2.0	screw-in bolt straight	HYV-GE-12-L-M-22x1.5-ROU-CF		
095	21805507	1.0	hydraulic accumulator	HYSPE-ME-1-200-60		
100	86501000	1.0	screw-in bolt w taper straight	HYV-EGE-15-L-R-1/2-ED-CF		
105	86501068	2.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
110	87012802	1.0	straight female nozzle	HYV-GAI-15-L-R-1/2-CF		
115	63250563	1.0	series filter		1/2" Gas	
120	87000733	1.0	screw-in bolt straight	HYV-GE-12-L-R-1/2-ED-ROU-CF		up to YOM 2016





Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
125	87001098	1.0	hydraulic hose	HYS-2SN-10x2400-AO12L-AO12L90		up to YOM 2016
130	86501203	1.0	gear pump flange 90°angle	HYVF-BFW-12-L-LK35-OMDCF		up to YOM 2016
135	86502503	2.0	cheese-head screw ISO 4762 galv		M 6 x 35	
140	86502492	2.0	cheese-head screw ISO 4762 galv		M 6 x 22	
145	86500683	4.0	spring washer A6 DIN7980 galv			
150	86505342	1.0	O-ring		20x2,5	
155	86501092	2.0	screw-in bolt straight	HYV-GE-15-L-R-1/2-ED-ROU-CF		
160	87040750	1.0	hydraulic hose	HYS-2SN-12x590-AO15L-AO15L		
165	87000729	1.0	cone reducing fitting w taper	HYV-RED-18/15-L-ROU-CF		
170	87000727	1.0	L-shaped coupling w taper	HYV-EL-18-L-ROU-CF		
175	87004586	1.0	adjust 45°-angle nozzle w taper	HYV-EV-18-L-ROU-CF		
180	86501069	1.0	angle nozzle w taper	HYV-EW-18-L-ROU-CF		
185	86501094	1.0	screw-in bolt straight	HYV-GE-18-L-R-1/2-ED-ROU-CF		
190	87040549	1.0	hydraulic hose	HYS-1SN-06x380-AO08L-AO08L90		
195	87009789	2.0	cone reducing fitting w taper	HYV-RED-15/08-L-ROU-CF		
200	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
205	87000760	1.0	screw-in bolt straight	HYV-GE-15-L-M-18x1.5-ED-ROU-CF		
210	87000524	3.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
215	87040575	1.0	hydraulic hose	HYS-2SN-12x4250-AO15L-AO15L		
220	87040521	1.0	hydraulic hose	HYS-2SN-06x550-AO08L-AO08L90		
225	87040520	2.0	hydraulic hose	HYS-2SN-06x300-AO08L-AO08L		
230	86501165	2.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		
235	66350101	1.0	screw-in bolt straight	HYV-GE-08-L-M-10x1-ROU-CF-M6		
240	87009215	1.0	hydraulic nozzle	HYDU-M6x6-G-DR-1.8		
245	63251503	1.0	stop valve 2-fold dead closed			
250	87004869	4.0	solenoid	HYSB-Magnetspule	D36 24DC 27W	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
255	63250238	1.0	stop valve holder galv		Bl 3 x 95 x 177	
260	86502510	4.0	cheese-head screw ISO 4762 galv		M 6 x 50	
265	86501104	4.0	washer ISO7093 galv		A 6,4	
270	86500310	4.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
275	87009831	1.0	hydraulic hose	HYS-1SN-06x800-AO08L-AO08L		/ cutting shield Fast-Cut
280	87000781	2.0	cone reducing fitting w taper	HYV-RED-12/08-L-ROU-CF		
285	86501190	1.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		/ cutting shield Fast-Cut
290	86501028	1.0	test port w threaded coupling f cones	HYV-VKA3-12-L-CF		/ cutting shield Fast-Cut
295	87009536	4.0	screw-in bolt straight	HYV-GE-12-L-R-3/4-ED-ROU-CF		/ cutting shield Fast-Cut
300	87040574	1.0	hydraulic hose	HYS-2SN-06x2900-AO08L-AO08L		
305	87000915	1.0	hydraulic hose	HYS-1SN-06x700-AO08L-AO08L90		
310	87040396	1.0	shaped male-stud coupling	HYV-GE-08-L-UNF-9/16-OR-ROU-CF		
315	86501203	1.0	gear pump flange 90°angle	HYVF-BFW-12-L-LK35-OMDCF		since YOM 2016
320	87001042	1.0	hydraulic hose	HYS-2SN-12x2400-AO15L-AO15L90		since YOM 2016
325	86501092	1.0	screw-in bolt straight	HYV-GE-15-L-R-1/2-ED-ROU-CF		since YOM 2016
330	86505331	1.0	copper ring		22 x 27 x 1,5	
335	86501039	1.0	plug f threaded ports	HYV-VSTI-M-14x1.5-ED-CF		
340	63251508	1.0	stop valve 2-fold dead open			
345	87004377	1.0	hydraulic hose	HYS-1SN-06x1650-AO08L-AO08L		/ milling cutter
350	86501129	1.0	test port w threaded coupling f cones	HYV-VKA3-08-L-CF		/ milling cutter
355	87000780	1.0	T-nozzle w taper	HYV-ET-12-L-ROU-CF		/ milling cutter
360	86501077	1.0	screw-in bolt straight	HYV-GE-12-L-M-14x1.5-ED-ROU-CF		/ milling cutter




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66312501	3.0	hydraulic cylinder	HYZ-DW-110/080-380-80		
010	87001307	3.0	seal kit f hydraulic cylinder	HYDI-Z-DW-110/80-SHW		
015	87000702	3.0	screw-in bolt straight	HYV-GE-12-L-M-22x1.5-ROU-CF		
020	87008908	2.0	intermediate nozzle w taper straight	HYV-GZ-12-L-CF		
025	87000493	1.0	connector straight	HYV-G-12-L-ROU-CF		
030	87040300	3.0	hydraulic valve	HYVE-Oeler Fahrwerk		
035	87000400	1.0	banjo fitting	HYV-SWVE-15-L-M-22x1.5-ROU-CF		
040	87000752	7.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
045	87009789	2.0	cone reducing fitting w taper	HYV-RED-15/08-L-ROU-CF		
050	86501068	3.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
055	87040553	1.0	hydraulic hose	HYS-2SN-12x390-AO15L-AO15L		
060	87000536	3.0	screw-in bolt straight	HYV-GE-15-L-R-3/4-ROU-CF		
065	31615517	1.0	hydraulic accumulator	HYSPE-KO-1.5-280-65		
070	31615503	4.0	mounting clip			
075	87009303	1.0	hydraulic hose	HYS-2SN-06x760-H08L-AO08L45		
080	87000525	2.0	adjust 45°-angle nozzle w taper	HYV-EV-08-L-ROU-CF		
085	87000515	2.0	connector straight	HYV-G-08-L-ROU-CF		
090	66550609	1.0	hydr tube-8x1-line niveau			
100	87001542	#	Stauff clamp double 108/08PP			
105	87001720	#	Stauff cover plate GD1DW3			
110	86502011	#	hexagon screw ISO 4014 galv	M 6 x 65		
115	87009304	1.0	hydraulic hose	HYS-1SN-06x1820-H08L-AO08L45		
120	86501196	2.0	screw-in bolt straight	HYV-GE-15-L-M-22x1.5-ED-ROU-CF		
125	87040739	1.0	hydraulic hose	HYS-1SN-12x520-AO12L-AO12L90		
130	87040375	1.0	hydraulic hose	HYS-2SN-12x1050-AO15L-AO15L90		
135	73270502	1.0	hydraulic accumulator	HYSPE-KO-1.5-280-20		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
140	87040738	1.0	hydraulic hose	HYS-2SN-06x1590-AO08L-AO08L90		
145	86501165	1.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		
150	87000781	2.0	cone reducing fitting w taper	HYV-RED-12/08-L-ROU-CF		
155	87000201	1.0	stop-cock	HYK-BK3/3-12L-DN10-CF-PN400		
160	87000504	1.0	screw-in bolt straight	HYV-GE-12-L-R-3/8-ROU-CF		
165	87000353	1.0	double check valve			
170	86503215	1.0	plug f threaded ports	HYV-VSTI-R-3/8-ED-CF		
175	87000511	2.0	screw-in bolt straight	HYV-GE-08-L-R-3/8-ROU-CF		
180	87040376	1.0	hydraulic hose	HYS-1SN-06x560-AO08L-AO08L45		
185	87030444	1.0	hydraulic hose	HYS-1SN-06x520-AO08L-AO08L90		
190	87004920	2.0	L-shaped coupling w taper	HYV-EL-08-L-ROU-CF		
195	87000477	2.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		
200	87009862	2.0	hydraulic hose	HYS-2SN-10x1300-AO12L-AO12L90		
205	86501225	1.0	angle nozzle w taper	HYV-EW-12-L-ROU-CF		
210	86501179	3.0	cone reducing fitting w taper	HYV-RED-15/12-L-ROU-CF		
215	87030526	1.0	hydraulic hose	HYS-2SN-10x1300-AO12L-AO12L45		
220	87000483	2.0	connector straight	HYV-G-15-L-ROU-CF		
225	66550605	1.0	hydr tube-15x1.5-line add block			
230	87001522	3.0	Stauff clamp double 215/15PP			
235	87001529	3.0	Stauff cover plate GD2DW3			
240	86502017	3.0	hexagon screw ISO 4017 galv		M 8 x 35	
245	87004364	1.0	hydraulic hose	HYS-2SN-12x1150-AO15L-AO15L45		
250	87000524	1.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66350539	1.0	hydraulic cylinder	HYZ-DW-090/060-1590-1280		
010	87010390	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-90/60-SHW		
015	86501057	2.0	high-pressure-angle-banjo fitting	HYV-WH-15-L-M-18x1.5-ROU-CF		
020	87004371	1.0	hydraulic hose	HYS-2SN-12x650-AO15L-AO15L		
025	87007529	2.0	hose clip		90-110/12 W2	
030	66340261	1.0	holder f hydr accumulator		Bl 3 x 182,5 x 269,3	
035	63250638	1.0	external lowering brake valve cpl			
040	86501218	1.0	screw-in bolt w taper straight	HYV-EGE-12-L-R-1/4-ED-CF		
045	86501224	1.0	tee reducing coupling	HYV-TR-15/12/15-L-ROU-CF		
050	86501092	2.0	screw-in bolt straight	HYV-GE-15-L-R-1/2-ED-ROU-CF		
055	66340615	1.0	hydraulic tube	HYR-15x1.5x500-CF-B-M-PSR		
060	86501223	1.0	high-pressure-angle-banjo fitting	HYV-WH-15-L-R-1/2-ROU-CF		
065	87000929	1.0	hydraulic hose	HYS-2SN-12x1850-AO15L-AO15L90		
070	87000483	1.0	connector straight	HYV-G-15-L-ROU-CF		
075	87000795	2.0	intermediate nozzle w taper straight	HYV-GZ-15-L-CF		
080	87000760	2.0	screw-in bolt straight	HYV-GE-15-L-M-18x1.5-ED-ROU-CF		
085	86501068	1.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
090	87001080	1.0	hydraulic hose	HYS-2SN-12x900-AO15L-AO15L90		
095	87000204	1.0	stop-cock	HYK-BK3/3-15L-DN13-CF-PN350		
100	87040225	1.0	hydraulic hose	HYS-2SN-12x2200-AO15L-AO15L		
105	87040364	1.0	hydraulic hose	HYS-2SN-12x2250-AO15L-AO15L		
110	87000752	3.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
115	87000524	1.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
120	86501204	1.0	gear pump flange 90°angle	HYVF-BFW-15-L-LK35-OMDCF		
125	86505342	1.0	O-ring		20x2,5	
130	86502503	2.0	cheese-head screw ISO 4762 galv		M 6 x 35	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	86502492	2.0	cheese-head screw ISO 4762 galv		M 6 x 22	
140	86500683	4.0	spring washer A6 DIN7980 galv			
145	86500220	1.0	hexagon nut ISO8675 galv		M 33 x 1,5	
150	87009175	1.0	hydraulic accumulator	HYSPE-ME-1-200-100		
155	86501179	1.0	cone reducing fitting w taper	HYV-RED-15/12-L-ROU-CF		
160	87000522	1.0	adjust 45°-angle nozzle w taper	HYV-EV-12-L-ROU-CF		
165	87009939	1.0	hydraulic hose	HYS-2SN-10x500-AO12L-AO12L		
170	31046502	1.0	ball-type stop cock galv	HYK-BKH-12L-DN10-CF-PN500		
175	87004379	1.0	hydraulic hose	HYS-2SN-10x250-AO12L-AO12L90		
180	86501190	1.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		
185	86501161	1.0	cone reducing fitting w taper	HYV-RED-22/12-L-ROU-CF		
190	87000728	1.0	L-shaped coupling w taper	HYV-EL-22-L-ROU-CF		
195	87004359	1.0	screw-in bolt straight	HYV-GE-22-L-UN-1.1/16-OR-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	64350548	1.0	hydraulic motor	HYM-B-1-AK-63-A2FM-X		
020	87003524	2.0	hydraulic sealing ring	HYD-QUR-24.99x32.05x3.53-NBR		
025	86501209	4.0	SAE flange half	HYVF-FHS-6-3-CFX		
030	86502500	8.0	cheese-head screw ISO 4762 galv		M 10 x 35	
035	86501078	1.0	screw-in bolt straight	HYV-GE-12-L-M-18x1.5-ED-ROU-CF		
040	87004350	1.0	hydraulic hose	HYS-HD200S-25x1140-H30S-SF3/4S45		
045	87004351	1.0	hydraulic hose	HYS-HD200S-25x1120-H30S-SF3/4S45		
050	87040370	1.0	hydraulic hose	HYS-1SN-10x1700-H12L-AO12L90		
055	87040395	2.0	screwed connection 45°	HYV-EV-30-S-ROU-CF		
060	87000522	2.0	adjust 45°-angle nozzle w taper	HYV-EV-12-L-ROU-CF		
065	66650629	2.0	hydraulic tube	HYR-30x4x1800-CF-B-M-PSR		
070	66550613	1.0	hydr tube-12x1.5-line cutting shield ope			
075	87008873	6.0	Stauff clamp 430PP			
080	87008881	6.0	Stauff cover plate DP4W3			
085	86502060	12.0	hexagon screw ISO 4014 galv		M 6 x 50	
090	87008846	3.0	Stauff clamp double 212/12PP			
095	87001529	3.0	Stauff cover plate GD2DW3			
100	86502018	3.0	hexagon screw ISO 4014 galv		M 8 x 40	
105	87000372	1.0	stop-cock galv		BKH 30S 25 1113 1	
110	87000493	1.0	connector straight	HYV-G-12-L-ROU-CF		
115	87004499	1.0	hydraulic hose	HYS-HD200S-25x1900-AO30S-AO28L		/ Sherpa 1201
120	87004499	1.0	hydraulic hose	HYS-HD200S-25x1900-AO30S-AO28L		/ Sherpa 1401
125	87004344	1.0	hydraulic hose	HYS-HD200S-25x2000-H30S-AO28L		/ Sherpa 1201
130	87004344	1.0	hydraulic hose	HYS-HD200S-25x2000-H30S-AO28L		/ Sherpa 1401




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	87004494	1.0	hydraulic hose	HYS-1SN-10x1900-AO12L-AO12L90		/ Sherpa 1201
140	87004494	1.0	hydraulic hose	HYS-1SN-10x1900-AO12L-AO12L90		/ Sherpa 1401
145	86501194	2.0	angle nozzle w taper	HYV-EW-28-L-ROU-CF		
150	86501192	1.0	T-nozzle w taper	HYV-ET-28-L-ROU-CF		
155	86501199	2.0	screw-in bolt straight	HYV-GE-28-L-R-3/4-ED-ROU-CF		
160	87004472	1.0	cone reducing fitting w taper	HYV-RED-28/12-L-ROU-CF		
165	87000780	1.0	T-nozzle w taper	HYV-ET-12-L-ROU-CF		
170	86501028	1.0	test port w threaded coupling f cones	HYV-VKA3-12-L-CF		
175	87000561	1.0	union nut	HYV-M-12-L-CF		
180	87000588	1.0	progressive stop ring	HYV-PSR-12-L/S-CF		
185	41270100	1.0	adapter galv		6kt 22 x 38	
190	86505330	1.0	copper ring			12 x 17 x 1,5
195	87006500	1.0	pressure switch 170bar Super-Seal	EL_SEN_DRU_170bar		
200	86501161	1.0	cone reducing fitting w taper	HYV-RED-22/12-L-ROU-CF		
205	87000728	3.0	L-shaped coupling w taper	HYV-EL-22-L-ROU-CF		
210	87004359	1.0	screw-in bolt straight	HYV-GE-22-L-UN-1.1/16-OR-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	87000007	1.0	hydraulic motor	HYM-B-1-ZR-80-OMP-X	OMP 80-25-2Loch	
010	87010315	1.0	seal kit f hydraulic motor	HYDI-M-OMP/OMR-25er_Welle-Danfoss		
015	87000462	2.0	screw-in bolt straight	HYV-GE-08-L-R-1/2-ROU-CF		
020	87004629	2.0	throttle aperture 08L-0.5			
025	87004353	1.0	hydraulic hose	HYS-1SN-06x1250 AO08L-AO08L90		
030	87004354	1.0	hydraulic hose	HYS-1SN-06x1270 AO08L-AO08L45		
035	87001790	4.0	Stauff clamp double 214/14PP			
050	87000475	4.0	reducing coupling straight	HYV-GR-12/08-L-ROU-CF		
055	66550613	2.0	hydr tube-12x1.5-line cutting shield ope			
060	87008846	3.0	Stauff clamp double 212/12PP			
065	87001529	10.0	Stauff cover plate GD2DW3			
070	86502018	10.0	hexagon screw ISO 4014 galv	M 8 x 40		
075	87004897	1.0	hydraulic hose	HYS-1SN-06x1880-AO08L-AO08L		/ Sherpa 1201
080	87004897	1.0	hydraulic hose	HYS-1SN-06x1880-AO08L-AO08L		/ Sherpa 1401
085	87004898	1.0	hydraulic hose	HYS-1SN-06x1930-AO08L-AO08L		/ Sherpa 1201
090	87004898	1.0	hydraulic hose	HYS-1SN-06x1930-AO08L-AO08L		/ Sherpa 1401
095	87000525	2.0	adjust 45°-angle nozzle w taper	HYV-EV-08-L-ROU-CF		
100	87000477	2.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		
105	87040574	2.0	hydraulic hose	HYS-2SN-06x2900-AO08L-AO08L		
110	86501075	2.0	screw-in bolt straight	HYV-GE-08-L-M-10x1-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	87000101	1.0	hydraulic motor	HYM-B-1-ZR-400-OMT-x		
010	87010316	1.0	seal kit f hydraulic motor	HYDI-M-OMT-40er_Welle-Danfoss		
015	86501097	5.0	screw-in bolt straight	HYV-GE-22-L-R-3/4-ED-ROU-CF		
020	86501090	2.0	screw-in bolt straight	HYV-GE-12-L-R-1/4-ED-ROU-CF		
025	86501070	5.0	angle nozzle w taper	HYV-EW-22-L-ROU-CF		
030	66340616	1.0	hydraulic tube	HYR-22x2-CF-B-M-PSR-Walze Ruecklauf		
035	66340617	1.0	hydraulic tube	HYR-22x2-CF-B-M-PSR-Walze Vorlauf		
040	87040370	1.0	hydraulic hose	HYS-1SN-10x1700-H12L-AO12L90		
045	86502258	1.0	hexagon screw ISO 4014 galv		M 8 x 85	
050	87001529	4.0	Stauff cover plate GD2DW3			
055	87004599	1.0	Stauff clamp double 218/18PPH black			
060	87001516	1.0	Stauff clamp double 322/22PP			
065	65520259	1.0	mounting plate		Bl 4 x 40 x 123	
070	86500303	1.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
075	87040368	2.0	hydraulic hose	HYS-2SN-19x750-H22L-H22L		
080	54065615	1.0	hydraulic tube	HYR-12x1.5x1700-vzk-B-M-DPR		
085	87008846	3.0	Stauff clamp double 212/12PP			
090	86502022	3.0	hexagon screw ISO 4014 galv		M 8 x 60	
095	66340618	2.0	hydr tube-22x2x1800-CF-B-M-PSR			
100	87001523	6.0	Stauff clamp 322PP			
105	87008793	6.0	Stauff cover plate DP3W3			
110	86502110	12.0	hexagon screw ISO 4014 galv		M 6 x 40	
115	87000552	1.0	stop-cock	HYK-BKH-22L-DN19-CF-PN400		
120	87000478	1.0	T-nozzle	HYV-T-12-L-ROU-CF		
125	66550610	1.0	hydr tube-12x1.5-angle			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
130	86501225	2.0	angle nozzle w taper	HYV-EW-12-L-ROU-CF		
135	86501179	1.0	cone reducing fitting w taper	HYV-RED-15/12-L-ROU-CF		
140	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
145	87000302	1.0	hydraulic valve	HYVE-Rueckschlagventil 15L		
150	87040756	1.0	hydraulic hose	HYS-1SN-10x1300-AO12L-AO12L45		
155	87000120	1.0	hydr motor-B-1ZR-250-OMT-X			
165	87040753	1.0	hydraulic hose	HYS-2SN-19x1100-H22L-AO22L45		
170	87000728	2.0	L-shaped coupling w taper	HYV-EL-22-L-ROU-CF		
175	86501160	1.0	cone reducing fitting w taper	HYV-RED-22/08-L-ROU-CF		
180	87000526	2.0	adjust 45°-angle nozzle w taper	HYV-EV-22-L-ROU-CF		
185	87004893	1.0	hydraulic hose	HYS-2SN-19x1550-AO22L-AO22L45		/ Sherpa 1201
190	87004400	1.0	hydraulic hose	HYS-2SN-19x1750-AO22L-AO22L45		/ Sherpa 1401
195	87004894	1.0	hydraulic hose	HYS-2SN-19x1930-AO22L-AO22L		/ Sherpa 1201
200	87004451	1.0	hydraulic hose	HYS-2SN-19x1960-AO22L-AO22L		/ Sherpa 1401
205	86501164	1.0	T-nozzle w taper	HYV-ET-22-L-ROU-CF		
210	86501030	1.0	test port w threaded coupling f cones	HYV-VKA3-22-L-CF		
215	86501161	1.0	cone reducing fitting w taper	HYV-RED-22/12-L-ROU-CF		
220	87000588	1.0	progressive stop ring	HYV-PSR-12-L/S-CF		
225	87000561	1.0	union nut	HYV-M-12-L-CF		
230	41270100	1.0	adapter galv		6kt 22 x 38	
235	87030475	1.0	hydraulic sealing ring	HYD-UR-13.7x22.0x1.5-R-1/4		
240	87006500	1.0	pressure switch 170bar Super-Seal	EL_SEN_DRU_170bar		
245	87009536	1.0	screw-in bolt straight	HYV-GE-12-L-R-3/4-ED-ROU-CF		
250	86501190	1.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		
255	87004390	1.0	Drosselplaettchen		DR 08 x DR 1.5 x 1	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
260	87000475	2.0	reducing coupling straight	HYV-GR-12/08-L-ROU-CF		
265	87040587	1.0	hydraulic hose	HYS-1SN-06x2750-AO08L-AO08L		/ Sherpa 1201
270	87040569	1.0	hydraulic hose	HYS-1SN-06x3000-AO08L-AO08L45		/ Sherpa 1401
275	87000459	2.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ROU-CF		
280	62305507	1.0	hydraulic cylinder DA	HYZ-DW-032/020-225-85		
285	87001481	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-32/20-SHW		
290	87040371	1.0	hydraulic hose	HYS-1SN-06x820-AO08L-AO08L90		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	87000002	1.0	hydraulic motor	HYM-B-1-ZR-100-OMR-X	OMR 100-25-2Loch	
010	87010315	1.0	seal kit f hydraulic motor	HYDI-M-OMP/OMR-25er_Welle-Danfoss		
015	86501092	2.0	screw-in bolt straight	HYV-GE-15-L-R-1/2-ED-ROU-CF		
020	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
025	87040353	2.0	hydraulic hose	HYS-2SN-12x1600-AO15L-AO15L		/ Sherpa 1201
030	87004896	2.0	hydraulic hose	HYS-2SN-12x1800-AO15L-AO15L		/ Sherpa 1401
035	86501068	2.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
040	87004889	2.0	spacer adapter	HYV-DA-15-L-CF		
045	87000760	2.0	screw-in bolt straight	HYV-GE-15-L-M-18x1.5-ED-ROU-CF		
050	87009789	1.0	cone reducing fitting w taper	HYV-RED-15/08-L-ROU-CF		
055	87004352	1.0	hydraulic hose	HYS-1SN-06x850 AO08L-AO08L90		
060	87000459	2.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ROU-CF		
065	62305507	1.0	hydraulic cylinder DA	HYZ-DW-032/020-225-85		
070	87001481	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-32/20-SHW		
075	87004487	1.0	hydraulic hose	HYS-1SN-06x1750-AO08L-AO08L90		/ Sherpa 1201
080	87000972	1.0	hydraulic hose	HYS-1SN-06x1900-AO08L-AO08L90		/ Sherpa 1401
085	87000781	1.0	cone reducing fitting w taper	HYV-RED-12/08-L-ROU-CF		
090	86501225	1.0	angle nozzle w taper	HYV-EW-12-L-ROU-CF		
095	86501190	1.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		
100	87000780	1.0	T-nozzle w taper	HYV-ET-12-L-ROU-CF		
105	86501077	1.0	screw-in bolt straight	HYV-GE-12-L-M-14x1.5-ED-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	86501068	5.0	angle nozzle w taper	HYV-EW-15-L-ROU-CF		
010	87040547	5.0	hydraulic hose	HYS-2SN-12x1700-AO15L-H15L		
015	87040548	1.0	hydraulic hose	HYS-2SN-12x1600-AO15L-H15L		
020	87012581	2.0	Stauff clamp double 322/22PAH			
025	87001530	2.0	Stauff cover plate GD3DW3			
030	86502021	2.0	hexagon screw ISO 4014 galv		M 8 x 55	
035	66550611	2.0	hydr tube-15x1.5-line cutting shield			
040	87001522	4.0	Stauff clamp double 215/15PP			
045	87001529	4.0	Stauff cover plate GD2DW3			
050	86502017	4.0	hexagon screw ISO 4017 galv		M 8 x 35	
055	87000752	1.0	L-shaped coupling w taper	HYV-EL-15-L-ROU-CF		
060	87000302	1.0	hydraulic valve	HYVE-Rueckschlagventil 15L		
065	87000483	3.0	connector straight	HYV-G-15-L-ROU-CF		
070	87004896	1.0	hydraulic hose	HYS-2SN-12x1800-AO15L-AO15L		/ Sherpa 1201
075	87004452	1.0	hydraulic hose	HYS-2SN-12x1890-AO15L-H15L		/ Sherpa 1401
080	87004895	1.0	hydraulic hose	HYS-2SN-12x1900-AO15L-H15L		/ Sherpa 1201
085	87004453	1.0	hydraulic hose	HYS-2SN-12x1930-AO15L-AO15L		/ Sherpa 1401
090	87000524	1.0	adjust 45°-angle nozzle w taper	HYV-EV-15-L-ROU-CF		
095	87000795	2.0	intermediate nozzle w taper straight	HYV-GZ-15-L-CF		
100	87000760	2.0	screw-in bolt straight	HYV-GE-15-L-M-18x1.5-ED-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	65550536	1.0	hydraulic cylinder	HYZ-DW-050/035-730-320		
010	87010328	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-50/35-SHW		
015	87000452	1.0	banjo fitting	HYV-SWVE-12-L-M-16x1.5-ROU-CF		
020	87004583	2.0	screw-in bolt w taper straight	HYV-EGE-12-L-R-3/8-ED-CF		
025	87000353	1.0	double check valve			
030	66340256	1.0	mount f check valve		Bl 3 x 126 x 139,4	
035	86502060	2.0	hexagon screw ISO 4014 galv		M 6 x 50	
040	86501115	4.0	washer ISO7089-A 6.4 galv			
045	86500310	2.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
050	87007518	2.0	hose clip		60-80/12 W2	
055	87000373	1.0	one-way check valve galv		DRV L12 / 1,3mm Bohr	
060	87009806	1.0	hydraulic hose	HYS-2SN-10x550-AO12L-AO12L90		
065	87000465	1.0	screw-in bolt straight	HYV-GE-12-L-M-16x1.5-ROU-CF		
070	87000504	2.0	screw-in bolt straight	HYV-GE-12-L-R-3/8-ROU-CF		
075	87000937	2.0	hydraulic hose	HYS-2SN-10x800-AO12L-AO12L90		
080	87000493	2.0	connector straight	HYV-G-12-L-ROU-CF		
085	66550612	1.0	hydr tube-12x1.5-line cut shield closed			
090	66550613	1.0	hydr tube-12x1.5-line cutting shield ope			
095	87008846	3.0	Stauff clamp double 212/12PP			
100	87001529	3.0	Stauff cover plate GD2DW3			
105	86502022	3.0	hexagon screw ISO 4014 galv		M 8 x 60	
110	87000475	2.0	reducing coupling straight	HYV-GR-12/08-L-ROU-CF		
115	87004898	1.0	hydraulic hose	HYS-1SN-06x1930-AO08L-AO08L		/ Sherpa 1201
120	87004454	1.0	hydraulic hose	HYS-1SN-06x2010-AO08L-AO08L		/ Sherpa 1401
125	87004897	1.0	hydraulic hose	HYS-1SN-06x1880-AO08L-AO08L		/ Sherpa 1201




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
130	87004455	1.0	hydraulic hose	HYS-1SN-06x1980-AO08L-AO08L		/ Sherpa 1401
135	87000525	2.0	adjust 45°-angle nozzle w taper	HYV-EV-08-L-ROU-CF		
140	87000477	2.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		
145	87040574	2.0	hydraulic hose	HYS-2SN-06x2900-AO08L-AO08L		
150	86501075	2.0	screw-in bolt straight	HYV-GE-08-L-M-10x1-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	63250596	1.0	hydraulic motor	HYM-AV-75/22-24V		
015	64350520	1.0	seal kit f hydraulic motor	HYDI-M-HMV-75-Linde		
025	87008373	1.0	radial shaft seal BAB SL 40x55x6		40x55x6	
035	63250569	1.0	magnet proportional 24V AMP			
040	86508316	1.0	O-ring 23.52x1.78-V 80			
045	86502072	2.0	hexagon screw ISO 4017 galv		M 16 x 50	
050	86501021	2.0	washer galv		A 18	
055	86501077	1.0	screw-in bolt straight	HYV-GE-12-L-M-14x1.5-ED-ROU-CF		
060	87000893	1.0	hydraulic hose	HYS-2SN-10x2500-AO12L-AO12L		
070	87009536	1.0	screw-in bolt straight	HYV-GE-12-L-R-3/4-ED-ROU-CF		/ cutting shield Fast-Cut
075	87000753	1.0	screw-in bolt straight	HYV-GE-22-L-M-22x1.5-ED-ROU-CF		
080	87040733	1.0	hydraulic hose	HYS-2SN-19x1700-AO22L-AO22L90		
090	87000526	1.0	adjust 45°-angle nozzle w taper	HYV-EV-22-L-ROU-CF		
095	86501097	1.0	screw-in bolt straight	HYV-GE-22-L-R-3/4-ED-ROU-CF		
100	87003524	4.0	hydraulic sealing ring	HYD-QUR-24.99x32.05x3.53-NBR		
105	86501207	2.0	SAE 90° angle flange adapter	HYVF-WFS-6-4-30-S-OMDCF		
110	86501210	4.0	SAE flange half	HYVF-FHS-6-4-CFX		
115	86502428	8.0	cheese-head screw ISO 4762 galv		M 12 x 45	
120	87040315	1.0	hydraulic hose	HYS-R15-25x2150-AO30S-SF3/4S90		/ cutting shield Fast-Cut
130	87040314	1.0	hydraulic hose	HYS-R15-25x2000-AO30S-SF3/4S90		/ cutting shield Fast-Cut
140	86501209	4.0	SAE flange half	HYVF-FHS-6-3-CFX		
145	86502500	8.0	cheese-head screw ISO 4762 galv		M 10 x 35	
150	87040214	1.0	hydraulic hose	HYS-1SN-10x2100-AO12L-AO12L90		/ milling cutter
155	86501190	1.0	L-shaped coupling w taper	HYV-EL-12-L-ROU-CF		/ milling cutter
160	86501028	1.0	test port w threaded coupling f cones	HYV-VKA3-12-L-CF		/ milling cutter




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
165	86501078	1.0	screw-in bolt straight	HYV-GE-12-L-M-18x1.5-ED-ROU-CF		/ milling cutter
170	87004497	1.0	hydraulic hose	HYS-R15-19x2170-AO30S-AO25S90		/ milling cutter
175	87004496	1.0	hydraulic hose	HYS-R15-19x2020-AO30S-AO25S90		/ milling cutter




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	60105507	2.0	hydraulic cylinder DA	HYZ-DW-040/025-245-100		
010	87010325	2.0	seal kit f hydraulic cylinder	HYDI-Z-DW-40/25-SHW		
015	87000459	4.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ROU-CF		
020	87004751	1.0	hydraulic hose	HYS-1SN-06x790-AO08L-AO08L90		
025	87004888	1.0	hydraulic hose	HYS-1SN-06x660-AO08L-AO08L90		
030	87004887	1.0	hydraulic hose	HYS-1SN-06x720-AO08L-AO08L90		
035	87000830	1.0	hydraulic hose	HYS-1SN-06x600-AO08L-AO08L90		
040	87000515	6.0	connector straight	HYV-G-08-L-ROU-CF		
045	66550635	1.0	hydraulic tube	HYR-08x1 Gegenschneiden hi KR		
050	66550634	1.0	hydraulic tube	HYR-08x1 Gegenschneiden hi KF		
055	66550633	2.0	hydraulic tube	HYR-08x1x1250-CF-B-M-PSR		
060	87001542	4.0	Stauff clamp double 108/08PP			
065	87001720	4.0	Stauff cover plate GD1DW3			
070	86502066	4.0	hexagon screw ISO 4017 galv		M 6 x 35	
075	87004920	2.0	L-shaped coupling w taper	HYV-EL-08-L-ROU-CF		
080	86501165	2.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		
085	87040549	1.0	hydraulic hose	HYS-1SN-06x380-AO08L-AO08L90		
090	87009740	1.0	hydraulic hose	HYS-1SN-06x400-AO08L-AO08L90		
095	87000511	4.0	screw-in bolt straight	HYV-GE-08-L-R-3/8-ROU-CF		
100	87000353	1.0	double check valve			
105	86500752	2.0	spring washer DIN127 galv		A 6	
110	86502110	2.0	hexagon screw ISO 4014 galv		M 6 x 40	
115	87004884	1.0	hydraulic hose	HYS-1SN-06x340-AO08L-AO08L90		
120	87040549	1.0	hydraulic hose	HYS-1SN-06x380-AO08L-AO08L90		
125	87000477	2.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	87000009	1.0	hydraulic motor	HYM-B-1-ZR-160-OMP-X	OMP 160-25-2Loch	
010	87010315	1.0	seal kit f hydraulic motor	HYDI-M-OMP/OMR-25er_Welle-Danfoss		
015	87000462	2.0	screw-in bolt straight	HYV-GE-08-L-R-1/2-ROU-CF		
020	86501222	1.0	intermediate nozzle w taper straight	HYV-GZ-08-L-CF		
025	87000732	1.0	hydraulic valve	HYVE-Rueckschlagventil 8L		
030	87004464	2.0	hydraulic hose	HYS-1SN-06x1250-AO08L-AO08L45		
035	87000515	4.0	connector straight	HYV-G-08-L-ROU-CF		
040	66550629	2.0	hydr tube-8x1-discharge hopper			
045	87001542	2.0	Stauff clamp double 108/08PP			
050	87001720	2.0	Stauff cover plate GD1DW3			
055	86502066	2.0	hexagon screw ISO 4017 galv		M 6 x 35	
060	87000830	2.0	hydraulic hose	HYS-1SN-06x600-AO08L-AO08L90		
065	87000477	2.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	61405503	1.0	hydraulic cylinder DA	HYZ-DW-050/035-852-725		
010	87010328	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-50/35-SHW		
015	86503203	1.0	screwed plug DIN910-M16x1.5			
020	87000463	2.0	screw-in bolt straight	HYV-GE-08-L-M-16x1.5-ROU-CF		
025	86501165	1.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		
030	87000924	1.0	hydraulic hose	HYS-1SN-06x3400-AO08L-AO08L90		
035	87030145	1.0	hydraulic hose	HYS-1SN-06x2700-AO08L-AO08L45		
040	87001517	1.0	Stauff clamp double 218/18PP			
045	87001529	1.0	Stauff cover plate GD2DW3			
050	86502017	1.0	hexagon screw ISO 4017 galv	M 8 x 35		
055	60905005	3.0	bracket galv	Bl 5 x 30 x 105		
060	86501108	4.0	washer ISO7089-A 13 galv			
065	86500755	4.0	spring washer DIN127 galv	A 12		
070	86502042	4.0	hexagon screw ISO 4017 galv	M 12 x 35		
075	87000477	4.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		
080	62305507	1.0	hydraulic cylinder DA	HYZ-DW-032/020-225-85		
085	87001481	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-32/20-SHW		
090	87000459	1.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ROU-CF		
095	87000541	1.0	screw-in bolt w shaft straight	HYV-EVGE-08-L-M-12x1.5-ED-CF		
100	87000543	2.0	screw-in bolt straight	HYV-GE-08-L-R-1/4-ROU-CF		
105	87000374	1.0	one-way check valve		DV 06 IR	
110	87000961	2.0	hydraulic hose	HYS-1SN-06x900-AO08L-AO08L90		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	61405503	1.0	hydraulic cylinder DA	HYZ-DW-050/035-852-725		
010	87010328	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-50/35-SHW		
015	86503203	1.0	screwed plug DIN910-M16x1.5			
020	87000463	2.0	screw-in bolt straight	HYV-GE-08-L-M-16x1.5-ROU-CF		
025	86501165	1.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		
030	87000826	1.0	hydraulic hose	HYS-1SN-06x4000-AO08L-AO08L90		
035	87040754	1.0	hydraulic hose	HYS-1SN-06x3300-AO08L-AO08L45		
040	87001517	1.0	Stauff clamp double 218/18PP			
045	87001529	1.0	Stauff cover plate GD2DW3			
050	86502017	1.0	hexagon screw ISO 4017 galv	M 8 x 35		
055	60905005	3.0	bracket galv	Bl 5 x 30 x 105		
060	86501108	4.0	washer ISO7089-A 13 galv			
065	86500755	4.0	spring washer DIN127 galv	A 12		
070	86502042	4.0	hexagon screw ISO 4017 galv	M 12 x 35		
075	87000477	4.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		
080	62305507	1.0	hydraulic cylinder DA	HYZ-DW-032/020-225-85		
085	87001481	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-32/20-SHW		
090	87000459	1.0	screw-in bolt straight	HYV-GE-08-L-M-12x1.5-ROU-CF		
095	87000541	1.0	screw-in bolt w shaft straight	HYV-EVGE-08-L-M-12x1.5-ED-CF		
100	87000543	2.0	screw-in bolt straight	HYV-GE-08-L-R-1/4-ROU-CF		
105	87000374	1.0	one-way check valve		DV 06 IR	
110	87000877	2.0	hydraulic hose	HYS-1SN-06x1200-AO08L-AO08L90		
115	87004382	1.0	hydraulic hose	HYS-1SN-06x4050-AO08L-AO08L90		
120	87004381	1.0	hydraulic hose	HYS-1SN-06x3550-AO08L-AO08L45		
125	87000511	4.0	screw-in bolt straight	HYV-GE-08-L-R-3/8-ROU-CF		
130	87000353	1.0	double check valve			




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	86501165	2.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		
140	86501535	2.0	hexagon screw ISO 4014		M 6 x 50	
145	86501115	2.0	washer ISO7089-A 6.4 galv			
150	86500310	2.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
155	87009886	1.0	hydraulic hose	HYS-1SN-06x1400-AO08L-AO08L		
160	87004380	1.0	hydraulic hose	HYS-1SN-06x1450-AO08L-AO08L		
165	87000525	2.0	adjust 45°-angle nozzle w taper	HYV-EV-08-L-ROU-CF		
170	87000475	2.0	reducing coupling straight	HYV-GR-12/08-L-ROU-CF		
175	66550627	2.0	hydr tube-12x1.5-diesel return line			
180	87008846	3.0	Stauff clamp double 212/12PP			
185	87001529	3.0	Stauff cover plate GD2DW3			
190	86502022	3.0	hexagon screw ISO 4014 galv		M 8 x 60	
195	87000493	2.0	connector straight	HYV-G-12-L-ROU-CF		
200	87001096	2.0	hydraulic hose	HYS-2SN-10x2200-AO12L-AO12L45		
205	87000522	2.0	adjust 45°-angle nozzle w taper	HYV-EV-12-L-ROU-CF		
210	86501225	2.0	angle nozzle w taper	HYV-EW-12-L-ROU-CF		
215	86501078	2.0	screw-in bolt straight	HYV-GE-12-L-M-18x1.5-ED-ROU-CF		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	89003167	4.0	weighing rod 4.0 DR54x324 PTM			
010	61601402	4.0	retainer weighing sensor forged			
015	86504026	4.0	tensioning pin galv		10 x 80	
020	66306200	4.0	spacer plate		Bl 20 x 80 x 130	
025	86502622	16.0	cheese-head screw	cheese-head screw _M12x070_10.9_ISO4762_fZn	M 12 x 70	
030	86501154	16.0	lock washer Nord-Lock		DNL 12	
035	89003162	1.0	connection box 4-fold/8m cable PTM			
040	89003208	1.0	weighing electronics HL50 PTM			
045	89003161	1.0	connecting cable	EL_KKB_ASK_PTM Power-Kabel 8m		
050	89003284	1.0	weighing device accessories	EL_WEG_ZUB_Signalhupe 12/24V		
055	89003285	1.0	cable f weighing device	EL_WEG_KBL_Alarmsirene 1m		
060	65506200	1.0	retaining plate weighing device		Bl 3 x 276,7 x 464,3	
065	89003254	1.0	weighing electronics GS USB RF PTM			
070	63206606	1.0	software SuperData Mix5 PTM cpl			
075	89003242	1.0	USB stick 2 GB Jetflash PTM			
080	89003278	1.0	weighing device display	EL_WEG_DPY_Handgeraet AV70		
085	89003277	1.0	weighing device accessories	EL_WEG_ZUB_Ladeschale		
090	89003279	1.0	weighing device accessories	EL_WEG_ZUB_Antenne f AV50/AV70		
095	89003282	1.0	cable f weighing device	EL_WEG_KBL_Kabel ML 3m inkl Hupe		
100	89003280	1.0	weighing device display	EL_WEG_DPY_Advance Super USB		




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	89003152	4.0	weighing rod 4.0t/DR54x324 D-S			
010	61601402	4.0	retainer weighing sensor forged			
015	86504026	4.0	tensioning pin galv		10 x 80	
020	66306200	4.0	spacer plate		Bl 20 x 80 x 130	
025	86502622	16.0	cheese-head screw	cheese-head screw _M12x070_10.9_ISO4762_fiZn	M 12 x 70	
030	86501154	16.0	lock washer Nord-Lock		DNL 12	
035	89003221	1.0	connection box 4-fold/7.5m cable DS			
040	89003500	1.0	weighing device display	EL_WEG_DPY_EZ3600V USB		
045	89003502	1.0	weighing device display	EL_WEG_DPY_EZ3600V USB+CC+DL		
050	60906657	1.0	KIT-TMR TRACKER LITE			
055	60906630	1.0	alarm siren w Y-cable DS			
060	65506200	1.0	retaining plate weighing device		Bl 3 x 276,7 x 464,3	
065	65506201	1.0	retaining plate Digi-Star		Bl 2 x 156,3 x 216,2	




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	63270557	2.0	mirror arm Lx Rx			
010	63270004	2.0	mirror arm holder		B1 25 x 50 x 135	
015	86502502	2.0	cheese-head screw ISO 4762 galv		M 8 x 30	
020	86501116	6.0	washer ISO7089-A 8.4 glav			
025	86500303	4.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
030	88004606	2.0	main mirror SPAFAX VM1RH heated			
035	88001401	2.0	mirror glas main mirror	f 88004606		
040	86502600	2.0	cheese-head screw ISO 4762 galv		M 8 x 35	
045	63270558	1.0	extension mirror arm Rx			
050	88004607	1.0	wide angle mirror SPAFAX VM4			
055	88001403	1.0	mirror glas wide angle mirror	f 88004607		
060	88004145	1.0	ramp mirror 247x157mm		247x157mm	
070	66303704	1.0	mirror arm tot			
075	86503043	6.0	flat-head screw DIN603 galv		M 12 x 30	
080	86501108	6.0	washer ISO7089-A 13 galv			
085	86500301	6.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
090	88004558	1.0	lamp	EL_BEL_LEU_Scheinwerfer Rechtsverkehr re		
095	88004120	1.0	lamp	EL_BEL_LEU_Scheinwerfer Linksverkehr re		
100	88004508	1.0	indicator ri cpl			
105	88004149	2.0	bulb 24V 75/70W H4			
110	87006536	2.0	lighting	EL_BEL_GLP_24V 21W HD		
115	89006037	2.0	bulb spherical 24V 4W			
120	86502014	4.0	hexagon screw ISO 4017 galv		M 8 x 20	up to YOM 2016
121	86502015	2.0	hexagon screw ISO 4017 galv		M 8 x 25	since YOM 2016
125	86500753	4.0	spring washer DIN127 galv		A 8	
130	88004559	1.0	lamp	EL_BEL_LEU_Scheinwerfer Rechtsverkehr li		







Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
135	88004119	1.0	lamp	EL_BEL_LEU_Scheinwerfer Linksverkehr li		
140	88004509	1.0	indicator le cpl			
145	63270538	1.0	kit fastening device work light			
150	86502007	2.0	hexagon screw ISO 4017 galv		M 6 x 16	
155	86501115	2.0	washer ISO7089-A 6.4 galv			
160	66303708	1.0	tube horizontal tot			
165	66303709	1.0	tube vertical tot			
170	86504039	1.0	tensioning pin galv	Spannstift_07.0x070.0_ISO8752_ vzk	7 x 70	
175	86504722	#	adjusting washer galv	Scheibe_P_045.0x055.0x1.0_DIN 988_vzk	PS 45 x 55 x 1	
180	15103601	1.0	feed shaft bearing cpl			
185	41003500	1.0	Wieland bushing B09		45,2 x 50 x 60	
190	86502086	2.0	hexagon screw ISO 4017 galv		M 10 x 40	
195	86501106	4.0	washer ISO7089-A10.5 galv			
200	86500304	2.0	hexagon nut ISO7040 galv	6kt-nut_M10_08_DIN982_vzk	M 10	
205	66303501	1.0	eyebolt mirror arm			
210	86500205	2.0	hexagon nut galv	6kt-nut_M12_08_DIN934_vzk	M 12	
215	86501108	2.0	washer ISO7089-A 13 galv			
220	86506838	1.0	fork joint unmounted galv		16 x 64	
225	86500216	1.0	hexagon nut ISO4035 galv		M 16	
230	66350542	1.0	hydraulic cylinder	HYZ-DW-032/020-225-85		
235	87001481	1.0	seal kit f hydraulic cylinder	HYDI-Z-DW-32/20-SHW		
240	86501110	1.0	washer ISO7089-A 17 galv			
245	86501105	1.0	washer ISO7093 galv		A 8,4	
250	86501317	1.0	hexagon screw ISO 4017 galv		M 8 x 16	
255	87000603	1.0	banjo fitting	HYV-SWVE-08-L-M-12x1.5-ROU- CF		
260	87030466	1.0	hydraulic hose	HYS-1SN-06x2900-AO08L- AO08L90		





Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
265	87030466	1.0	hydraulic hose	HYS-1SN-06x2900-AO08L-AO08L90		
270	86501075	10.0	screw-in bolt straight	HYV-GE-08-L-M-10x1-ROU-CF		
275	63251503	2.0	stop valve 2-fold dead closed			
280	87004869	4.0	solenoid	HYSB-Magnetspule	D36 24DC 27W	
285	86501222	2.0	intermediate nozzle w taper straight	HYV-GZ-08-L-CF		
290	86502510	4.0	cheese-head screw ISO 4762 galv		M 6 x 50	
295	63250238	1.0	stop valve holder galv		Bl 3 x 95 x 177	
300	86501104	4.0	washer ISO7093 galv		A 6,4	
305	86500310	4.0	hexagon nut ISO7040 galv	6kt-nut_M06_08_DIN982_vzk	M 6	
310	46958500	2.0	Nylon spacer		Dr 25 x 16	
315	87000525	2.0	adjust 45°-angle nozzle w taper	HYV-EV-08-L-ROU-CF		
320	87000849	1.0	hydraulic hose	HYS-1SN-06x1000-AO08L-AO08L90		
325	87000849	1.0	hydraulic hose	HYS-1SN-06x1000-AO08L-AO08L90		
330	86501165	2.0	angle nozzle w taper	HYV-EW-08-L-ROU-CF		
335	87000477	2.0	screw-in bolt straight	HYV-GE-08-L-M-18x1.5-ROU-CF		
340	66307204	1.0	Kennzeichenhalter		Bl 3 x 180,97 x 255	since YOM 2016




Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	66580500	1.0	lamp	EL_BEL_LEU_MFL Muenchen re inkl SML	247 x 136 x 60	
010	66580502	1.0	lens ri	EL_BEL_REP_Lichtscheibe re		
015	87006536	5.0	lighting	EL_BEL_GLP_24V 21W HD		
020	87006731	2.0	lighting	EL_BEL_GLP_24V 21W/5W HD		
025	88001574	2.0	repair kit	EL_EKM_REP_SS 6pol kpl		
030	66580501	1.0	lamp	EL_BEL_LEU_MFL Muenchen li inkl SML		
035	66580503	1.0	lens le	EL_BEL_REP_Lichtscheibe li		
040	66380203	2.0	lamp bracket		Bl 2 x 311 x 413	
045	31806201	2.0	holder f clearance lamp		Bl 2 x 112,6 x 261,6	
050	63280544	2.0	lamp	EL_BEL_LEU_Umriss m 2pol SS		up to YOM 2015
055	87006534	2.0	lighting	EL_BEL_GLP_24V 5W HD		up to YOM 2015
060	87008835	#	repair kit	EL_EKM_REP_SS 2pol kpl		up to YOM 2015
065	87011971	2.0	lamp	EL_BEL_LEU_Kennzeichenleucht e	240 x 130 x 82	up to YOM 2015
070	87005839	8.0	festoon bulb 24V 5W			up to YOM 2015
075	63280531	8.0	lamp	EL_BEL_LEU_Seitenmarkierungsli . .		up to YOM 2015
080	63280530	2.0	connecting cable	EL_KKB_ASK_Y-Verteiler SS 2pol		up to YOM 2015
085	63280540	2.0	connecting cable	EL_KKB_ASK_2pol SS 4m		up to YOM 2015
090	88001588	2.0	lamp	EL_BEL_LEU_Kennzeichenleucht e LED		since YOM 2015
095	88001571	10.0	clamp/accessoires	EL_EKM_KLM_P2G		since YOM 2015
100	88001589	1.0	lamp ri	EL_BEL_LEU_Umrissleuchte LED re	52.2x119x170.1	since YOM 2015
105	89006527	1.0	lamp le	EL_BEL_LEU_Umrissleuchte LED li	52.2x119x170.1	since YOM 2015
110	87011978	6.0	lamp	EL_BEL_LEU_SML LED		since YOM 2015
115	88080505	#	flat cable ligthing	EL_EKAB_STL_FLYY-FL-B 2x0,75qmm		



Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	88004591	#	work light	EL_BEL_ASW_H3 Nordic N25 24V 70W	Wide Flood	
010	87006537	#	lighting	EL_BEL_GLP_H3 24V 70W HD		
015	88004576	#	work light	EL_BEL_ASW_LED Powerbeam 1000		
020	87011950	#	repair kit	EL_EKM REP Deutsch DT 2pol		
025	63280717	#	connecting cable	EL_KKB_ASK_Deutsch 2pol 4m		
030	87011832	#	angled spring strip 2pin			
035	66330207	1.0	lighting holder		Bl 3 x 240,6 x 1391,4	
040	63207232	1.0	headlig holder cabin top re galv		Bl 5 x 100 x 122,7	
045	63207228	#	holder additio headlight container galv		Bl 3 x 168 x 185	
050	50422002	1.0	hinge flap galv		Bl 5 x 25 x 100	



Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	88004442	1.0	camera colour w 6 infrared LED brigade			
010	63280211	1.0	camera cover f colour camera		Bl 3 x 162 x 301	
015	88004414	1.0	cable f camera 10m brigade			
020	87011960	1.0	adapter cable	EL_KKB_ADP_Kamera OPUS A3		
025	88004533	1.0	TFT monitor 7" Brigade FM			
030	87011975	1.0	adapter cable	EL_KKB_ADP_Monitor Brigade TYP VBV		
035	89006196	1.0	overload protection insert flat 2A			
040	65506200	1.0	retaining plate weighing device		Bl 3 x 276,7 x 464,3	



Pos.	Order No.	Pcs.	Description	Detailing	Dimension	Comment
005	31806500	2.0	plastic chock G53			
010	87004333	2.0	holder f chock G53 galv			
015	66320527	1.0	connecting piece angle-oil hose			
020	66307201	1.0	coupling traverse		Bl 8 x 217,5 x 1039,5	
025	63210581	1.0	coupling ball w flange A50-1			
030	86502073	2.0	hexagon screw ISO 4017 galv		M 16 x 55	
035	86501110	4.0	washer ISO7089-A 17 galv			
040	86500302	2.0	hexagon nut ISO7040 galv	6kt-nut_M16_08_DIN982_vzk	M 16	
045	87006745	1.0	socket 7-pin			
050	86503653	3.0	cheese-head screw ISO 1207 galv		M 5 x 40	
055	86501101	3.0	washer ISO708-A galv		5,3	
060	86500308	3.0	hexagon nut ISO7040 galv	6kt-nut_M05_08_DIN982_vzk	M 5	
065	86502043	4.0	hexagon screw ISO 4017 galv		M 12 x 40	
070	86501108	8.0	washer ISO7089-A 13 galv			
075	86500301	4.0	hexagon nut ISO7040 galv	6kt-nut_M12_08_DIN982_vzk	M 12	
080	88004156	1.0	horn 24V 400Hz 112mm 72W			
085	86502016	1.0	hexagon screw ISO 4017 galv		M 8 x 30	
090	86501116	2.0	washer ISO7089-A 8.4 galv			
095	86500303	1.0	hexagon nut ISO7040 galv	6kt-nut_M08_08_DIN982_vzk	M 8	
100	88004441	1.0	reversing alarm system BA 32 NS 90DB			

Verfasser	Freigeber	Freigabedatum	Sprache
MSz	AxF	20.01.2017	EN

Zuordnung	
PG	Self-propelled fodder mixing wagon
WG	Sherpa
Modell	1201 / 1401